

## MIT Open Access Articles

Correction for Upadhyay et al., Intracranial microcapsule chemotherapy delivery for the localized treatment of rodent metastatic breast adenocarcinoma in the brain

The MIT Faculty has made this article openly available. *Please share* how this access benefits you. Your story matters.

**Citation:** Upadhyay, Urvashi M. et al. "Correction for Upadhyay et Al., Intracranial Microcapsule Chemotherapy Delivery for the Localized Treatment of Rodent Metastatic Breast Adenocarcinoma in the Brain." Proceedings of the National Academy of Sciences 113, 9 (March 2016): E1327–E1327 © 2016 National Academy of Sciences

As Published: http://dx.doi.org/10.1073/pnas.1600771113

Publisher: National Academy of Sciences (U.S.)

Persistent URL: http://hdl.handle.net/1721.1/111794

**Version:** Final published version: final published article, as it appeared in a journal, conference proceedings, or other formally published context

**Terms of Use:** Article is made available in accordance with the publisher's policy and may be subject to US copyright law. Please refer to the publisher's site for terms of use.



## Correction

## **MEDICAL SCIENCES, ENGINEERING**

Correction for "Intracranial microcapsule chemotherapy delivery for the localized treatment of rodent metastatic breast adenocarcinoma in the brain," by Urvashi M. Upadhyay, Betty Tyler, Yoda Patta, Robert Wicks, Kevin Spencer, Alexander Scott, Byron Masi, Lee Hwang, Rachel Grossman, Michael Cima, Henry Brem, and Robert Langer, which appeared in issue 45, November 11, 2014, of *Proc Natl*  Acad Sci USA (111:16071–16076; first published October 27, 2014, 10.1073/pnas.1313420110).

The authors note that, because Fig. 2 did not publish in color, the legend for Fig. 2 does not accurately describe the figure. The legend has been corrected to describe a black and white figure. The figure and its corrected legend appear below.



Fig. 2. (A) In vitro release of DOX from one- (triangle), three- (square), and five-hole (diamond) microcapsule devices loaded with 5 mg DOX. (B) DOX LCP single-orifice device in vitro release compared with leak devices.

www.pnas.org/cgi/doi/10.1073/pnas.1600771113