

# MIT Open Access Articles

Thin films in partial wetting: stability, dewetting and coarsening

The MIT Faculty has made this article openly available. *Please share* how this access benefits you. Your story matters.

**Citation:** Alizadeh Pahlavan, A., L. et al. "Thin Films in Partial Wetting: Stability, Dewetting and Coarsening." Journal of Fluid Mechanics 845 (April 2018): 642–681 © 2018 Cambridge University Press

As Published: http://dx.doi.org/10.1017/jfm.2018.255

**Publisher:** Cambridge University Press

Persistent URL: http://hdl.handle.net/1721.1/119024

**Version:** Author's final manuscript: final author's manuscript post peer review, without publisher's formatting or copy editing

Terms of use: Creative Commons Attribution-Noncommercial-Share Alike



# Thin Films in Partial Wetting: Stability, Dewetting and Coarsening

# A. Alizadeh Pahlavan, L. Cueto-Felgueroso, A. E. Hosoi, G. H. McKinley, R. Juanes

Massachusetts Institute of Technology, Cambridge, MA 02139, USA

(Received xx; revised xx; accepted xx)

A uniform nanometric thin liquid film on a solid substrate can become unstable due to the action of van der Waals (vdW) forces. The instability leads to dewetting of the uniform film and the formation of drops. To minimize the total free energy of the system, these drops coarsen over time until one single drop remains. Here, using a thermodynamically-consistent framework, we derive a new model for thin films in partial wetting with a free energy that resembles the Cahn-Hilliard form with a height-dependent surface tension that leads to a generalized disjoining pressure, and revisit the dewetting problem. Using both linear stability analysis and nonlinear simulations we show that the new model predicts a slightly smaller critical instability wavelength and a significantly (up to six-fold) faster growth rate than the classical model in the spinodal regime; this faster growth rate brings the theoretical predictions closer to published experimental observations. During coarsening at intermediate times, the dynamics become self-similar and model-independent; we therefore observe the same scalings in both the classical (with and without thermal noise) and new models. Both models also lead to a mean-field Lifshitz-Slyozov-Wagner (LSW)-type droplet size distribution at intermediate times for small drop sizes. We, however, observe a skewed drop-size distribution for larger drops in the new model; while the tail of the distribution follows a Smoluchowski equation, it is not associated with a coalescence-dominated coarsening, calling into question the association made in some earlier experiments. Our observations point to the importance of the height-dependence of surface tension in the early and late stages of dewetting of nanometric films and motivate new high-resolution experimental observations to guide the development of improved models of interfacial flows at the nano-scale.

## 1. Introduction

Understanding the underlying physics of how fluids coat solid substrates has been a long-standing quest in fluid dynamics (Blake & Ruschak 1979; Ruschak 1985; Quéré 1999; Weinstein & Ruschak 2004; Snoeijer & Andreotti 2013). With the advent of micro and nano scale lithography techniques enabling manipulation at increasingly small scales (Xia & Whitesides 1998; Gates *et al.* 2005; Qin *et al.* 2010), and with applications ranging from micro/nano-fluidics to additive manufacturing (Stone *et al.* 2004; Schoch *et al.* 2008; Wijshoff 2010; Kumar 2015), questions arise regarding the relevant description of fluid physics at the nano-scale and the validity of continuum modeling at such small scales (Squires & Quake 2005; Bocquet & Charlaix 2010; Colin *et al.* 2012; Bocquet & Tabeling 2014; Lohse & Zhang 2015). As the thickness of a liquid film on a solid substrate becomes smaller than approximately 100 nm, the atoms at the liquid–solid and liquid– gas interfaces start interacting with each other, giving rise to additional intermolecular forces that need to be considered in continuum modeling (Israelachvili 2011; Rauscher & Dietrich 2008; Bonn *et al.* 2009).

A uniform nanometric thin liquid film on a solid substrate can become unstable due to these intermolecular forces. The instability leads to dewetting of the film and formation of drops. Both liquid and solid-state dewetting at the nano-scale are relevant in many phenomena (Blossey 2012; Gentili et al. 2012; Thompson 2012; Mukherjee & Sharma 2015; Pierre-Louis 2016) such as pumping liquids using nanowires (Huang et al. 2013), patterning via self-assembly (Gau et al. 1999; Higgins & Jones 2000; Lopes & Jaeger 2001; Huang et al. 2005; Segalman 2005; van Hameren et al. 2006; Pokroy et al. 2009; Fowlkes et al. 2011; Han & Lin 2012; Thiele 2014; Wu et al. 2015; Kong et al. 2015, 2016), synthesis of core-shell nanoparticle arrays (McKeown et al. 2015), droplet generation (Yamamoto et al. 2015; Keiser et al. 2017), needle growth (Yu et al. 2013), understanding slip and rheology of nanometric films (Herminghaus et al. 2002; Fetzer et al. 2005, 2007a; Bäumchen & Jacobs 2010; Bäumchen et al. 2012; Bäumchen et al. 2014; McGraw et al. 2014), tear film dynamics (Braun 2012), film flow in heat pipes (Kundan et al. 2017), Rayleigh–Plateau instability of nano-wires or liquids in nano-channels (Molares et al. 2004; Chen et al. 2007), or stability of bubbles/drops in micro/nano-channels (Huerre et al. 2015; Hammoud et al. 2017).

Reiter (1992, 1993) was the first to experimentally characterize the dewetting of a nanometric polymer film on a solid substrate. He observed that, initially, some holes form with a seemingly characteristic wavelength between them; these holes then expand with a ridge formed at the receding front; these ridges ultimately meet and form a network of polygonal patterns. The ridges later collapse due to the Rayleigh–Plateau instability, forming small droplets of approximately uniform size. On a much longer time-scale still, these droplets can coarsen to ultimately form a single drop; the time-scale associated with this last stage, however, is very long and not readily accessible within typical experiments.

The theory for instability of thin liquid films under the influence of intermolecular forces far predates the experimental observations, dating back to Vrij (1966); Sheludko (1967); Ruckenstein & Jain (1974); Williams & Davis (1982); Wyart & Daillant (1990); Brochard-Wyart *et al.* (1993); Sharma & Reiter (1996); Sharma & Khanna (1998); Oron (2000). The Navier–Stokes equations describing the fluid motion can be greatly simplified using the long-wave/lubrication approximation when the characteristic lateral length of the flow is much larger than its characteristic height, an approach that has its origins in the work of Reynolds to describe the pressure distribution for slider bearings (Reynolds 1886). For ultra-thin liquid films, an additional disjoining pressure term arises due to the intermolecular interactions between the solid–liquid and liquid–gas interfaces.

Assuming a particular form for the intermolecular forces, one can use linear stability analysis of the thin film equation to arrive at a prediction for the scaling of the wavelength of the instability and its growth rate as a function of the initial uniform film thickness (Oron *et al.* 1997; Craster & Matar 2009); this regime predicted by the linear theory is known as the spinodal regime. In apolar systems, typically van der Waals (vdW) forces are the main long-range attractive interactions, scaling with the film thickness as ~  $1/h^2$ , leading to a scaling of ~  $h^2$  and ~  $1/h^5$  for the most unstable wavelength and fastest growth rate, respectively. These scalings therefore serve as a qualitative benchmark for the experiments to determine if they are within the spinodal regime. Making quantitative predictions, however, requires prescribing the exact form of the interface potential.

The observations by Reiter (1992, 1993) led to a wave of experimental studies focusing on dewetting of thin liquid films. Jacobs *et al.* (1998) showed that the holes observed in the experiments of Reiter (1992, 1993) have a Poisson distribution, a signature of the nucleation regime, and that the scaling of the film-rupture time as a function of film thickness did not match the theoretical predictions of the spinodal regime; films in the nucleation regime are linearly stable, yet instabilities can still grow due to the presence of defects on the substrate or in the film itself (Jacobs *et al.* 1998). The first observations of the spinodal regime were reported by Bischof *et al.* (1996) and Herminghaus *et al.* (1998) using thin gold films on quartz substrates, where the correlations between the holes was rigorously shown using Minkowski functionals (Mecke 1998; Mantz *et al.* 2008).

The presence of residual stresses in thin polymer films can further complicate the dewetting process; Reiter *et al.* (2005) observed dewetting through nucleation for large film thicknesses, where the film is expected to be linearly stable. They realized that the number of holes is a strong function of the ageing time of the polymer before the temperature is raised above the glass transition temperature to perform the experiments; they further speculated that the reason behind this observation could be that during the spin-coating process, the solvent evaporates quickly, leaving the polymer chains in non-equilibrium configurations leading to a residual stress in the film, which can be responsible for the unexpected instability of the films. The observations by Reiter *et al.* (2005) therefore point to the need for extreme caution in conducting and interpreting experiments on thin films in spinodal and nucleation regimes (Stange *et al.* 1997; Thiele *et al.* 1998; Xie *et al.* 1998; Segalman & Green 1999; Meredith *et al.* 2000; Bollinne *et al.* 2003; Sharma 2003; Nguyen *et al.* 2014).

Seemann *et al.* (2001a) conducted a series of well-controlled experiments using polystyrene films spin-cast on silicon (Si) wafers. They demonstrated that by tuning the thickness of the silicone oxide coating of the Si wafer, they could alter the interface potential and classify three categories of instabilities: 1) spinodal dewetting for linearly unstable regions, 2) thermal nucleation at the edge of the linearly unstable region, where thermal fluctuations can overcome the energy barrier leading to dewetting, and 3) heterogeneous nucleation within the linearly stable region, where defects on the substrate or in the film give rise to the appearance of holes and instabilities. The spinodal regime is easily distinguishable as it gives rise to a well-defined characteristic wavelength of instability, from which the interface potential can be reconstructed. The key feature distinguishing regimes 2 and 3 is that holes continuously appear throughout the experiment in the thermal nucleation regime, whereas they all form within a limited time window in the heterogenous nucleation regime.

Becker *et al.* (2003) observed good agreement between experimental observations and theoretical predictions, with the caveat that experiments showed a faster rupture time. To explain the time-scale mismatch between theory and experiments, Mecke & Rauscher (2005); Grün *et al.* (2006); Fetzer *et al.* (2007b) suggested that accounting for thermal fluctuations is necessary. They showed that thermal noise at the typical temperatures used in the experiments can speed up the initial rupture process, thereby bringing the theoretical predictions closer to the experimental observations.

Here, we revisit the theory of thin liquid films in partial wetting and show that the intermolecular forces in thin films give rise to a height-dependent surface tension. We show that the free energy of the system can be cast in the following form:

$$\Gamma = \int \left( f(h) + \frac{1}{2} \kappa(h) (h_x)^2 \right) dx , \qquad (1.1)$$

which resembles the Cahn-Hilliard framework for phase separation in binary alloys (Cahn & Hilliard 1958; Langer 1971), an idea that dates back to van der Waals (Rowlinson 1979; Rowlinson & Widom 2013). Here, f(h) is the bulk free energy and  $\kappa(h)$  is a height-dependent surface tension term; this feature has important consequences for stability of liquid films, leading to a slightly smaller wavelength of instability and a faster rupture rate than the classical theory (by up to 6 times), bringing the theory closer to the

experimental observations, and suggesting that the height-dependence of surface tension could play a role along with the presence of thermal noise.

Within the framework of nonequilibrium thermodynamics (Hohenberg & Halperin 1977; Bray 2002; Cross & Hohenberg 1993), our model in non-dimensional form can be written succinctly as follows (Pahlavan *et al.* 2015):

$$\frac{\partial h}{\partial t} = \frac{\partial}{\partial x} \left( \mathcal{M} \frac{\partial}{\partial x} \left( \frac{\delta \Gamma}{\delta h} \right) \right), \tag{1.2}$$

with the mobility  $\mathcal{M}$ , and the pressure defined as the variational derivative of the free energy as  $\tilde{P} = \delta \Gamma / \delta h = df / dh - \sqrt{\kappa} \partial / \partial x (\sqrt{\kappa} \partial h / \partial x)$ ; here, h represents the height of the liquid film,  $\kappa$  is the height-dependent surface tension, and f is the bulk free energy.

Our model leads to a generalized form of the disjoining pressure defined as:

$$\Phi(h, h_x, h_{xx}) = \frac{d\phi_{\mu,1}}{dh} + \sqrt{\phi_{\mu,2}} \frac{\partial}{\partial x} \left( \sqrt{\phi_{\mu,2}} \frac{\partial h}{\partial x} \right), \qquad (1.3)$$

with  $\phi_{\mu,1}(h)$  and  $\phi_{\mu,2}(h)$  as components of the vdW force. As indicated in Eq.(1.3), this generalized disjoining pressure depends not only on the film height, but also on its slope and curvature. This model allows describing the spreading and dewetting of drops and thin films in the true partial-wetting regime (Brochard-Wyart *et al.* 1991; de Gennes *et al.* 2004) without the need to invoke a precursor film (Pahlavan *et al.* 2015).

Using the new thin-film model, we revisit the instability and dewetting of a partially wetting thin liquid film on a solid substrate. We first analyze the equilibrium film and droplet solutions predicted by this model and contrast it with the classical model, showing that in our model the equilibrium droplets exhibit compact support and show a nonzero equilibrium angle at the contact line, whereas the classical thin film model cannot admit solutions with compact support and the equilibrium droplet only asymptotically meets the substrate through a precursor film (Brenner & Bertozzi 1993). Analyzing the stability of uniform film solutions, we show that the new model predicts a faster growth rate and smaller wavelength of instability in the spinodal regime than the classical model. Upon dewetting, the newly-formed liquid droplets arrive at a metastable state; they are connected by ultrathin fluid films of nonzero thickness and slowly coarsen to lower the energy of the system; this coarsening process, however, occurs on very long time scales as the dynamics is now mainly driven by drainage through the ultrathin films and the mobility scales as  $\sim h^3$ , leading to very small rates of mass transfer between the droplets. We show that the coarsening process arrives at a self-similar intermediate-asymptotic behavior (Barenblatt 1996), which is independent of the details of the contact line models and even in the presence of thermal fluctuations matches the existing predictions for the classical thin film model (Glasner & Witelski 2003; Gratton & Witelski 2008, 2009). We, however, observe a skewed drop-size distribution for larger drops in the new model; while the long-tailed distribution follows a Smoluchowski equation, it is not associated with a coalescence-dominated coarsening process, calling into question the association made between coalescence and skewed drop-size distribution in some earlier experiments.

# 2. Thin film model in partial wetting

# 2.1. Free energy at equilibrium: emergence of Cahn–Hilliard framework with height-dependent surface tension

Consider a nanometric thin liquid film sitting on a solid substrate as shown in Fig. 1. When the film is perturbed, it can become unstable if the solid prefers to be in contact with the gas phase; in this configuration the uniform film has the lowest interfacial area, so



FIGURE 1. Schematic of a liquid film on a solid substrate; films with a height less than  $\approx 100$  nm can become unstable to infinitesimal perturbations if the liquid does not completely wet the substrate; in such situations, the instabilities grow and the film dewets from the substrate forming small droplets that can then coarsen to form larger drops; the shape of the small drops is governed mainly by surface tension leading to a spherical cap shape with a macroscopic Young contact angle  $\theta_Y$ ; deviations from the spherical cap shape can occur due to the intermolecular forces very close to the contact line. If the height of the drop becomes comparable to the capillary length  $l_{\gamma} = \sqrt{\gamma/(\rho g)}$ , gravitational force becomes important leveling the drop and forming a puddle shape; gravity sets the upper limit  $h_* = 2l_{\gamma} \sin(\theta_Y/2)$  for the puddle height.

dewetting lowers the bulk energy of the system at the expense of increasing its interfacial energy. We can write the energy of a half drop in 1D as:

$$\Gamma = \int_0^{x_0} \phi(h, h_x) dx, \qquad (2.1)$$

where  $\phi$  is the free energy density, x = 0 marks the center of the drop and  $x = x_0$  is where the liquid, solid, and gas meet, i.e., the contact line. At equilibrium, the variation of the free energy is zero, i.e.,  $\delta\Gamma = 0$ :

$$\delta\left(\int_0^{x_0} \left(\phi(h,h_x) - Ph\right) dx\right) = 0, \qquad (2.2)$$

where the operator  $\delta$  indicates variation of the functional and the Lagrange multiplier P is introduced to enforce mass conservation. Expanding the above equation leads to

$$\int_{0}^{x_{0}} \left(\frac{\partial\phi}{\partial h} - P\right) \delta h dx + \int_{0}^{x_{0}} \frac{\partial\phi}{\partial h_{x}} \delta h_{x} dx + \phi \Big|_{x_{0}} \delta x_{0} = 0.$$
(2.3)

Using integration by parts, we can rewrite the second integral in Eq. (2.3) leading to:

$$\delta \int_{0}^{x_{0}} \left(\phi(h,h_{x}) - Ph\right) dx = \int_{0}^{x_{0}} \left[\frac{\partial\phi}{\partial h} - \frac{d}{dx}\left(\frac{\partial\phi}{\partial h_{x}}\right) - P\right] \delta h dx + \left(\frac{\partial\phi}{\partial h_{x}}\right) \delta h \Big|_{0}^{x_{0}} + \phi \Big|_{x_{0}} \delta x_{0} = 0.$$

$$(2.4)$$

We can further use the Taylor expansion for the boundary terms and write  $\delta h|_{x_0} = -\delta x_0 \frac{\partial h}{\partial x}|_{x_0}$ .

At equilibrium, the integrand as well as the boundary terms need to be independently zero. The integrand represents the Euler–Lagrange equation (Yeh *et al.* 1999; Starov *et al.* 2007; Arfken *et al.* 2013)

$$\left[\frac{\partial\phi}{\partial h} - \frac{d}{dx}\left(\frac{\partial\phi}{\partial h_x}\right)\right] = P.$$
(2.5)

The boundary condition at  $x = x_0$  then becomes

$$-h_x \left(\frac{\partial \phi}{\partial h_x}\right)\Big|_{x_0} + \phi\Big|_{x_0} = 0.$$
(2.6)

This equation is known as the transversality condition or the Augmented Young

equation. Note that the boundary terms at x = 0 automatically cancel out due to the symmetry conditions.

We therefore have two constraints on the free energy as we approach the contact line: 1) it should satisfy the Augmented Young equation (2.6), and 2) it should recover the solid–gas free energy at the contact line to allow for a continuous variation of the energy. Our objective therefore is to find the functional form of the free energy, whose minimizer at equilibrium satisfies these two conditions. Considering the macroscopic contributions to the free energy, i.e., gravity and interfacial energies, we can write the free energy as:

$$\Gamma_M = \int_0^{x_0} \left( \frac{1}{2} \rho g h^2 + (\gamma_{sl} - \gamma_{sg}) + \gamma \sqrt{1 + h_x^2} \right) dx, \qquad (2.7)$$

where  $\rho g h^2/2$  represents the gravitational potential energy,  $\gamma_{sl}$ ,  $\gamma_{sg}$  represent the solid– liquid, and solid–gas interfacial energies, and the term  $\gamma \sqrt{1 + h_x^2}$  represents the liquid– gas interfacial energy contribution. Neglecting gravity, the Euler–Lagrange Eq. (2.5) will simplify to the usual Laplace equation for the pressure jump across an interface. We can now proceed to check whether the macroscopic free energy density satisfies the two constraints given above for equilibrium.

As the film height goes to zero,  $\phi$  must be equal to the solid–gas interfacial energy; in the above representation of the free energy, we have subtracted this contribution, so we require  $\phi(h = 0) = 0$ . Therefore as we move close to the contact line, we have  $(\gamma_{sl} - \gamma_{sg}) + \gamma \sqrt{1 + h_x^2}|_{x_0} = 0$ . Here we consider the true partial wetting regime, where a droplet is surrounded by a dry solid substrate. The same arguments can be applied for the case of pseudo partial wetting, where the droplet is surrounded by a precursor film of height  $h_f$ ; in this case, the height at the contact line goes to  $h_f$  instead of zero.

The Augmented Young equation further requires the following

$$-h_x \left( \gamma \frac{h_x}{\sqrt{1+h_x^2}} \right) \bigg|_{x_0} + \gamma \sqrt{1+h_x^2} \bigg|_{x_0} + (\gamma_{sl} - \gamma_{sg}) = 0.$$
(2.8)

Note that this equation can be simplified to give us the Young equation, i.e.,  $(\gamma_{sl} - \gamma_{sg}) + (\gamma/\sqrt{1+h_x^2})|_{x_0} = 0$ , which in turn simplifies to  $\gamma \cos \theta_Y = (\gamma_{sg} - \gamma_{sl})$ , where  $\theta_Y$  is the macroscopic Young contact angle (Young 1805).

Putting the Augmented Young equation and the continuity constraint together leads to the following conclusion:

$$\left(\gamma \frac{h_x^2}{\sqrt{1+h_x^2}}\right)\Big|_{x_0} = 0.$$
(2.9)

The only way for this equation to be satisfied is if  $h_x(x_0) = 0$ ; if we substitute  $h_x(x_0) = 0$  back in the Augmented Young equation, we arrive at  $(\gamma_{sl} - \gamma_{sg}) + \gamma = 0$ ; using the Young equation, this leads to  $\gamma(1 - \cos \theta_Y) = 0$ , indicating that  $\theta_Y = 0$ . In other words, the liquid needs to completely wet the surface for the constraints on the free energy to be satisfied. An alternative way of arriving at this conclusion is to consider a uniform flat film; the energy of this film is then written as  $\int (\frac{1}{2}\rho gh^2 + (\gamma_{sl} - \gamma_{sg}) + \gamma) dx$ ; as we thin down the film and its height goes to zero, we need to recover the solid–gas interfacial energy, therefore we require  $(\gamma_{sl} - \gamma_{sg}) + \gamma = 0$ , which leads to the same result.

The macroscopic contributions to the free energy are therefore insufficient to model the partial wetting regime; we need to incorporate the physics at the nanoscale close to the contact line. As the height of the liquid film becomes small, the liquid–solid and liquid–gas interfaces start to interact with each other, leading to an additional contribution in

the free energy, commonly known as the disjoining pressure (de Gennes 1985). We can therefore write the free energy in the following form:

$$\Gamma = \Gamma_M + \Gamma_\mu = \int_0^{x_0} \left( \frac{1}{2} \rho g h^2 + (\gamma_{sl} - \gamma_{sg}) + \gamma \sqrt{1 + h_x^2} + \phi_\mu(h) \right) dx, \qquad (2.10)$$

where  $\phi_{\mu}(h)$  represents the intermolecular interactions close to the contact line. We now can check whether this form of the free energy satisfies the continuity constraint and the Augmented Young equation. The continuity of the free energy dictates:

$$(\gamma_{sl} - \gamma_{sg}) + \gamma \sqrt{1 + h_x^2} \Big|_{x_0} + \phi_\mu(h=0) = 0.$$
(2.11)

The Augmented Young equation leads to the following:

$$-h_x \left( \gamma \frac{h_x}{\sqrt{1+h_x^2}} \right) \bigg|_{x_0} + \gamma \sqrt{1+h_x^2} \bigg|_{x_0} + (\gamma_{sl} - \gamma_{sg}) + \phi_\mu(h=0) = 0.$$
(2.12)

This equation represents the so-called Derjaguin–Frumkin equation (Starov *et al.* 2007), relating the Young angle to the microscopic forces close to the contact line:  $\gamma \cos \theta_Y = \gamma \cos \theta_\mu + \phi_\mu (h = 0)$ , where  $\theta_\mu$  represents the microscopic angle at the contact line and we have used  $h_x|_{x_0} = \tan \theta_\mu$  and Young equation  $\gamma_{sg} - \gamma_{sl} = \gamma \cos \theta_Y$  (Yeh *et al.* 1999; Starov *et al.* 2007; Starov 2010). The above two constraints on continuity of the energy and the augmented Young equation lead to  $h_x(x_0) = 0$ , or  $\theta_\mu = 0$ . Putting  $h_x(x_0) = 0$  back into either of the above equations leads to  $\phi_\mu(h = 0) = S$ , where  $S \equiv \gamma_{sg} - \gamma_{sl} - \gamma$  is known as the spreading parameter. Therefore, we arrive at the conclusion that while the macroscopic Young angle ( $\theta_Y$ ) can be non-zero, the microscopic angle at the contact line ( $\theta_\mu$ ) needs to be zero to satisfy the energetic constraints; this regime is commonly known as pseudo-partial wetting, where a macroscopic liquid drop is surrounded by a microscopic precursor film (Heslot *et al.* 1990; Brochard-Wyart *et al.* 1991; Sharma 1993b). To describe the true partial wetting regime, in which a liquid droplet sits on a dry surface without a precursor film (de Gennes *et al.* 2004), additional physics are needed.

Surface tension at a liquid–gas interface arises due to the collective interactions between the liquid and gas molecules (Marchand et al. 2011; Israelachvili 2011). In the case of a uniform thin liquid film of nanometric thickness on a solid substrate, where liquid-gas and liquid-solid interfaces come very close to each other, the collective interactions also give rise to an excess free energy in addition to the interfacial tensions. For a nearly uniform thin film, this excess energy simply depends on the height of the film as represented by  $\phi_{\mu}(h)$  (Israelachvili 2011). Close to the contact line, however, the interfaces are not parallel, and therefore the collective intermolecular interactions between solid, liquid, and gas molecules lead to a slope-dependent excess free energy, i.e.,  $\phi_{\mu}(h, h_x)$  for a liquid wedge sitting on a solid substrate (Hocking 1993; Wu & Wong 2004; Dai et al. 2008). Using density functional theory, this excess free energy can be represented as a non-local integral of all the interactions (Keller & Merchant 1991; Merchant & Keller 1992; Getta & Dietrich 1998; Snoeijer & Andreotti 2008); however, here we use a simplified local approximation of the excess free energy, which has been shown to agree well with the non-local formulations (Bauer & Dietrich 1999; Bonn et al. 2009). We can therefore write the free energy as:

$$\Gamma = \int_0^{x_0} \left( \frac{1}{2} \rho g h^2 + (\gamma_{sl} - \gamma_{sg}) + \gamma \sqrt{1 + h_x^2} + \phi_\mu(h, h_x) \right) dx \,. \tag{2.13}$$

Continuity of the free energy leads to the following constraint at the contact line:

$$(\gamma_{sl} - \gamma_{sg}) + \gamma \sqrt{1 + h_x^2} \Big|_{x_0} + \phi_\mu(h, h_x) \Big|_{x_0} = 0.$$
(2.14)

The augmented Young equation further becomes:

$$-h_x \left( \gamma \frac{h_x}{\sqrt{1+h_x^2}} + \frac{\partial \phi_\mu}{\partial h_x} \right) \bigg|_{x_0} + \gamma \sqrt{1+h_x^2} \bigg|_{x_0} + (\gamma_{sl} - \gamma_{sg}) + \phi_\mu(h, h_x) \bigg|_{x_0} = 0. \quad (2.15)$$

Based on the derivations of Dai *et al.* (2008), we propose to decompose the vdW interactions,  $\phi_{\mu}(h, h_x)$ , into two parts: a height-dependent part, and a slope-dependent part:  $\phi_{\mu} = (\phi_{\mu,1}(h) + \phi_{\mu,2}(h)) - \phi_{\mu,2}(h)\sqrt{1 + (h_x)^2}$ ; using the long-wave approximation, this form further simplifies to  $\phi_{\mu} = \phi_{\mu,1}(h) - \frac{1}{2}\phi_{\mu,2}(h)(h_x)^2$ ; note that for parallel interfaces,  $h_x = 0$ , we recover the original height-dependent potential. An alternative way to arrive at the proposed form for the vdW forces is based on simple symmetry arguments:  $\phi_{\mu}$  cannot be linearly dependent on  $h_x$  as it should have the same sign everywhere around the droplet; therefore it must be a function of even powers of  $h_x$  leading, in the simplest case, to the proposed gradient-squared form above.

The augmented Young equation can thus be written as:

$$-h_x \left( (\gamma - \phi_{\mu,2}) \frac{h_x}{\sqrt{1 + h_x^2}} \right) \bigg|_{x_0} + \gamma \sqrt{1 + h_x^2} \bigg|_{x_0} + (\gamma_{sl} - \gamma_{sg}) + \phi_\mu(h, h_x) \bigg|_{x_0} = 0.$$
 (2.16)

Simplifying this equation leads to the following relation:  $\gamma \cos \theta_Y = [\gamma - \phi_{\mu,2}(h = 0)] \cos \theta_{\mu} + [\phi_{\mu,1}(h = 0) + \phi_{\mu,2}(h = 0)]$ . Combining the augmented Young equation (2.16) and the continuity constraint (2.14) leads to the following condition at the contact line:

$$\left( (\gamma - \phi_{\mu,2}) \frac{h_x^2}{\sqrt{1 + h_x^2}} \right) \Big|_{x_0} = 0.$$
 (2.17)

To satisfy this condition at the contact line, we either need to have  $h_x(x_0) = 0$  leading to a zero microscopic angle as before, or  $\phi_{\mu,2}(h=0) = \gamma$ , which does not constrain the value of the microscopic contact angle; this allows the microscopic angle to naturally arise as part of the solution; this outcome is consistent with the predictions of nonlocal density functional theory (Snoeijer & Andreotti 2008). The augmented Young equation (2.16) simplifies to  $\gamma \cos \theta_Y = \phi_{\mu,1}(h=0) + \gamma$ ; having  $\phi_{\mu,1}(h=0) = S$  therefore leads to the Young equation  $\gamma \cos \theta_Y = \gamma_{sg} - \gamma_{sl}$ .

Allowing for slope-dependence of the vdW forces therefore leads to a form of the free energy that satisfies all the constraints of the partial-wetting regime. Using the long-wave approximation, i.e.,  $\sqrt{1 + (h_x)^2} \approx 1 + \frac{1}{2}(h_x)^2$ , the total Helmholtz free energy can be written as

$$\Gamma = \int_0^{x_0} \left( f(h) + \frac{1}{2} \kappa(h) (h_x)^2 \right) dx , \qquad (2.18)$$

which, interestingly, resembles the Cahn-Hilliard formulation (Cahn & Hilliard 1958). The free energy here is divided into a bulk contribution,  $f(h) = \frac{1}{2}\rho gh^2 - S + \phi_{\mu,1}(h)$ , and an interfacial contribution with a height-dependent interfacial tension,  $\kappa(h) = \gamma - \phi_{\mu,2}(h)$ . The above constraints on  $\phi_{\mu,1}$  and  $\phi_{\mu,2}$ , therefore, lead to f(h = 0) = 0 and  $\kappa(h = 0) = 0$ , which allow for compactly-supported droplets sitting on a dry solid substrate (Benzi *et al.* 2011; Cueto-Felgueroso & Juanes 2012; Pahlavan *et al.* 2015). Note that the height-dependent interfacial term leads to a new nonlinear term of the Kadar-Parisi-Zhang (KPZ) type (Kardar *et al.* 1986); similar forms have also been recently proposed in the

context of active suspensions (Stenhammar *et al.* 2013; Wittkowski *et al.* 2014). The idea of an order parameter-dependent interfacial tension has been proposed in the context of binary alloys (Cahn 1961) and polymer blends (de Gennes 1980), and the dependence of surface tension on height has also been recently proposed in the context of capillary waves on thin liquid films (MacDowell *et al.* 2013, 2014). In the context of moving contact lines, Shikhmurzaev (1997, 2007) has proposed that the idea of a dynamic surface tension close to the contact line can resolve the moving contact line singularity and lead to a natural emergence of the dynamic contact angle (Sibley *et al.* 2015); both these features are also reproduced in our model (Pahlavan *et al.* 2015).

#### 2.2. Thin film model: generalized disjoining pressure

Having defined the free energy, we can write the evolution equation for the height of the liquid film in the form of a mass-conservative gradient flow as (Hohenberg & Halperin 1977; Bray 2002; Cross & Hohenberg 1993):

$$\frac{\partial h}{\partial t} = \frac{\partial}{\partial x} \left( \mathcal{M} \frac{\partial}{\partial x} \left( \frac{\delta \Gamma}{\delta h} \right) \right), \tag{2.19}$$

where  $\mathcal{M}$  represents the mobility, and the variational derivative of the free energy is defined as  $\delta\Gamma/\delta h = \partial\Gamma/\partial h - \partial/\partial x \left[\partial\Gamma/\partial(h_x)\right]$  (Anderson *et al.* 1998).

An alternative way to arrive at the same thin-film model is to start from the Navier– Stokes equations of motion and simplify them using the lubrication approximation:

$$\rho\left(\frac{\partial \mathbf{u}}{\partial t} + \mathbf{u} \cdot \nabla \mathbf{u}\right) = -\nabla P + \nabla \cdot \mathbf{T} - \rho g \mathbf{e}_z, \qquad (2.20)$$

in which  $\rho$  is the liquid density,  $\mathbf{u} = (u, w)$  is the velocity field, P is the isotropic liquid pressure,  $\mathbf{T}$  is the stress tensor, and the last term in the equation represents the gravitational force. The stress tensor can be further decomposed into two parts,  $\mathbf{T} = \boldsymbol{\tau} + \mathbf{M}$ , where  $\boldsymbol{\tau}$  is the deviatoric stress and  $\mathbf{M}$  represents the stress due to external body forces, taken to be zero in this work.

We non-dimensionalize the equations in the following way:  $\tilde{x} = x/L$ ,  $\tilde{z} = z/H$ ,  $\tilde{h} = h/H$ ,  $\tilde{u} = u/U$ ,  $\tilde{w} = w/(\epsilon U)$ ,  $\tilde{t} = t/(\mu L^4/\gamma H^3)$ ,  $\tilde{P} = P/(\gamma H/L^2)$ , and  $\tilde{\tau} = \tau/(\gamma H^2/L^3)$ , where  $\epsilon = H/L$  and H, and L represent a characteristic height and length, respectively. This leads to three dimensionless groups, Re =  $\rho U H/\mu$ ,  $\tilde{Ca} = Ca/\epsilon^3$  with Ca =  $\mu U/\gamma$ , and Bo =  $(L/l_\gamma)^2$  with  $l_\gamma = \sqrt{\gamma/\rho g}$  as the capillary length.

The above equations of motion then need to be supplemented by boundary conditions at the wall and at the liquid–gas interface. At the wall, we impose a Navier slip boundary condition:  $\tilde{u}|_{\tilde{z}=0} = \beta \partial \tilde{u}/\partial \tilde{z}|_{\tilde{z}=0}$ , where  $\beta = b/H$  is the non-dimensional slip or extrapolation length (Granick *et al.* 2003; Neto *et al.* 2005; Lauga *et al.* 2007); we also assume no penetration at the wall:  $\tilde{w}|_{\tilde{z}=0} = 0$ . At the liquid–gas interface, one must satisfy the kinematic boundary condition  $\tilde{w}_s = (1/\tilde{Ca})\partial \tilde{h}/\partial \tilde{t} + \tilde{u}_s \partial \tilde{h}/\partial \tilde{x}$ , where  $\tilde{u}_s$  and  $\tilde{w}_s$  are the velocity components at the interface. The stress boundary condition at the interface can be written as:

$$([P]\mathbf{I} - [\mathbf{T}]) \cdot \mathbf{n} = (\gamma \mathcal{K} + \Phi) \mathbf{n}, \qquad (2.21)$$

where [-] represents the jump across the interface,  $\mathbf{n} = (-h_x, 1)/\sqrt{1 + h_x^2}$  is the unit vector normal to the interface,  $\mathbf{t} = (1, h_x)/\sqrt{1 + h_x^2}$  is the unit vector tangent to the interface,  $\mathcal{K} = -\nabla_s \cdot \mathbf{n} = h_{xx}/(1 + h_x^2)^{3/2}$  represents the curvature with  $\nabla_s = (\mathbf{I} - \mathbf{nn}) \cdot \nabla$ . The jump in the liquid pressure and stress across the interface is represented by the terms on the right-hand side of the equation: the first term gives the Laplace pressure jump

due to the interface curvature,  $\Phi$  arises due to the intermolecular interactions between the solid–liquid and liquid–gas interfaces and only becomes relevant when these two interfaces are closer than a few nanometers (Israelachvili 2011; Bonn *et al.* 2009).

Using the above non-dimensionalization and long-wave approximation,  $\epsilon \ll 1$ , and negligible inertia,  $\epsilon \text{Re} \ll 1$ , and surface tension-dominated flow,  $\tilde{\text{Ca}} = O(1)$ , the *x*momentum equation reduces to  $0 = -\partial \tilde{P}/\partial \tilde{x} + \partial \tilde{\tau}_{zx}/\partial \tilde{z}$ . Further, assuming  $\epsilon^3 \text{Re} \ll$ 1, the *z*-momentum equation further simplifies to  $0 = -\text{Bo} - \partial \tilde{P}/\partial \tilde{z}$ . The slip and kinematic boundary conditions remain unchanged under the lubrication approximation. The stress boundary condition however, simplifies further; the tangential component becomes  $[\tilde{\tau}_{zx}] = 0$  and the normal component reduces to  $[\tilde{P}] = -\tilde{h}_{\tilde{x}\tilde{x}} + \tilde{\Phi}$ . The deviatoric stress is a function of the strain rate  $\epsilon = (\nabla \mathbf{u} + \nabla \mathbf{u}^T)/2$ , and for a Newtonian liquid can be simply written as  $\tau_{ij} = \mu (\partial u_i/\partial x_j + \partial u_j/\partial x_i)$ . Using this definition and integrating the *z*-momentum equation and applying the normal stress boundary condition, we can write the liquid pressure as follows  $\tilde{P} = \text{Bo}(\tilde{h} - \tilde{z}) - \tilde{h}_{\tilde{x}\tilde{x}} + \tilde{\Phi}$ .

Integrating the continuity equation and using the kinematic boundary condition, we arrive at  $(1/\tilde{Ca})\partial \tilde{h}/\partial \tilde{t} + \partial/\partial \tilde{x} \int_{0}^{\tilde{h}} \tilde{u} d\tilde{z} = 0.$ 

Replacing the x-velocity component in the above equation we therefore arrive at the evolution equation for the height of the film:

$$\frac{\partial \tilde{h}}{\partial \tilde{t}} = \frac{\partial}{\partial \tilde{x}} \left\{ \left[ \frac{\tilde{h}^3}{3} + \beta \tilde{h}^2 \right] \frac{\partial \tilde{P}}{\partial \tilde{x}} \right\}.$$
(2.22)

Comparing Eq. (2.22) above and Eq. (2.19) in the main manuscript, it is evident that they are equivalent if  $\tilde{P} = \delta \tilde{\Gamma} / \delta \tilde{h} = d\tilde{f} / d\tilde{h} - \sqrt{\tilde{\kappa}} \frac{\partial}{\partial \tilde{x}} \left( \sqrt{\tilde{\kappa}} \tilde{h}_{\tilde{x}} \right)$ , where  $\tilde{\Gamma} = \Gamma / (\gamma H^2 / L^2)$ ,  $\tilde{f} = f / (\gamma H^2 / L^2)$ , and  $\tilde{\kappa} = \kappa / \gamma$ ; we therefore find the disjoining pressure to be:

$$\tilde{\Phi}(\tilde{h}, \tilde{h}_{\tilde{x}}, \tilde{h}_{\tilde{x}\tilde{x}}) = \frac{d\tilde{\phi}_{\mu,1}}{d\tilde{h}} + \sqrt{\tilde{\phi}_{\mu,2}} \frac{\partial}{\partial\tilde{x}} \left(\sqrt{\tilde{\phi}_{\mu,2}} \tilde{h}_{\tilde{x}}\right), \qquad (2.23)$$

where  $\tilde{\phi}_{\mu,1} = \phi_{\mu,1}/(\gamma H^2/L^2)$  and  $\tilde{\phi}_{\mu,2} = \phi_{\mu,2}/\gamma$ , and  $\tilde{\Phi}$  is a generalized disjoining pressure that depends not only on the film height, but also on its slope and curvature. Similar ideas for a generalized disjoining pressure have been proposed in the past: by integrating the intermolecular interactions in a liquid wedge, Miller & Ruckenstein (1974); Hocking (1993) and Indeikina & Chang (1999) derived a slope-dependent disjoining pressure, which was later generalized by Wu & Wong (2004), who incorporated the interactions with the molecules of the gas phase and showed that it leads to the appearance of a higher order curvature term in the disjoining pressure. Snoeijer & Andreotti (2008) compared these results with the predictions of Keller & Merchant (1991) and Merchant & Keller (1992) and showed that the disjoining pressures do not recover the correct macroscopic Young contact angle. Dai et al. (2008) later showed that the form derived by Wu & Wong (2004) does not recover the classical Lifshitz formulation (Dzyaloshinskii et al. 1961) in the limit of parallel interfaces, and derived a new consistent form for the disjoining pressure. The functional form of disjoining pressure we have proposed here in Eq. (2.23)resembles that of Dai et al. (2008), and simplifies to a height-dependent form for parallel interfaces, recovering the classical height-dependent Lifshitz theory for parallel interfaces.

Information about the detailed form of the disjoining pressure becomes essential in studying many phenomena such as moving contact lines (Gogotsi *et al.* 2001; Sibley *et al.* 2012, 2015), the final stages of coalescence of drops (Yiantsios & Davis 1991; Leal 2004; Zeng *et al.* 2007; Li 2016) or in applications such as solidification (Tao *et al.* 2016).

Here, we further show the consequences of the form of the disjoining pressure on the instability and dewetting of thin liquid films in the partial wetting regime.

#### 3. Equilibrium Solutions

Here, we review the analysis of Bertozzi *et al.* (2001); Glasner & Witelski (2003) and Gratton & Witelski (2008) for equilibrium solutions of the thin-film equation. We use the following form of the disjoining pressure for parallel interfaces, consisting of the "non-retarded" attractive van der Waals interactions and a short-ranged repulsive term:  $\Pi(h) = d\phi_{\mu,1}/dh = \mathcal{A}/(h+d_0)^3(1-(h_f+d_0)/(h+d_0))$ , with  $d_0 = \sqrt{\mathcal{A}/6\pi\gamma} \approx 0.2$ nm representing the Born repulsion length (Sharma 1993*b*,*a*; de Gennes *et al.* 2004; Dai *et al.* 2008; Israelachvili 2011; Pahlavan *et al.* 2015); this form of disjoining pressure is regularized to allow for the film heights to go to zero.

Here,  $\mathcal{A}$  represents the Hamaker constant, and  $h_f$  represents the equilibrium or precursor film thickness. In our model, the height-dependence of surface tension does allow the droplets to have a compact support without a precursor film, i.e.  $h_f = 0$ (Pahlavan *et al.* 2015) (see Fig. 3 (b)). However, for the purpose of the present study, we focus on thin films with a surrounding precursor film of non-zero height  $(h_f > 0)$  since we are interested in modeling dewetting and coarsening phenomena, and our objective is to compare the results of the new model with the existing results on the classical model with a constant surface tension; this regime is commonly known as pseudo-partial wetting (Brochard-Wyart *et al.* 1991). We can simplify the form of the disjoining pressure by shifting the heights by  $d_0$ , i.e.  $\bar{h} = h + d_0$ , which leads to  $\Pi(h) = \mathcal{A}/h^3(1-h_f/h)$ , where we have dropped the overbars for convenience of notation. Since both components of the disjoining pressure arise from the same source (intermolecular interactions between the interfaces), we believe it is reasonable to assume they would follow the same scalings; we therefore define  $\phi_{\mu,2}(h) = \gamma \phi_{\mu,1}(h)/\phi_{\mu,1}(h_f)$ , leading to  $\kappa(h) = \gamma (1 - \phi_{\mu,1}(h)/\phi_{\mu,1}(h_f))$ , thereby  $\kappa(h_f) = 0$ . We take  $\mathcal{A} = -6h_f^2 \mathcal{S}$ , which leads to  $\phi_{\mu,1}(h_f) = \mathcal{S}$ .

With the above definition of the disjoining pressure, we can now write the bulk free energy as follows:

$$\tilde{f}(\tilde{h}) = \frac{1}{2} \operatorname{Bo} \tilde{h}^2 - \frac{\delta^2}{\tilde{h}^2} \left(\frac{1}{2} - \frac{\delta}{3\tilde{h}}\right) + \frac{1}{6},$$
(3.1)

where  $\delta = h_f/H$  is the non-dimensional precursor film height, and we have chosen  $L^2/H^2 = \gamma h_f^2/\mathcal{A} = 1/(6(1 - \cos \theta_Y)).$ 

At equilibrium, the thin film Eq. (2.19) simplifies to:

$$\tilde{P} = \frac{\delta \tilde{\Gamma}}{\delta \tilde{h}} = \frac{d\tilde{f}}{d\tilde{h}} - \sqrt{\tilde{\kappa}} \frac{d}{d\tilde{x}} \left( \sqrt{\tilde{\kappa}} \frac{d\tilde{h}}{d\tilde{x}} \right),$$
(3.2)

where  $\tilde{P}$  is a constant pressure; the fixed points of the above equation are the solutions of  $\tilde{P} = d\tilde{f}/d\tilde{h}$ . The typical form of the dimensionless free energy  $\tilde{f}(\tilde{h})$  is shown in Fig. 2. Within the range  $\tilde{P}_{node} < \tilde{P} < \tilde{P}_{peak}$ , we can find three fixed points. Using a singular perturbation analysis in the limit  $\delta \to 0$ , we find these points to be:  $\tilde{h}_m = \delta + \delta^2 P + \delta^3 (4P^2 - Bo) + O(\delta^4)$ ,  $\tilde{h}_c = P^{-1/3}\delta^{2/3} - (1/3)\delta + 1/3 (BoP^{-5/3} - 2/3P^{1/3})\delta^{4/3} + O(\delta^{5/3})$ , and  $\tilde{h}_{\alpha} = P/Bo - (Bo^2/P^3)\delta^2 + (Bo^3/P^4)\delta^3 + O(\delta^4)$ , where, to leading order, only the equilibrium film thickness is independent of the pressure. The fixed points obtained here are not affected by the height-dependence of the surface tension  $\tilde{\kappa}(\tilde{h})$  as they only depend on the bulk free energy (Gratton & Witelski 2008). The pressure in the liquid



FIGURE 2. (a) The bulk free energy  $\tilde{f}(\tilde{h})$  given by Eq. (3.1) with Bo =  $2.2 \times 10^{-10}$  and  $\delta = 0.1$ (solid line). The blue dashed line shows the Maxwell double-tangent construction, which is tangent to the bulk free energy at  $\tilde{h}_m^*$ , the precursor film thickness, and at  $\tilde{h}_{\alpha}^*$ , the puddle height. The inset shows a zoomed-in view of the bulk free energy for small heights. Here, an arbitrary line with slope  $\tilde{P}^* < \tilde{P} < \tilde{P}_{\text{peak}}$  is tangent to the free energy at  $\tilde{h}_m$  and intersects it at  $\tilde{h}_{\text{max}}$  (blue dashed line). (b) The bulk free energy redrawn on a semilog scale. While vdW forces act at nano-scale, gravity only becomes relevant on the mm-scale; this 6 orders of magnitude separation of scales is shown here. Note that the tangent lines become curved in this semilog representation. (c) The bulk pressure defined as  $d\tilde{f}/d\tilde{h}$ . Droplet solutions exist for  $\tilde{P}^* < \tilde{P} < \tilde{P}_{\text{peak}}$ , where a typical constant pressure line ( $\tilde{P} = \text{constant}$ ) intersects the curve at three fixed points corresponding to the three branches  $\tilde{h}_m$ ,  $\tilde{h}_c$ , and  $\tilde{h}_{\alpha}$  as indicated. Uniform films on the  $\tilde{h}_c$  branch are linearly unstable since their corresponding  $d^2 \tilde{f}/d\tilde{h}^2 < 0$ . The  $\tilde{h}_{\rm max}$ branch shows the maximum height of the droplet solutions surrounded by a corresponding film of thickness  $\tilde{h}_m$ ; these are solutions homoclinic to  $\tilde{h}_m$ , where a line with slope  $\tilde{P}$  is tangent to the bulk free energy at  $h_m$  and intersects it at  $h_{max}$  (the blue dashed tangent line). In the limit of very large drops (i.e., puddles)  $\tilde{h}_m$  and  $\tilde{h}_{max}$  approach  $\tilde{h}_m^*$  and  $\tilde{h}_{\alpha}^*$  respectively and we recover the common tangent line with slope  $\tilde{P}^*$  (the blue dashed tangent line) (see also Brochard-Wyart et al. (1991); Gratton & Witelski (2008); de Gennes et al. (2004)).

phase, however, can be affected by the non-constant surface tension, as we will show later; this pressure change will then affect the fixed points.

The heights  $h_m$  and  $h_\alpha$  are saddle points, whereas  $h_c$  is a center (Gratton & Witelski 2008). In the range of  $\tilde{P}_{node} < \tilde{P} < \tilde{P}_{peak}$ , we can find three types of solutions that are bounded in height (Thiele *et al.* 2001*b*; Gratton 2008): localized hole/dimple solutions that are homoclinic to  $\tilde{h}_\alpha$  in the range  $\tilde{P}_{node} < \tilde{P} < \tilde{P}^*$ , droplet solutions that are homoclinic to  $\tilde{h}_m$  in the range  $\tilde{P}^* < \tilde{P} < \tilde{P}_{peak}$ , and heteroclinic orbits from  $\tilde{h}_m$  to  $\tilde{h}_\alpha$  at  $\tilde{P} = \tilde{P}^*$ . To obtain the maximum height of these droplets, we integrate Eq. (3.2) as follows:

$$\mathcal{R}(\tilde{h}) \equiv \frac{1}{2} \left( \tilde{\kappa}(\tilde{h}) \left( \frac{d\tilde{h}}{d\tilde{x}} \right)^2 \right) = \tilde{f}(\tilde{h}) - \tilde{f}(\tilde{h}_m) - \tilde{P}(\tilde{h} - \tilde{h}_m), \tag{3.3}$$

where at the maximum height of the drop we have  $d\tilde{h}/d\tilde{x} = 0$ , i.e.,  $\mathcal{R}(\tilde{h}_{\max}) = 0$ ; in the limit  $\delta \to 0$ , we can then obtain  $\tilde{h}_{\max} = (1/\text{Bo})(\tilde{P} - \sqrt{\tilde{P}^2 - \text{Bo}/3}) + (\tilde{P}/\sqrt{\tilde{P}^2 - \text{Bo}/3})\delta + O(\delta^2)$ , which is the branch shown in Fig. 2 (c). As the pressure decreases towards  $\tilde{P}^*$ , a saddle–saddle heterogeneous orbit appears between  $\tilde{h}_m$  and  $\tilde{h}_\alpha$ , and the  $\tilde{h}_{\max}$  branch intersects with the  $\tilde{h}_\alpha$  branch. At this point, we then obtain  $\tilde{P}^* = \sqrt{\text{Bo}/3} + (\text{Bo}/2)\delta + O(\delta^2)$ ; this critical value of pressure is the slope of the Maxwell common tangent line (Rowlinson & Widom 2013) shown in Fig. 2 and satisfies the following equations:

$$\tilde{P}^* = \frac{\tilde{f}(\tilde{h}^*_{\alpha}) - \tilde{f}(\tilde{h}^*_m)}{\tilde{h}^*_{\alpha} - \tilde{h}^*_m},\tag{3.4a}$$

$$\tilde{P}^* = \frac{d\tilde{f}}{d\tilde{h}}\Big|_{\tilde{h}^*_m} = \frac{d\tilde{f}}{d\tilde{h}}\Big|_{\tilde{h}^*_\alpha},\tag{3.4b}$$

where  $\tilde{h}_{m}^{*}$  and  $\tilde{h}_{\alpha}^{*}$  are the values of  $\tilde{h}_{m}$  and  $\tilde{h}_{\alpha}$  as calculated at pressure  $\tilde{P} = \tilde{P}^{*}$ .

At  $\tilde{P}_{node}$  and  $\tilde{P}_{peak}$ , the  $\tilde{h}_c$  branch merges with the other two branches and we have  $d^2 \tilde{f}/d\tilde{h}^2 = 0$ . Following the procedure above, in the limit of  $\delta \to 0$  and using a singular perturbation analysis, we find the corresponding film heights:  $\tilde{h}_{peak} = (4/3)\delta + (4/3)^5 (Bo/3)\delta^3 + O(\delta^7)$ , and  $\tilde{h}_{node} = (3/Bo)^{1/4} \delta^{1/2} - (1/3)\delta + O(\delta^2)$ . which lead to the following pressures:  $\tilde{P}_{peak} = (27/256\delta) + (4Bo/3)\delta + O(\delta^3)$ , and  $\tilde{P}_{node} = 4 (Bo/3)^{3/4} \delta^{1/2} - (Bo/3)\delta - 2/3 (Bo/3)^{5/4} \delta^{3/2} + O(\delta^2)$ , which mark the upper and lower boundaries of the pressure range for which equilibrium droplet solutions exist. Note that the results we have obtained so far are only indirectly affected by the height-dependence of surface tension through the change of liquid pressure at equilibrium, as we show later.

The droplet solutions of Eq. (3.2) can be divided into three regions: (i) core, (ii) contact line, and (iii) equilibrium film. Here, we focus on the limit of small drops, where gravity can be neglected (Bo  $\rightarrow$  0). In the core (region (i)), away from the contact line and in the absence of intermolecular forces, surface tension is the dominant force, and Eq. (3.2) simplifies to  $\tilde{P} = -\tilde{h}_{\tilde{x}\tilde{x}}$ , leading to a parabolic profile,  $\tilde{h}_{core} = \frac{1}{2}\tilde{P}(\tilde{w}^2 - \tilde{x}^2)$ , where  $\tilde{w}$  is the effective width of the droplet. The maximum height of the core region at its center  $\tilde{x} = 0$  is therefore  $\tilde{h}_{max} = \tilde{P}\tilde{w}^2/2$ . Before, we derived the maximum height of the droplet in the presence of gravity and intermolecular forces. In the limit of zero Bond number, we can then show  $\tilde{h}_{max} = 1/(6\tilde{P}) + \delta + O(\delta^2)$ ; equating this to the maximum height of the parabolic core, we find the effective width of the drop to leading order:  $\tilde{w} = 1/(\sqrt{3}\tilde{P})$ . In the second region (region (ii)), i.e., the region near the contact line, the drop profile asymptotically matches the droplet core to the equilibrium film outside. In this region, we use the following transformation  $\tilde{h}(\tilde{x}) = \delta \tilde{H}(\tilde{x})$  with  $\tilde{x} = -\tilde{w} + \delta \tilde{z}$ , and defining  $\tilde{f}(\tilde{h}) \equiv \tilde{F}(\tilde{H})$  we re-scale Eq. (3.2) to leading order as follows:

$$\frac{d\tilde{F}}{d\tilde{H}} - \left(1 - \frac{\tilde{F}(\tilde{H})}{\tilde{F}(1)}\right)\tilde{H}_{\tilde{z}\tilde{z}} + \frac{1}{2\tilde{F}(1)}\frac{d\tilde{F}}{d\tilde{H}}\tilde{H}_{\tilde{z}}^2 = 0,$$
(3.5)

where we have used the definition  $\tilde{\kappa} = 1 - \tilde{F}(\tilde{H})/\tilde{F}(1)$ , which appears in the second term. This equation can be integrated to obtain  $\tilde{H}_{\tilde{z}}^2/2 = -\tilde{F}(1)$ , relating the slope of the profile in the contact line region to the intermolecular forces. Consistent with the experimental observations (Pompe & Herminghaus 2000) and density functional calculations (Snoeijer & Andreotti 2008), the height-dependence of surface tension leads to a non-zero contact angle at the contact line. In this model the droplet width is a finite value that can be unambiguously defined, where the droplet meets the surrounding wet or dry surface at a non-zero angle (Fig. 3 (b)). This is in clear contrast with the classical model with a



FIGURE 3. Equilibrium droplet profiles for a) constant (red dash-dotted line) and height-dependent (solid blue line) surface tension models with a surrounding precursor film, and b) the height-dependent surface tension model with (green dash-dotted line) and without (solid black line) a surrounding precursor film.

constant surface tension,  $\tilde{\kappa} = 1$ , for which we obtain  $\tilde{H}_{\tilde{z}}^2/2 = \tilde{F}(\tilde{H}) - \tilde{F}(1)$ , leading to a zero contact angle as the droplet asymptotically meets the precursor film, i.e.,  $\tilde{H} \to 1$ (Fig. 3 (a)). In the classical model, only the macroscopic contact angle far away from the contact line can be non-zero; we therefore need to take the limit of  $\tilde{H} \to \infty$ , where  $\tilde{F}(\tilde{H}) \to 0$ , recovering the result  $\tilde{H}_{\tilde{z}}^2/2 = -\tilde{F}(1)$ . Using the dimensional version of this result leads to  $h_x^2/2 = \mathcal{A}/(6\gamma h_f^2)$ , which simplifies to  $h_x^2/2 = (1 - \cos\theta_Y)$  using the definition  $\mathcal{A} = -6h_f^2 \mathcal{S}$ ; in the limit of small contact angles  $(\theta_Y \ll 1)$ , we can therefore relate the droplet slope to the Young contact angle:  $h_x \approx \theta_Y$ .

Figure 4 shows the variation of some of the droplet features as a function of its equilibrium pressure (or size) for both the classical model (with constant surface tension) and our model (with a height-dependent surface tension). The first observation is that the difference between the two models is most pronounced for very small droplets, where their entire profile is influenced by the intermolecular forces; as the droplets become larger, intermolecular forces can only be felt very close to the contact line and the difference between the two models is limited to the vicinity of this region and less relevant to macroscopic features such as width, maximum height, or even equilibrium film thickness, which is now determined by balancing the Laplace pressure due to the curvature of the core region of the drops. The equilibrium contact angle also becomes size dependent for very small droplets (Fig. 4(a)), where the entire droplet geometry is influenced by the intermolecular forces; this dependence however, is not due to the line tension effect, which would be relevant for axisymmetric drops (Amirfazli & Neumann 2004; Schimmele et al. 2007; Weijs et al. 2011; Giro et al. 2017). The second observation is that for small droplets, the height-dependent surface tension model always leads to more localized profiles with larger contact angle and smaller effective width; for equal droplet mass, the heightdependence of surface tension leads to a lower equilibrium pressure, which according to the tangent construction shown in Fig. 2 leads to a larger maximum height  $(h_{\text{max}})$  and smaller equilibrium film thickness  $(h_m)$ .

All the simulations in this paper are performed assuming an equilibrium film thickness of  $h_f = 1$ nm, and characteristic height H = 10nm, which is the typical range of dominance of vdW forces, leading to a non-dimensional equilibrium film height of  $\delta = h_f/H = 0.1$ , and Bo =  $(L/l_{\gamma})^2 = 2.2 \times 10^{-10}$ , i.e., negligible gravity (capillary



FIGURE 4. The variation of equilibrium droplet features with the liquid pressure in the droplet. The symbols show the result of numerical simulations with a constant surface tension (red diamonds), and a height-dependent surface tension (blue circles). The dash-dotted lines represent the theoretical predictions for small droplets, and the vertical dashed lines correspond to the  $\tilde{P}_{\text{peak}}$  beyond which no droplet solutions exist. (a) The equilibrium contact angle defined at the inflection point of the droplet profile; the dash-dotted line represents the Young contact angle. The inset shows two typical droplet profiles of equal mass (but different equilibrium pressure with the new model leading to smaller liquid pressures) for the constant surface tension (red dash-dotted line) and height-dependent surface tension (blue solid line) models. (b) Droplet width defined as the distance from center of the drop to its edge at  $h_{\text{peak}}$ . The dash-dotted line represents  $\tilde{w} = 1/(\sqrt{3}\tilde{P})$ . In the constant surface tension case, the droplet core asymptotically meets the equilibrium film leading to a larger effective width. (c) Maximum droplet height. The dash-dotted line represents  $\tilde{h}_{\text{max}} = 1/(6\tilde{P}) + \delta + O(\delta^2)$ . The height-dependence of surface tension results in lower equilibrium pressures, which in turn lead to larger  $h_{\rm max}$  values in the small droplets. (d) Equilibrium film thickness. The dash-dotted line represents  $\tilde{h}_m = \delta + \delta^2 P + \delta^3 (4P^2 - Bo).$ 

length  $l_{\gamma} = 1.5$ mm); while the influence of gravity in thin films is in principle insignificant, ignoring its role can lead to unphysical predictions (Thiele *et al.* 2001*b*).

## 4. Stability of Uniform Films

Here, we analyze the stability of uniform film solutions of Eq. (3.2) to infinitesimal and finite perturbations. Consider a uniform film of thickness  $\tilde{h}_0$  that is perturbed infinitesimally by a superposition of Fourier modes as  $\tilde{h} = \tilde{h}_0 + \epsilon \exp(\beta \tilde{t} + iq\tilde{x})$ , where  $\beta$ is the growth rate of the instability,  $q = 2\pi/\lambda$  is the wavenumber, and  $\epsilon \ll 1$ . Substituting this decomposition into Eq. (2.19) and linearizing it to  $O(\epsilon)$ , we find:

$$\beta = \tilde{h}_0^3 q^2 \left( q_0 - \tilde{\kappa}(\tilde{h}_0) q^2 \right), \tag{4.1}$$

A. A. Pahlavan et al.



FIGURE 5. Stability phase diagram showing the regions where the uniform film is linearly unstable, metastable (nonlinearly unstable), and absolutely stable. (a) Shows the phase diagram as a function of the initial film height,  $\tilde{h}_0 = h_0/H$ , and the equilibrium film thickness,  $\delta = h_f/H$ . The full black solid line represents the marginal stability curve, where the instability growth rate,  $\beta$  is zero (i.e.,  $q_0 = -d^2 \tilde{f}/d\tilde{h}^2|_{\tilde{h}_0} = 0$ ); inside the curve, the film is linearly unstable to infinitesimal perturbations, whereas outside it is linearly stable; the lower branch of the marginal stability curve is coincident with  $\tilde{h}_{\text{peak}}$ , whereas the upper branch represents  $\tilde{h}_{\text{node}}$ . The blue dashed line represents the curve of absolute stability; outside this curve, all films are absolutely stable, whereas inside it uniform films can become unstable due to finite perturbations, i.e., they are nonlinearly unstable. The upper and lower branches of the absolute stability curve represent the  $\tilde{h}^*_{\alpha}$  and  $\tilde{h}^*_m$  lines; these are the points tangent to the Maxwell double tangent construction. In other words, while the curve of marginal stability represents the spinodal region, where  $d^2 f/dh^2|_{\tilde{h}_0} \leq 0$ , the curve of absolute stability represents the binodal or coexistence curve. The upper and lower branches meet at the *critical point*, where we have  $d^2 \tilde{f}/d\tilde{h}^2 = 0$ , and  $d^3 \tilde{f}/d\tilde{h}^3 = 0$ , leading to  $\tilde{h} = (5/3)\delta$  and  $\delta_{cr} \approx 1.9 \times 10^4$ , where (as shown in the inset) a transition from a double-well to a single-well structure occurs in the free energy. The dashed blue line in the inset represents the tangent construction. (b) Shows the phase diagram as a function of the initial film thickness,  $\tilde{h}_0$ , and the Bond number. The same transition from a double-well to a single-well structure is observed at a critical Bond number of  $Bo_{cr} \approx 7.85$ where the upper and lower branches of the stability curves meet.

where  $q_0 = -d^2 \tilde{f}/d\tilde{h}^2|_{\tilde{h}_0}$ . A uniform film becomes unstable if the growth rate is positive  $\beta > 0$ , or  $q_0 > \tilde{\kappa}(\tilde{h}_0)q^2$ . This implies that wave-numbers  $q < \sqrt{q_0/\tilde{\kappa}(\tilde{h}_0)}$ , or equivalently wavelengths  $\lambda > \lambda_c = 2\pi \sqrt{\tilde{\kappa}(\tilde{h}_0)/q_0}$  will be unstable; surface tension damps the shorter wavelength deformations. The curve  $q_0 = 0$  separates the linearly stable and unstable regions as shown in Figure 5; the instability phase diagram can be represented in the phase space of the initial uniform film thickness  $h_0$  vs the equilibrium film thickness  $\delta = h_f/H$  (Diez & Kondic 2007) or  $h_0$  vs Bo (Thiele *et al.* 2001*b*). The curve  $q_0 = 0$ represents the boundary of the spinodal region in the free energy, where the second derivative of the bulk free energy becomes negative,  $d^2 \tilde{f}/d\tilde{h}^2|_{\tilde{h}_0} < 0$ . This region is bounded by the heights  $\tilde{h}_{\text{peak}}$  and  $\tilde{h}_{\text{node}}$  as shown in Fig. 2. The region between these heights and the film heights corresponding to the tangent construction is called the binodal region, where the uniform wetted liquid films are not linearly unstable, but they can be nonlinearly unstable, i.e., if perturbed by a sufficiently large finite amplitude perturbation they can evolve to find a lower energy state. The boundaries of the binodal region are set by  $\tilde{h}_m^*$  and  $\tilde{h}_\alpha^*$  as shown in Fig. 2. The lower and upper branches all meet at a *critical point*, where the bulk free energy transitions from a double-well to a single-



FIGURE 6. Linear stability analysis results. (a) Dispersion curve showing the instability growth rate  $\beta$  versus the wavenumber q for a film of thickness  $\tilde{h}_0 = 4\delta$ . All curves labeled with  $\kappa c$ and  $\kappa(h)$  represent the classical model with a constant surface tension and the new model with a height-dependent surface tension, respectively. The new model results in a shift to larger values for both the maximum growth rate  $\beta_m$  and its corresponding wavenumber, leading to a smaller wavelength of instability  $\lambda_m$ . (b) Scaling of the maximum growth rate with the thickness of the initial uniform film  $\tilde{h}_0$ . The vertical dashed line  $(4/3)\delta$  represents the lower limit of linear instability. (c) Wavelength of the instability corresponding to the most unstable mode. (d) Ratio of predicted growth rate and instability wavelength between the new model and the classical model. It is apparent that the maximum ratio corresponds to the smallest film thickness  $\tilde{h}_0 = (4/3)\delta$  where the film is linearly unstable; below the height of  $\tilde{h}_0 = (4/3)\delta$  the film becomes linearly stable and the surface tension keeps decreasing until it reaches a value of zero for  $\tilde{h}_0 = \delta$ .

well structure; at the critical point, we have  $d^2 \tilde{f}/d\tilde{h}^2 = 0$ , and  $d^3 \tilde{f}/d\tilde{h}^3 = 0$ , leading to  $\tilde{h} = (5/3)\delta$ ,  $\delta_{cr} \approx 1.9 \times 10^4$ , and  $\text{Bo}_{cr} \approx 7.85$ . To find the fastest growing mode, we take  $d\beta/dq = 0$ , which leads to the following expressions for the most unstable wavelength

$$\lambda_m = \sqrt{2}\lambda_c = 2\pi \sqrt{\frac{2\tilde{\kappa}(\tilde{h}_0)}{-d^2\tilde{f}/d\tilde{h}^2\big|_{\tilde{h}_0}}},\tag{4.2}$$

and its corresponding maximum growth rate

$$\beta_m = \frac{\tilde{h}_0^3}{4\tilde{\kappa}(\tilde{h}_0)} \left( \frac{d^2 \tilde{f}}{d\tilde{h}^2} \Big|_{\tilde{h}_0} \right)^2.$$
(4.3)

We observe that both the instability wavelength and growth rate are affected by the



FIGURE 7. 2D simulations of dewetting in the spinodal regime with  $h_0 = 2\delta$  in a domain of size  $10\lambda_m$  by  $10\lambda_m$ ; 2D profiles of  $\tilde{h}(\tilde{x}, \tilde{y})$  with contour levels between  $\tilde{h}_{\min}$  and  $\tilde{h}_{\max}$ as specified are shown. (a) The classical thin film equation ( $\tilde{h}_{\min} = 1.99\delta, 1.86\delta, \delta, \delta$ , and  $\tilde{h}_{\max} = 2.02\delta, 2.16\delta, 4\delta, 6.7\delta$ , respectively). (b) The stochastic thin film equation (5.2) with constant surface tension at temperature  $T = 50^{\circ}C$ , i.e.,  $\sigma = 0.039$ , ( $\tilde{h}_{\min} = \delta$ , and  $\tilde{h}_{\max} = 2.8\delta, 4.3\delta, 5.1\delta, 7.5\delta$ , respectively). (c) The new model with height-dependent surface tension ( $\tilde{h}_{\min} = \delta$ , and  $\tilde{h}_{\max} = 2.8\delta, 4.3\delta, 5.1\delta, 7.5\delta$ , respectively). Both thermal fluctuations and height-dependence of surface tension lead to a faster dewetting process, bringing the theoretical predictions closer to the experimental observations (Becker *et al.* 2003).

height-dependence of the surface tension. We can denote the corresponding predictions of the classical model by  $\lambda_{m,\kappa c} = 2\pi \sqrt{1/q_0}$  and  $\beta_{m,\kappa c} = (\tilde{h}_0^3/4)q_0^2$ , where the subscript  $\kappa c$ represents constant surface tension. The new model therefore predicts a smaller instability wavelength,  $\lambda_m / \lambda_{m,\kappa c} = \sqrt{\tilde{\kappa}(\tilde{h}_0)} \leqslant 1$ , and a faster growth rate  $\beta_m / \beta_{m,\kappa c} = 1/\tilde{\kappa}(\tilde{h}_0) \geqslant 1$ , as shown in Fig. 6. For very large initial thicknesses, the effect of height-dependence of surface tension becomes insignificant and both models predict the same scaling for the maximum growth rate  $\beta_m \sim \tilde{h}_0^{-5}$  (Fig. 6 (b)), showing that it drastically reduces as the film thickness increases. The height-dependence of surface tension, however, leads to a larger growth rate for small film thicknesses, predicting that the instability grows faster. The largest  $\beta_m$  corresponds to  $h_0 = (28/15)\delta$  for the classical model and  $h_0 \approx$  $1.7\delta$  for the new model. Both models predict a similar scaling for the most unstable wavelength at large thicknesses  $\lambda_m \sim h_0^2$  (Fig. 6 (c)), whereas for smaller heights, where the effect of variability of surface tension becomes relevant, the new model predicts smaller wavelengths. The minimum  $\lambda_m$  corresponds to  $\dot{h}_0 = (5/3)\delta$  for the classical model and  $h_0 \approx 1.52\delta$  for the new model. Note that these heights are different from those concerning the maximum growth rate  $\beta_m$ . Further the instability wavelength shows a much weaker dependence on the film thickness than the growth rate  $(\tilde{h}_0^2 \text{ vs } \tilde{h}_0^{-5})$ . Within the linearly unstable region, the new model predicts the instability can grow up to six



FIGURE 8. The growth of perturbations in the spinodal regime ( $h_0 = 2\delta$  as in Fig. 7) for the classical model (solid red line), stochastic model (solid green line), and height-dependent surface tension model (solid blue line) as obtained from the nonlinear simulations. The imposed perturbations become damped at early times due to the surface tension, but then start to grow exponentially (as shown by the dashed-lines).



FIGURE 9. The ratio of the rupture times between the classical model  $(t_{r,\kappa c})$  and a) the classical model with thermal noise (green squares), b) the height-dependent surface tension model without noise (blue circles), c) the height-dependent surface tension model with noise (cyan diamonds)). Both the thermal noise and height-dependence of surface tension lead to a faster rupture time compared to the classical model. While the effect of noise is almost independent of the initial film thickness (green squares), the height dependence of surface tension leads to an increasingly faster ruptures as the film thickness decreases (blue circles). This effect becomes even more amplified when thermal noise is added to the new model (cyan diamonds). The solid line represents the ratio of the growth rates between the classical and new model as predicted from the linear stability analysis (see Figure 6(d)).

times faster than the predictions of the classical model (Fig. 6 (d)) while its corresponding instability wavelength can be less than half of that in the classical model; the growth rate is therefore a more sensitive measure of the height-dependence of surface tension.

To go beyond the linear stability analysis, we conducted 2D numerical simulations in the spinodal regime to examine the dewetting rate and morphologies obtained. Figure 7 shows that thermal fluctuations (see Eq. (5.2)) and height-dependence of surface tension both lead to a faster initial dewetting. Figure 8 shows the growth of perturbations in the nonlinear simulations of dewetting using the different models. The linear stability analysis

#### A. A. Pahlavan et al.

for this film thickness predicts that the growth rate of the height-dependent surface tension model is twice faster than the classical model  $(\beta_m/\beta_{m,\kappa c} = 2)$ . From the nonlinear simulations we find that the new model leads to a film rupture at  $t_{r1} \approx 75$ , whereas the classical model leads to a rupture time of  $t_{r3} \approx 150$ , which is in agreement with the linear stability predictions. Thermal fluctuations at  $T = 50^{\circ}C$ , i.e.,  $\sigma = 0.039$  (see Eq. (5.2)), lead to a rupture around  $t_{r2} \approx 125$ , which is faster than the classical model. Figure 9 shows a more quantitative comparison of the rupture times between the classical model and the other models. The speed up observed due to the thermal noise is independent of the initial height of the film, whereas the height dependence of surface tension in the new model leads to increasingly faster rupture as the initial film height decreases. The prediction of a faster growth rate in our model deserves special attention. Earlier studies have pointed to temporal inconsistencies between theoretical predictions and experimental observations (Becker et al. 2003), with experiments showing a faster initial dewetting process by more than a factor of two compared to the theoretical predictions. Our new model therefore brings theoretical predictions closer to the earlier experimental observations. Our results in Fig. 9 further suggest that to disentangle the roles played by the height-dependence of surface tension and the thermal noise, experiments with different initial heights need to be conducted.

# 5. Coarsening: self-similar intermediate asymptotics

#### 5.1. Coarsening phase diagram

The drops formed after the dewetting process are in a meta-stable state; they can still communicate through the ultra-thin films connecting them and thus coarsen in time to lower the overall energy of the system. Multiplying both sides of Eq. (2.19) by  $\delta\Gamma/\delta\tilde{h}$ , integrating in space and using the no-flux boundary conditions we can easily show (see also Thiele *et al.* (2001*b*); Glasner & Witelski (2003)):

$$\frac{d\Gamma}{d\tilde{t}} = -\int \mathcal{M}\left(\frac{\partial}{\partial\tilde{x}}\left(\frac{\delta\Gamma}{\delta\tilde{h}}\right)\right)^2 d\tilde{x} \leqslant 0, \tag{5.1}$$

demonstrating that the evolution governed by the thin film equation leads to a decreasing free energy and, therefore, a thermodynamically-admissible system.

Figure 10 shows space-time diagrams of the dewetting of thin liquid films of different thickness and their coarsening over time. The simulations presented here are conducted on a large domain of size  $100\lambda_m$  and the frames shown are a zoomed-in view of a window of size  $40\lambda_m$ ; these simulations show the results corresponding to the classical model with a constant surface tension; the results of the height-dependent surface tension model are very similar. In all cases we start with a uniform film of thickness  $\tilde{h}_0$  on which random perturbations of amplitude  $10^{-4}\tilde{h}_0$  are imposed. While all the initial thicknesses are within the linearly unstable regime (see Fig. 5), they lead to entirely different morphologies.

For small initial film height of  $\tilde{h}_0 = 4\delta$ , we observe the characteristics of the spinodal dewetting, a term originally coined by Mitlin (1993) due to its similarity to the spinodal decomposition in binary mixtures (Cahn 1961). In this regime, the distance between the drops is the same as the most unstable wavelength, i.e., we get  $\approx 100$  drops in a domain of size  $100\lambda_m$  (Diez & Kondic 2007). The coarsening here proceeds through Ostwald ripening (Ostwald 1897), or collapse of smaller drops at the expense of growth of larger ones (Glasner & Witelski 2003).

As the initial film height increases to  $\tilde{h}_0 = 10\delta$ , we can immediately see in Fig. 10

Thin Films in Partial Wetting: Stability, Dewetting and Coarsening
(a)
(b)

21



FIGURE 10. Space-time diagrams showing the evolution of drop height of the classical thin film equation (constant surface tension); the results of the height-dependent case are similar. The simulations are done in a domain of size  $100\lambda_m$  and the frames shown here show a zoom-in of a size  $40\lambda_m$ . In all the cases, a line coming to an end indicates an Ostwald ripening event, in which a smaller drop feeds into larger neighboring drops through the ultra-thin film that connects them. (a)  $\tilde{h}_0 = 4\delta$  representing the classical spinodal regime, where the number of drops is approximately set by the most unstable wavelength  $\lambda_m$  ( $\tilde{h}_{max} = 35\delta$ ), (b)  $\tilde{h}_0 = 10\delta$ representing a mixed mode instability regime in between spinodal and nucleation regimes; here, fewer drops than the spinodal regime form and the distance between the formed drops seems to be random ( $\tilde{h}_{max} = 100\delta$ ), (c)  $\tilde{h}_0 = 25\delta$  which is deep into the nucleation regime showing the formation of very few drops ( $\tilde{h}_{max} = 700\delta$ ), (d)  $\tilde{h}_0 = 4\delta$  and including thermal fluctuations ( $T = 50^{\circ}C$ , i.e.,  $\sigma = 0.039$ ) ( $\tilde{h}_{max} = 25\delta$ ); thermal noise enhances the lateral motion of the drops; the coarsening mechanism however, still seems to be dominated by Ostwald ripening.

(b) that the number of drops formed upon dewetting and their spacing do not follow the predictions of the linear stability analysis anymore, i.e., fewer drops form and their spacing becomes random. This behavior has signatures of nucleation dewetting within the linearly unstable regime (Thiele *et al.* 2001*a,b*; Diez & Kondic 2007) and shows a mixed mode instability, i.e., a behavior in-between spinodal and nucleation regimes. Such a transition has also been reported in phase separation dynamics within the Cahn-Hilliard framework (Novick-Cohen 1985). Figure 11 shows corresponding 2D simulations of dewetting in this regime; in contrast with the spinodal regime, where holes appear around the same time with a uniform spacing, here the nucleation process begins with formation of a hole, which then laterally expands and forms a rim behind it (Seemann *et al.* 2001*b*, 2005; Fetzer *et al.* 2005; Bäumchen & Jacobs 2010; Bäumchen *et al.* 2014). In this mixed mode regime, the growth rate is still large enough that shortly after growth of a hole, the depression behind the dewetting rim can lead to rupture; this behavior leads to the satellite-hole formation observed in the experiments (Becker *et al.* 2003; Neto *et al.* 2003) and in the 2D simulations of Fig. 11. Figure 12 illustrates this nucleation process in



FIGURE 11. Nucleation dewetting for  $h_0 = 10\delta$  for the constant surface tension model. In this regime, holes randomly appear and start expanding laterally, forming a growing rim behind them ( $\tilde{h}_{max} = 30\delta, 54\delta, 70\delta, 120\delta$ , respectively). The depression behind the dewetting rim leads to the formation of satellite holes. The dewetting rims subsequently become unstable and lead to fingering and pinch off to form droplets (see Reiter & Sharma (2001); Bäumchen *et al.* (2014) for experimental details)

a space-time diagram of a 1D simulation of the height-dependent surface tension model with  $\tilde{h}_0 = 10\delta$ .

As we keep increasing the initial film thickness further to  $\tilde{h}_0 = 25\delta$  (Fig. 10(c)), we move deeper into the nucleation regime, where fewer drops form; in this case 5 drops formed in random locations in a domain of size  $40\lambda_m$ . In the nucleation regime two time scales compete: the time scale associated with the growth of linearly unstable modes and the time scale associated with the dewetting front (Thiele *et al.* 2001*a*; Diez & Kondic 2007; Snoeijer & Eggers 2010). As we showed before, the growth rate of the most unstable mode  $\beta_m$  scales as  $\tilde{h}_0^{-5}$  leading to significant decreases in the growth rate for thicker films, thereby favoring growth via nucleation.

Since the dynamics of the coarsening process is slaved to the flux through the ultrathin equilibrium films ( $\tilde{h}_m \approx \delta$ ) connecting the drops and the mobility scales as  $\tilde{h}^3$ , the coarsening dynamics are extremely slow. Two time scales are involved in this process: a fast time scale over which individual coarsening events happen, and a slow time scale between the individual events (Glasner & Witelski 2003). A full numerical simulation of the thin film equation therefore can be computationally very expensive. Glasner & Witelski (2003) used the separation of time scales in this problem to reduce the governing partial differential equation, Eq. (2.19), to a system of ordinary differential equations for the droplet pressures and locations. Coarsening can proceed via two general mechanisms: coalescence of droplets or Ostwald ripening (Glasner & Witelski 2005). Their mathematical model allowed them to simulate the coarsening of a very large number ( $O(10^5)$ ) of drops. They observed a scaling of  $N \sim \tilde{t}^{-2/5}$  for the number of drops in time and also observed a transition from Ostwald-ripening dominated (capillary-driven drainage and collapse) coarsening to coalescence-dominated coarsening as they increased the total mass of liquid in the domain.

In contrast with the findings of Glasner & Witelski (2005), we do not observe such a transition from Ostwald ripening dominated to coalescence-dominated coarsening (Fig. 10). The change in the instability mode from spinodal to nucleation leads to the formation of fewer drops as the total mass of the liquid in the domain increases, i.e., as the initial film height increases: the large distance between the drops favors coarsening through Ostwald ripening rather than coalescence. The reason Glasner & Witelski (2005) observe such a transition is that they keep the number of drops within a given domain fixed as they increase their mass; this naturally leads to wider drops that progressively get closer to each other, therefore favoring coalescence.



FIGURE 12. Space-time diagram of the nucleation process in the height-dependent surface tension model with  $\tilde{h}_0 = 10\delta$  in a domain of size  $20\lambda_m$  (each snapshot is shifted up by  $10\delta = 1$ ). The lateral expansion of holes, growth of the rim behind the hole, and the subsequent instability of the dip behind a growing rim can all be seen in this illustration.

#### 5.2. Influence of thermal fluctuations

Some experiments on thin-film dewetting (Limary & Green 2002, 2003) and nanoparticle growth in thin films (Meli & Green 2008; Woehl *et al.* 2014) have reported a crossover from diffusion-dominated to coalescence-dominated behavior. A potential source of this transition could be thermal noise, which may play a dominant role in thin-film systems (Mecke & Rauscher 2005; Grün *et al.* 2006; Fetzer *et al.* 2007b; Willis & Freund 2009; Belardinelli *et al.* 2016; Diez *et al.* 2016). To explore this possibility, we generalize the thin film equation (2.19) by incorporating thermal noise:

$$\frac{\partial \tilde{h}}{\partial \tilde{t}} = \frac{\partial}{\partial \tilde{x}} \left( \tilde{h}^3 \frac{\partial \tilde{P}}{\partial \tilde{x}} \right) + \sigma \frac{\partial}{\partial \tilde{x}} \left( \tilde{h}^{3/2} \tilde{\xi}(\tilde{x}, \tilde{t}) \right), \tag{5.2}$$

in which  $\tilde{P} = d\tilde{f}/d\tilde{h} - \sqrt{\tilde{\kappa}\partial/\partial\tilde{x}} \left(\sqrt{\tilde{\kappa}\partial\tilde{h}}/\partial\tilde{x}\right)$  with  $\tilde{\kappa} = \kappa/\gamma$  and  $\tilde{f} = f/(\gamma H^2/L^2)$ , where H and L are characteristic height and length scales. The second term on the right hand side of the equation represents the thermal fluctuations (Mecke & Rauscher 2005; Davidovitch *et al.* 2005; Grün *et al.* 2006) with  $\sigma = \sqrt{k_B T/\gamma H^2}$ , where  $k_B$  is Boltzmann's constant, T represents absolute temperature, and  $\tilde{\xi}$  represents a spatiotemporal Gaussian white noise:  $\langle \tilde{\xi} \rangle = 0$  and  $\langle \tilde{\xi}(\tilde{x}, \tilde{t}) \tilde{\xi}(\tilde{x}', \tilde{t}') \rangle = \delta(\tilde{x} - \tilde{x}')\delta(\tilde{t} - \tilde{t}')$  with  $\delta$  as the Dirac delta function and  $\langle . \rangle$  implying ensemble average over realizations of the noise.

Introducing thermal noise to the system leads to enhanced lateral motion of the drops as seen in Fig. 10 (d), and this can promote coalescence. Our simulations for the stochastic thin film Eq. (5.2) within the spinodal regime, however, shows the dominance of Ostwald ripening despite the enhanced lateral motion of the drops. The crossover from the diffusion-dominated to coalescence-dominated behavior observed in the experiments (Limary & Green 2002, 2003) therefore could be a consequence of the dimensionality of the problem, i.e., 2D in the experiments versus 1D in the simulations shown in Fig. 10. In two dimensions, each drop can be surrounded and interact with multiple other drops, whereas in 1D each drop only interacts with its two neighbors. To investigate this, we have conducted 2D nonlinear simulations, which point to the dominance of coalescence



FIGURE 13. Two-dimensional simulations of coarsening dynamics at early and late times for the height-dependent surface tension model with  $\tilde{h}_0 = 2\delta$  ( $\tilde{h}_{max} = 8.5\delta$  in the colorbar). At early times, coalescence events, as highlighted by the dashed white circles, are dominant. At late times (once the metastable drops have formed), however, Ostwald ripening, i.e., capillary drainage and collapse of drops, becomes the key coarsening mechanism; note that this latter process is diffusion-dominated and therefore much slower than coarsening through coalescence events.

events at short times and Ostwald ripening at long times as shown in Fig. 13, which corresponds to the height-dependent surface tension model; similar results are obtained for both the classical and stochastic models. Our observations are in agreement with the 2D simulations of Glasner (2008) using a reduced order model that suggest the dominance of the coalescence mechanism.

#### 5.3. Coarsening statistics

The statistics of the coarsening process for (i) the spinodal regime,  $\tilde{h}_0 = 4\delta$  (for both constant and height-dependent surface tension models as well as the classical stochastic thin film equation with thermal noise) and (ii) for the mixed-mode instability regime  $\tilde{h}_0 = 10\delta$  (for the constant surface tension model) are shown in Fig. 14. In the spinodal regime, the number of drops follows the scaling  $N \sim \tilde{t}^{-2/5}$  in time (Fig. 14 (a)) as computed by Glasner & Witelski (2003); incorporating the height-dependence of surface tension does not alter this scaling. Introducing thermal noise does not affect the scaling either—an observation that is consistent with recent studies (Nesic *et al.* 2015). In the mixed-mode instability regime ( $\tilde{h}_0 = 10\delta$ ), fewer drops form, so our simulations have limited statistics and do not clearly reach the self-similar intermediate regime (Gratton & Witelski 2009), but it seems that the results for this case are also in general agreement with the  $\tilde{t}^{-2/5}$  scaling (Fig. 14 (a)). Due to mass conservation, it is easy to show that the mean width of drops should then follow the scaling  $\tilde{t}^{1/5}$  as shown in Fig. 14 (b). An interesting feature of the variation of the mean width in time, particularly at late times, is the jumps observed as smaller drops shrink and feed into the larger drops.

As argued above, the thin film evolution equation predicts a monotonically decreasing free energy for the system (Eq.(5.1)). We can further check this by looking at the variation of the numerically calculated total energy of the system  $E_t \equiv \Gamma = \int \tilde{f}(\tilde{h}) + (\tilde{\kappa}/2)(\tilde{h}_x)^2 d\tilde{x}$ . In agreement with the predictions of Otto *et al.* (2006), we find a  $\tilde{t}^{-1/5}$  scaling for the decrease of the free energy (Fig. 14(c)). An interesting observation here is that for the thicker film of  $\tilde{h}_0 = 10\delta$ , we observe a lower total free energy at early times that later converges to the  $\tilde{t}^{-1/5}$  scaling. To understand the reason behind the difference at early times, it is instructive to look at the typical variation of the different components of the free energy during the entire dewetting process, as shown in Fig. 14 (d). Here,  $E_b = \int \tilde{f}(\tilde{h}) d\tilde{x}$  is the bulk free energy and  $E_i = \int (\tilde{\kappa}(\tilde{h})/2)(\tilde{h}_x)^2 d\tilde{x}$  is the interfacial energy. As an initially uniform film becomes unstable, it must increase the interfacial energy to dewet and create droplets. This increase in the interfacial energy, however, is compensated by



FIGURE 14. Coarsening statistics; red circles and squares correspond to the classical model with  $\tilde{h}_0 = 4\delta$  and  $\tilde{h}_0 = 10\delta$ , respectively; blue diamonds show the results of the new model with  $\tilde{h}_0 = 4\delta$ ; green stars correspond to the stochastic thin film model with  $\tilde{h}_0 = 4\delta$ . (a) Evolution of the number of drops in time shows the scaling  $\tilde{t}^{-2/5}$  as suggested by Glasner & Witelski (2003). (b) Evolution of mean width of drops in time; as expected from conservation of mass and the scaling of the number of drops in time, the mean width scales as  $\tilde{t}^{1/5}$  in time. (c) Evolution of the total energy in time shows a decrease in the energy with coarsening with a scaling of  $\tilde{t}^{-1/5}$ , which is expected for the 1D case (Otto *et al.* 2006); the  $\tilde{h}_0 = 10\delta$  case results in fewer drops upon dewetting, therefore the majority of the domain is covered by the equilibrium film, which means the initial energy is lower than the  $\tilde{h}_0 = 4\delta$  case; at long times the dynamics becomes self-similar and both follow the same scaling. (d) Evolution of the bulk  $E_b$ , interfacial  $E_i$ , and total  $E_t = E_b + E_i$  energies for a typical simulation (here  $\tilde{h}_0 = 4\delta$  and height-dependent surface tension model); at short times, creation of drops increases the interfacial energy, but the total energy is still lowered due to the reduction in the bulk energy; at long times, as drops coarsen, both the bulk and interfacial energy contribution decrease.

the reduction in the bulk free energy as the ultra thin films connecting the drops are in their near-equilibrium states. The drops connected by these ultra-thin films however are only metastable and after a long intermediate plateau state the system starts lowering its total energy through coarsening, which lowers both the interfacial energy as well as the bulk free energy due to the creation of new ultra-thin films. With this observation in mind, we can now go back to Fig. 14(c); here, the thicker film ( $\tilde{h}_0 = 10\delta$ ) leads to the formation of fewer drops upon dewetting, meaning a lower interfacial and bulk free energies in the mixed-mode instability regime compared to the spinodal regime (formation of fewer drops means a higher fraction of the total surface is covered by the ultrathin films that have a lower bulk free energy). This is why right after dewetting, the thicker film case  $\tilde{h}_0 = 10\delta$ leads to a lower total free energy compared to the  $\tilde{h}_0 = 4\delta$  case in the spinodal regime. At long times, however, as the coarsening sets in, the dynamics become self-similar and the total system energies per unit length of the substrate corresponding to the different regimes all collapse on top of each other.

#### 5.4. LSW mean-field description of coarsening: self-similar drop size distribution

In the late stages of a first-order phase transition of a binary alloy mixture, Ostwald ripening is quite common (Ostwald 1897; Siggia 1979; Voorhees 1985). The curvaturedependence of the chemical potential leads to a flow from higher curvature regions (smaller clusters) to lower curvature regions (larger clusters). The result of this coarsening is a decrease in the total interfacial energy of the system. Lifshitz & Slyozov (1961) were the first to place experimental measurements of Ostwald ripening within a consistent theoretical framework: they considered a spherical cluster in a supersaturated solution and developed a mean-field description for the evolution of the size of the cluster at long times,  $\langle r(t) \rangle \sim t^{1/3}$ . This scaling is an intermediate-asymptotic behavior (Barenblatt 1996) for a quasi-steady system in isolation, i.e., the interactions with other clusters are neglected, so it is expected to hold in the limit of dilute solutions. Lifshitz & Slyozov (1961) originally assumed the transport in the medium to be diffusion dominated; later, Wagner (1961) independently studied the Ostwald ripening process and considered the case where the attachment/detachment of particles from the clusters is the rate-limiting factor and derived a scaling  $\langle r(t) \rangle \sim t^{1/2}$ . Apart from the mode of mass transport considered, the two theories are essentially the same and are known as the LSW model for coarsening (Kahlweit 1975). An alternative generalized view of the same problem is to consider all the clusters of size greater than  $r_c \sim t^{\beta}$  to grow and all with a smaller size to shrink, where  $\beta = 1/3$  in the diffusion-dominated case and  $\beta = 1/2$  in the attachment/detachment-dominated case.

Theories of LSW-type appear in many diverse phenomena, such as stability of emulsions (Imhof & Pine 1997; Taylor 1998; Bibette et al. 1999; Solans et al. 2005; Gupta et al. 2016), droplet size distribution in liquid jet fragmentation (Eggers & Villermaux 2008), coarsening of granular clusters (Aranson & Tsimring 2006), phase separation in polymer blends (Geoghegan & Krausch 2003), growth of silicone nanowires (Schmidt et al. 2010), quantum dots (Liu & Risbud 1990), growth of nanoparticles in colloidal solutions (Talapin *et al.* 2001), and grain growth in thin films (Thompson 1990), or even loss of electrocatalyst coating in low temperature fuel cells (Shao-Horn et al. 2007). There is a close connection between the LSW theory and coarsening of drops connected by thin films. The drops formed upon dewetting are in a metastable quasi-equilibrium configuration, so one can treat a droplet connected to a near equilibrium film in isolation from the other drops. The transport through the surrounding thin film is diffusiondominated since curvature becomes negligible in the film. Diffusion here is set by the interface potential and mobility reaches a constant value set by the film thickness, so the transport between droplets can formally be written as a diffusion equation similar to the LSW theory.

At long times, the clusters or drops follow a size distribution function  $F(r, \tilde{t})$ , or equivalently  $F(m, \tilde{t})$  where  $m = \int_{-\tilde{w}}^{\tilde{w}} \tilde{h} d\tilde{x}$  is the mass of a 1D drop, which satisfies the following continuity equation (Voorhees 1985; Gratton & Witelski 2009):

$$\frac{\partial F(m,\tilde{t})}{\partial \tilde{t}} + \frac{\partial}{\partial m} \left( F(m,\tilde{t})v(m) \right) = 0, \tag{5.3}$$

where  $v(m) = dm/d\tilde{t}$  determines the flux of particles. The number of drops can then be related to the distribution function as  $N = \int_0^\infty F(m, \tilde{t}) dm$ . The problem then reduces to defining the flux v(m). Gratton & Witelski (2009) showed that an equivalent LSW mean



FIGURE 15. Droplet mass distribution for the spinodal regime with  $\tilde{h}_0 = 4\delta$  obtained from ensemble averaging of 10 realizations in domains of size  $250\lambda_m$  with  $z = m/m_*$ ; vertical lines show the error bars computed from the standard deviation of the 10 realizations; red squares represent classical model with a constant surface tension; green diamonds represent the stochastic thin film model; blue circles represent the new model with height-dependent surface tension; the solid line represents the mean-field LSW theory (Eq. (5.4)); the dashed line represents the Smoluchowski distribution (Eq. (5.5)).

field model can be defined for a system of drops, where a drop is considered to be at a mean distance  $\bar{L}(\tilde{t}) = L/N(\tilde{t})$  from two neighboring drops of mass  $m_*$ ; since the mass transport between the drops takes place through the ultra-thin films with nearly zero curvature connecting them, the transport through the films becomes purely diffusive and its dynamics can be approximated as  $\partial \tilde{h}/\partial \tilde{t} \sim \partial^2/\partial \tilde{x}^2(\mathcal{V}(\tilde{h}))$ , where  $d\mathcal{V}/d\tilde{h} = \tilde{h}^3 d^2 \tilde{f}/d\tilde{h}^2$ (Glasner & Witelski 2003). The mean flux between the drops can then be approximated as  $v(m) = 2(\mathcal{V}(m_*) - \mathcal{V}(m))/\bar{L}$ , where the mean-field potential is defined as  $\mathcal{V}(m_*(\tilde{t})) =$  $(1/N) \int_0^\infty \mathcal{V}(m)F(m,\tilde{t})dm$ . The non-locality in this mean-field description comes from the mean quantities  $\bar{L}$  and  $m_*$ , both of which evolve in time. At long times, we expect the distribution of the drop sizes to become self-similar, for which we can postulate  $F(m,\tilde{t}) = g(m/m_*)/\tilde{t}^{\alpha}$  and  $m_* = c\tilde{t}^{\beta}$ . Using conservation of mass, one then arrives at the following ODE for the self-similar distribution function g(z) (Gratton & Witelski 2009):

$$\frac{dg}{dz} = \left(\frac{27/2 - 8z^{3/2}}{4z^{5/2} + 27z(1 - \sqrt{z})}\right)g,\tag{5.4}$$

where  $0 \leq z \equiv (m/m_*) \leq 9/4$ , and the solution of the above equation can be obtained in the analytical form to be  $g(z) = C\left(\sqrt{z}e^{2/(-3+2\sqrt{z})}\right)/\left((3-2\sqrt{z})^{28/9}(3+\sqrt{z})^{17/9}\right)$ with  $C \approx 70$  as a normalization constant. From the conservation of mass, one can further find  $m_* \approx 0.846\bar{m}$  (with  $\bar{m} = M_{tot}/N(\tilde{t})$  being the total liquid mass divided by the instantaneous number of drops), which separates growing and shrinking drops, i.e.,  $v(m_*) = 0$ . This mean-field treatment is expected to hold in the dilute limit, where local interactions between drops can be neglected and each drop only interacts with a background field.

The normalized distribution of the droplet mass  $(\langle F(z, \tilde{t})/N(\tilde{t}) \rangle$  with  $z = m/m_*)$ in the self-similar intermediate regime, where the LSW model is applicable is shown in Fig. 15. The results of the simulations closely follow Eq. (5.4) (solid line) for small droplets. The close agreement we observe between the classical and new models, as well as in the presence of thermal fluctuations, indicates that in the self-similar coarsening regime the details of the thin-film interfacial dynamics are not critical. For larger size droplets, i.e. z > 1 ( $m > m_*$ ), however, we do observe deviations from the LSW model.

#### A. A. Pahlavan et al.

While some deviations have also been observed by Gratton & Witelski (2009) in their dynamical system treatment of coarsening and is a known issue in the LSW model, there is a distinct skewness in the distribution of the droplets in the new model. The long tail observed in the distribution of droplet sizes in our model has also been reported in some experiments and Monte Carlo models of thin-film coarsening (Lo & Skodje 2000; Limary & Green 2002, 2003; Green 2003; Meli & Green 2008; Woehl *et al.* 2014) and is typically associated with coarsening through coalescence. This type of drop-size distribution is modeled with the Smoluchowski equation (Smoluchowski 1917; Sholl & Skodje 1996; Lo & Skodje 2000; Eggers & Villermaux 2008):

$$g(z) = \left(\frac{dW(Wz)^{d(\alpha+1-1/d)}}{\Gamma(\alpha+1)}\right)e^{-(Wz)^{d}},$$
(5.5)

where  $W = \Gamma(\alpha + 1 + 1/d)/\Gamma(\alpha + 1)$  with  $\Gamma$  is the gamma function, and d represents the dimension of the system. When mass transport is dominated by diffusion around the periphery of the droplet,  $\alpha = 3/2$ ; when diffusion away from the boundaries is the dominant transport mechanism,  $\alpha = 1$ , and when evaporation-condensation in the periphery of the drops is the main transport avenue,  $\alpha = 1/2$  (Lo & Skodje 2000). Here, we find the best fit for the tail of the distribution in a 1D system of droplets is obtained for the periphery-diffusion dominated case with  $\alpha = 3/2$ . It is interesting, however, that the change in the tail of the drop-size distribution in our model is not associated with a change in the coarsening mechanism, i.e., Ostwald ripening remains the dominant coarsening mechanism (Fig. 10); perhaps, it is the lower lateral motion of the largersize droplets that leads to the asymmetry in the distribution. While our 1D simulation results cannot be directly compared with the experiments, the long-tailed distribution in our model calls into question whether the reported distributions in the experiments are uniquely a signature of the coalescence-dominated coarsening and this motivates further detailed experimental observations.

# 6. Conclusions

We have shown, using a consistent thermodynamic framework, that the intermolecular forces between liquid–gas and liquid–solid interfaces of a thin film in the partial wetting regime lead to an expression for the system free energy with a height-dependent surface tension. In the long-wave approximation, this free energy resembles the Cahn–Hilliard formulation for the free energy of binary alloys (Cahn & Hilliard 1958). We have shown that this new form of free energy leads to a generalized disjoining pressure that is consistent with recent calculations (Dai *et al.* 2008).

Using our model, we have revisited the dewetting and coarsening of thin liquid films on solid substrates in the partial wetting regime. We have first shown that the equilibrium droplet solutions obtained in the new model have compact support and meet the contact line with a non-zero equilibrium angle, whereas equilibrium droplets in the classical model only asymptotically meet the surrounding precursor film with a zero angle. While the classical model cannot admit solutions without a precursor film (Brenner & Bertozzi 1993), our model does not require the precursor film, allowing us to recover the true partial wetting regime (Brochard-Wyart *et al.* 1991).

Analyzing the stability of uniform liquid films, we have shown that in the spinodal dewetting regime, our model predicts a faster growth rate  $\beta_m$  for the most unstable mode, and a smaller corresponding instability wavelength  $\lambda_m$  than those predicted by the classical model with a constant surface tension. While the instability wavelength is only weakly dependent on the height-dependence of the surface tension, we have shown

that the instability growth rate can be up to six times faster than the predictions of the classical model. This faster growth rate brings the theoretical predictions closer to the experimental observations (Becker *et al.* 2003).

Experimental observations by Limary & Green (2003) indicate a crossover in the coarsening from Ostwald ripening-dominated to coalescence-dominated as the film thickness increases. They infer the coarsening mechanism from the droplet-size distribution, i.e., they associate the Ostwald ripening and coalescence processes with LSW-type and Smoluchowski-type distributions, respectively (Limary & Green 2002, 2003; Green 2003). Our nonlinear simulations of the dewetting and subsequent coarsening on large domains  $L \sim 100 \lambda_m$  have shown that the coarsening process at intermediate times becomes selfsimilar (Glasner & Witelski 2003) and independent of the details of the models used, i.e., we observe the same scalings for the classical model (with and without thermal noise) and in our new model with height-dependent surface tension. We have shown that the crossover reported in the experiments cannot be observed in 1D simulations of the thin-film equation. This is in contrast to the predictions of Glasner & Witelski (2005), who used a reduced-order model of thin-film equation and predicted a crossover. As the thickness of the initial uniform film increases the instability mechanism changes from spinodal, (i.e., equally-distanced droplets after dewetting) to nucleation, (i.e., randomlyspaced droplets). This change in the instability mechanism is a result of the competition of two time scales: the growth rate of the instability, which scales as  $\beta_m \sim \tilde{h}_0^{-5}$ , versus the rate of lateral expansion of dewetted holes (Thiele *et al.* 2001*a*; Diez & Kondic 2007). This change of instability mechanism from spinodal to nucleation prevents the crossover from Ostwald ripening-dominated to coalescence-dominated coarsening. We have also shown that while thermal noise enhances lateral motion of droplets, it does not lead to a crossover in the coarsening mechanism. We therefore conclude that the crossover observed in the experiments is a result of the 2D nature of the experiments versus the initial 1D simulations presented here and in earlier studies. To investigate this hypothesis, we have conducted 2D nonlinear simulations, which indeed indicate the dominance of coalescence events at early times following the dewetting and a crossover to Ostwald-ripening at late times in the coarsening process.

We also have shown that the droplet-size distribution in the self-similar coarsening regime follows a LSW-type distribution (Lifshitz & Slyozov 1961; Wagner 1961; Voorhees 1985; Gratton & Witelski 2009) and becomes model-independent at least for small droplets. For larger drops, we have found that the new model leads to a long-tailed drop-size distribution, which follows the Smoluchowski Eq. (5.5) in 1D for peripheral diffusion-dominated transport. Our observation of a skewed distribution associated with an Ostwald-ripening-dominated coarsening calls into question the associations made before between the long-tailed distribution and coalescence-dominated coarsening in the earlier experiments (Limary & Green 2002, 2003; Green 2003) and motivates further detailed experimental observations.

An important open question is how to characterize the predicted height-dependence of surface tension in typical dewetting experiments. As we have shown, the characteristic instability wavelength, which is most readily observed in the experiments, is only weakly dependent on the height-dependence of surface tension and perhaps not a reliable indicator. The instability growth rate, however, varies more significantly due to the heightdependence of surface tension and could serve as a distinguishing factor. Experimental measurements of growth rate are exceptionally challenging, particularly in the spinodal regime and for very thin liquid films for which the height-dependence of surface tension becomes relevant. Further, the viscosity of thin polymer films changes drastically from its bulk values due to a shift in the glass transition temperature (Herminghaus *et al.*  2001), making it potentially difficult to distinguish between consequences of the changes in surface tension from those in viscosity. Spreading of droplets in the partial-wetting regime can therefore serve as an alternative test for the height-dependence of surface tension; we have shown that our new model allows investigations of the spreading process without the need for precursor films (Pahlavan *et al.* 2015). Visualization of the contactline motion at micro/nano-scales (Chen *et al.* 2014; Qian *et al.* 2015; McGraw *et al.* 2016; Deng *et al.* 2016) could therefore lead the way in refining and validating models for interfacial flows.

#### REFERENCES

- AMIRFAZLI, A. & NEUMANN, A.W. 2004 Status of the three-phase line tension: a review. Advances in Colloid and Interface Science 110 (3), 121–141.
- ANDERSON, D. M., MCFADDEN, G. B. & WHEELER, A. A. 1998 Diffuse-interface methods in fluid mechanics. Annual Review of Fluid Mechanics 30 (1), 139–165.
- ARANSON, I. S. & TSIMRING, L. S. 2006 Patterns and collective behavior in granular media: Theoretical concepts. *Reviews of Modern Physics* 78, 641–692.
- ARFKEN, G. B., WEBER, H. J. & HARRIS, F. E., ed. 2013 Mathematical Methods for Physicists, seventh edn. Boston: Academic Press.
- BARENBLATT, G. I. 1996 Scaling, Self-similarity, and Intermediate Asymptotics: Dimensional Analysis and Intermediate Asymptotics. Cambridge University Press.
- BAUER, C. & DIETRICH, S. 1999 Quantitative study of laterally inhomogeneous wetting films. The European Physical Journal B - Condensed Matter and Complex Systems 10 (4), 767– 779.
- BÄUMCHEN, OLIVER, FETZER, RENATE, KLOS, MISCHA, LESSEL, MATTHIAS, MARQUANT, LUDOVIC, HÄHL, HENDRIK & JACOBS, KARIN 2012 Slippage and nanorheology of thin liquid polymer films. Journal of Physics: Condensed Matter 24 (32), 325102.
- BÄUMCHEN, O & JACOBS, K 2010 Slip effects in polymer thin films. Journal of Physics: Condensed Matter 22 (3), 033102.
- BÄUMCHEN, OLIVER, MARQUANT, LUDOVIC, BLOSSEY, RALF, MÜNCH, ANDREAS, WAGNER, BARBARA & JACOBS, KARIN 2014 Influence of slip on the rayleigh-plateau rim instability in dewetting viscous films. *Physical Review Letters* 113, 014501.
- BECKER, JURGEN, GRUN, GUNTHER, SEEMANN, RALF, MANTZ, HUBERT, JACOBS, KARIN, MECKE, KLAUS R. & BLOSSEY, RALF 2003 Complex dewetting scenarios captured by thin-film models. *Nature Materials* 2 (1), 59–63.
- BELARDINELLI, D., SBRAGAGLIA, M., GROSS, M. & ANDREOTTI, B. 2016 Thermal fluctuations of an interface near a contact line. *Physical Review E* **94**, 052803.
- BENZI, R., SBRAGAGLIA, M., BERNASCHI, M. & SUCCI, S. 2011 Phase-field model of long-time glasslike relaxation in binary fluid mixtures. *Physical Review Letters* **106**, 164501.
- BERTOZZI, A L, GRÜN, G & WITELSKI, T P 2001 Dewetting films: bifurcations and concentrations. *Nonlinearity* 14 (6), 1569–1592.
- BIBETTE, J, CALDERON, F LEAL & POULIN, P 1999 Emulsions: basic principles. *Reports on Progress in Physics* **62** (6), 969–1033.
- BISCHOF, J., SCHERER, D., HERMINGHAUS, S. & LEIDERER, P. 1996 Dewetting modes of thin metallic films: Nucleation of holes and spinodal dewetting. *Physical Review Letters* 77, 1536–1539.
- BLAKE, T. D. & RUSCHAK, K. J. 1979 A maximum speed of wetting. *Nature* **282** (5738), 489–491.
- BLOSSEY, RALF 2012 Thin liquid films: dewetting and polymer flow. Springer Science & Business Media.
- BOCQUET, LYDERIC & CHARLAIX, ELISABETH 2010 Nanofluidics, from bulk to interfaces. Chemical Society Reviews **39**, 1073–1095.
- BOCQUET, LYDERIC & TABELING, PATRICK 2014 Physics and technological aspects of nanofluidics. Lab Chip 14, 3143–3158.
- BOLLINNE, C., CUENOT, S., NYSTEN, B. & JONAS, A. M. 2003 Spinodal-like dewetting of

30

thermodynamically-stable thin polymer films. The European Physical Journal E 12 (3), 389-396.

- BONN, DANIEL, EGGERS, JENS, INDEKEU, JOSEPH, MEUNIER, JACQUES & ROLLEY, ETIENNE 2009 Wetting and spreading. *Reviews of Modern Physics* 81, 739–805.
- BRAUN, RICHARD J. 2012 Dynamics of the tear film. Annual Review of Fluid Mechanics 44 (1), 267–297.
- BRAY, A. J. 2002 Theory of phase-ordering kinetics. Advances in Physics 51 (2), 481–587.
- BRENNER, MICHAEL & BERTOZZI, ANDREA 1993 Spreading of droplets on a solid surface. *Physical Review Letters* **71**, 593–596.
- BROCHARD-WYART, F., DI MEGLIO, J. M., QUERE, D., & DE GENNES, P-G. 1991 Spreading of nonvolatile liquids in a continuum picture. *Langmuir* 7 (2), 335–338.
- BROCHARD-WYART, F., MARTIN, P. & REDON, C. 1993 Liquid/liquid dewetting. Langmuir 9 (12), 3682–3690.
- CAHN, J. W. 1961 On spinodal decomposition. Acta Metallurgica 9 (9), 795–801.
- CAHN, JOHN W. & HILLIARD, JOHN E. 1958 Free energy of a nonuniform system. i. interfacial free energy. The Journal of Chemical Physics 28 (2), 258–267.
- CHEN, JIUN-TAI, ZHANG, MINGFU & RUSSELL, THOMAS P. 2007 Instabilities in nanoporous media. Nano Letters 7 (1), 183–187.
- CHEN, L., YU, J. & WANG, H. 2014 Convex nanobending at a moving contact line: The missing mesoscopic link in dynamic wetting. ACS Nano 8 (11), 11493–11498.
- COLIN, A., SQUIRES, T. M. & BOCQUET, L. 2012 Soft matter principles of microfluidics. Soft Matter 8, 10527–10529.
- CRASTER, R. V. & MATAR, O. K. 2009 Dynamics and stability of thin liquid films. Reviews of Modern Physics 81, 1131–1198.
- CROSS, M. C. & HOHENBERG, P. C. 1993 Pattern formation outside of equilibrium. Reviews of Modern Physics 65, 851–1112.
- CUETO-FELGUEROSO, LUIS & JUANES, RUBEN 2012 Macroscopic phase-field model of partial wetting: Bubbles in a capillary tube. *Physical Review Letters* **108**, 144502.
- DAI, BING, LEAL, L. GARY & REDONDO, ANTONIO 2008 Disjoining pressure for nonuniform thin films. *Physical Review E* 78, 061602.
- DAVIDOVITCH, BENNY, MORO, ESTEBAN & STONE, HOWARD A. 2005 Spreading of viscous fluid drops on a solid substrate assisted by thermal fluctuations. *Physical Review Letters* **95**, 244505.
- DENG, YAJUN, CHEN, LEI, LIU, QIAO, YU, JIAPENG & WANG, HAO 2016 Nanoscale view of dewetting and coating on partially wetted solids. The Journal of Physical Chemistry Letters 7 (10), 1763–1768.
- DIEZ, JAVIER A., GONZÁLEZ, ALEJANDRO G. & FERNÁNDEZ, ROBERTO 2016 Metallic-thin-film instability with spatially correlated thermal noise. *Physical Review E* **93**, 013120.
- DIEZ, JAVIER A. & KONDIC, LOU 2007 On the breakup of fluid films of finite and infinite extent. *Physics of Fluids* **19** (7), 072107.
- DZYALOSHINSKII, I.E., LIFSHITZ, E.M. & PITAEVSKII, L.P. 1961 The general theory of van der Waals forces. Advances in Physics **10** (38), 165–209.
- EGGERS, JENS & VILLERMAUX, EMMANUEL 2008 Physics of liquid jets. Reports on Progress in Physics **71** (3), 036601.
- FETZER, R., JACOBS, K., MÜNCH, A., WAGNER, B. & WITELSKI, T. P. 2005 New slip regimes and the shape of dewetting thin liquid films. *Physical Review Letters* **95**, 127801.
- FETZER, R., MÜNCH, A., WAGNER, B., RAUSCHER, M. & JACOBS, K. 2007a Quantifying hydrodynamic slip: a comprehensive analysis of dewetting profiles. *Langmuir* 23 (21), 10559–10566.
- FETZER, R., RAUSCHER, M., SEEMANN, R., JACOBS, K. & MECKE, K. 2007b Thermal noise influences fluid flow in thin films during spinodal dewetting. *Physical Review Letters* 99, 114503.
- FOWLKES, JASON D., KONDIC, LOU, DIEZ, JAVIER, WU, YUEYING & RACK, PHILIP D. 2011 Self-assembly versus directed assembly of nanoparticles via pulsed laser induced dewetting of patterned metal films. *Nano Letters* 11 (6), 2478–2485.
- GATES, B. D., XU, Q., STEWART, M., RYAN, D., WILLSON, C. G. & WHITESIDES, G. M. 2005

New approaches to nanofabrication: molding, printing, and other techniques. *Chemical Reviews* **105** (4), 1171–1196.

- GAU, HARTMUT, HERMINGHAUS, STEPHAN, LENZ, PETER & LIPOWSKY, REINHARD 1999 Liquid morphologies on structured surfaces: From microchannels to microchips. *Science* 283 (5398), 46.
- DE GENNES, PIERRE-GILLES 1980 Dynamics of fluctuations and spinodal decomposition in polymer blends. The Journal of Chemical Physics **72** (9), 4756–4763.
- DE GENNES, PIERRE-GILLES 1985 Wetting: statics and dynamics. *Reviews of Modern Physics* 57, 827–863.
- DE GENNES, P-G., BROCHARD-WYART, F. & QUÉRÉ, D. 2004 Capillarity and Wetting Phenomena: Drops, Bubbles, Pearls, Waves. Springer.
- GENTILI, DENIS, FOSCHI, GIULIA, VALLE, FRANCESCO, CAVALLINI, MASSIMILIANO & BISCARINI, FABIO 2012 Applications of dewetting in micro and nanotechnology. *Chem. Soc. Rev.* 41, 4430–4443.
- GEOGHEGAN, MARK & KRAUSCH, GEORG 2003 Wetting at polymer surfaces and interfaces. Progress in Polymer Science 28 (2), 261–302.
- GETTA, T. & DIETRICH, S. 1998 Line tension between fluid phases and a substrate. *Physical Review E* 57, 655–671.
- GIRO, RONALDO, BRYANT, PETER W., ENGEL, MICHAEL, NEUMANN, RODRIGO F. & STEINER, MATHIAS B. 2017 Adsorption energy as a metric for wettability at the nanoscale. *Scientific Reports* 7 (46317).
- GLASNER, K. 2008 Ostwald ripening in thin film equations. SIAM Journal on Applied Mathematics **69** (2), 473–493.
- GLASNER, K.B. & WITELSKI, T.P. 2005 Collision versus collapse of droplets in coarsening of dewetting thin films. *Physica D: Nonlinear Phenomena* **209** (1–4), 80–104.
- GLASNER, K. B. & WITELSKI, T. P. 2003 Coarsening dynamics of dewetting films. *Physical Review E* 67, 016302.
- GOGOTSI, YURY, LIBERA, JOSEPH A., GÜVENÇ-YAZICIOGLU, ALMILA & MEGARIDIS, CONSTANTINE M. 2001 In situ multiphase fluid experiments in hydrothermal carbon nanotubes. Applied Physics Letters 79 (7), 1021–1023.
- GRANICK, STEVE, ZHU, YINGXI & LEE, HYUNJUNG 2003 Slippery questions about complex fluids flowing past solids. *Nature Materials* **2** (4), 221–227.
- GRATTON, MICHAEL B 2008 Coarsening of Thin Fluid Films. PhD thesis, Department of Mathematics, Duke University.
- GRATTON, M. B. & WITELSKI, T. P. 2008 Coarsening of unstable thin films subject to gravity. *Physical Review E* 77, 016301.
- GRATTON, MICHAEL B. & WITELSKI, THOMAS P. 2009 Transient and self-similar dynamics in thin film coarsening. *Physica D: Nonlinear Phenomena* **238** (23–24), 2380–2394.
- GREEN, PETER F. 2003 Wetting and dynamics of structured liquid films. Journal of Polymer Science Part B: Polymer Physics 41 (19), 2219–2235.
- GRÜN, GÜNTHER, MECKE, KLAUS & RAUSCHER, MARKUS 2006 Thin-film flow influenced by thermal noise. *Journal of Statistical Physics* **122** (6), 1261–1291.
- GUPTA, ANKUR, ERAL, H. BURAK, HATTON, T. ALAN & DOYLE, PATRICK S. 2016 Nanoemulsions: formation, properties and applications. *Soft Matter* **12**, 2826–2841.
- VAN HAMEREN, RICHARD, SCHÖN, PETER, VAN BUUL, AREND M., HOOGBOOM, JOHAN, LAZARENKO, SERGIY V., GERRITSEN, JAN W., ENGELKAMP, HANS, CHRISTIANEN, PETER C. M., HEUS, HANS A., MAAN, JAN C., RASING, THEO, SPELLER, SYLVIA, ROWAN, ALAN E., ELEMANS, JOHANNES A. A. W. & NOLTE, ROELAND J. M. 2006 Macroscopic hierarchical surface patterning of porphyrin trimers via self-assembly and dewetting. *Science* **314** (5804), 1433.
- HAMMOUD, NAIMA H., TRINH, PHILIPPE H., HOWELL, PETER D. & STONE, HOWARD A. 2017 Influence of van der waals forces on a bubble moving in a tube. *Physical Review Fluids* 2, 063601.
- HAN, WEI & LIN, ZHIQUN 2012 Learning from "coffee rings": Ordered structures enabled by controlled evaporative self-assembly. Angewandte Chemie International Edition 51 (7), 1534–1546.
- HERMINGHAUS, STEPHAN, JACOBS, KARIN, MECKE, KLAUS, BISCHOF, JÖRG, FERY, ANDREAS,

IBN-ELHAJ, MOHAMMED & SCHLAGOWSKI, STEFAN 1998 Spinodal dewetting in liquid crystal and liquid metal films. *Science* **282** (5390), 916–919.

- HERMINGHAUS, S., JACOBS, K. & SEEMANN, R. 2001 The glass transition of thin polymer films: some questions, and a possible answer. *The European Physical Journal E* 5 (1), 531–538.
- HERMINGHAUS, STEPHAN, SEEMANN, RALF & JACOBS, KARIN 2002 Generic morphologies of viscoelastic dewetting fronts. *Physical Review Letters* **89**, 056101.
- HESLOT, F., CAZABAT, A. M., LEVINSON, P. & FRAYSSE, N. 1990 Experiments on wetting on the scale of nanometers: Influence of the surface energy. *Physical Review Letters* 65, 599–602.
- HIGGINS, A. M. & JONES, R. A. L. 2000 Anisotropic spinodal dewetting as a route to selfassembly of patterned surfaces. *Nature* 404 (6777), 476–478.
- HOCKING, L. M. 1993 The influence of intermolecular forces on thin fluid layers. *Physics of Fluids A: Fluid Dynamics* 5 (4), 793–799.
- HOHENBERG, P. C. & HALPERIN, B. I. 1977 Theory of dynamic critical phenomena. *Reviews* of Modern Physics 49, 435–479.
- HUANG, J., KIM, F., TAO, A. R., CONNOR, S. & YANG, P. 2005 Spontaneous formation of nanoparticle stripe patterns through dewetting. *Nature Materials* 4 (12), 896–900.
- HUANG, JIAN YU, LO, YU-CHIEH, NIU, JUN JIE, KUSHIMA, AKIHIRO, QIAN, XIAOFENG, ZHONG, LI, MAO, SCOTT X. & LI, JU 2013 Nanowire liquid pumps. Nature Nanotechnology 8 (4), 277–281.
- HUERRE, AXEL, THEODOLY, OLIVIER, LESHANSKY, ALEXANDER M., VALIGNAT, MARIE-PIERRE, CANTAT, ISABELLE & JULLIEN, MARIE-CAROLINE 2015 Droplets in microchannels: Dynamical properties of the lubrication film. *Physical Review Letters* 115, 064501.
- IMHOF, A. & PINE, D.J. 1997 Stability of nonaqueous emulsions. Journal of Colloid and Interface Science 192 (2), 368–374.
- INDEIKINA, ALEXANDRA & CHANG, HSUEH-CHIA 1999 A molecular theory for dynamic contact angles. In IUTAM Symposium on Non-linear Singularities in Deformation and Flow: Proceedings of the IUTAM Symposium held in Haifa, Israel, 17–21 March 1997 (ed. D. Durban & J. R. A. Pearson), pp. 321–337. Dordrecht: Springer Netherlands.
- ISRAELACHVILI, JACOB N 2011 Intermolecular and Surface Forces. Academic Press.
- JACOBS, KARIN, HERMINGHAUS, STEPHAN & MECKE, KLAUS R. 1998 Thin liquid polymer films rupture via defects. *Langmuir* 14 (4), 965–969.
- KAHLWEIT, M. 1975 Ostwald ripening of precipitates. Advances in Colloid and Interface Science 5 (1), 1–35.
- KARDAR, MEHRAN, PARISI, GIORGIO & ZHANG, YI-CHENG 1986 Dynamic scaling of growing interfaces. *Physical Review Letters* 56, 889–892.
- KEISER, L., BENSE, H., COLINET, P., BICO, J. & REYSSAT, E. 2017 Marangoni bursting: Evaporation-induced emulsification of binary mixtures on a liquid layer. *Physical Review Letters* 118, 074504.
- KELLER, JOSEPH B. & MERCHANT, GREGORY J. 1991 Flexural rigidity of a liquid surface. Journal of Statistical Physics 63 (5-6), 1039–1051.
- KONG, YONG LIN, BOULOGNE, FRANÇOIS, KIM, HYOUNGSOO, NUNES, JANINE, FENG, JIE & STONE, HOWARD A. 2015 Deposition of quantum dots in a capillary tube. Langmuir 31 (45), 12560–12566.
- KONG, YONG LIN, GUPTA, MANEESH K., JOHNSON, BLAKE N. & MCALPINE, MICHAEL C. 2016 3D printed bionic nanodevices. *Nano Today* **11** (3), 330 350.
- KUMAR, SATISH 2015 Liquid transfer in printing processes: Liquid bridges with moving contact lines. Annual Review of Fluid Mechanics 47 (1), 67–94.
- KUNDAN, AKSHAY, NGUYEN, THAO T. T., PLAWSKY, JOEL L., WAYNER, PETER C., CHAO, DAVID F. & SICKER, RONALD J. 2017 Condensation on highly superheated surfaces: Unstable thin films in a wickless heat pipe. *Physical Review Letters* 118, 094501.
- LANGER, J.S 1971 Theory of spinodal decomposition in alloys. Annals of Physics 65 (1), 53-86.
- LAUGA, ERIC, BRENNER, MICHAEL & STONE, HOWARD 2007 Microfluidics: The No-Slip Boundary Condition, pp. 1219–1240. Springer Berlin Heidelberg.
- LEAL, L. G. 2004 Flow induced coalescence of drops in a viscous fluid. *Physics of Fluids* **16** (6), 1833–1851.

- LI, JIE 2016 Macroscopic model for head-on binary droplet collisions in a gaseous medium. Physical Review Letters 117, 214502.
- LIFSHITZ, I.M. & SLYOZOV, V.V. 1961 The kinetics of precipitation from supersaturated solid solutions. Journal of Physics and Chemistry of Solids **19** (1), 35–50.
- LIMARY, RATCHANA & GREEN, PETER F. 2002 Late-stage coarsening of an unstable structured liquid film. *Physical Review E* 66, 021601.
- LIMARY, RATCHANA & GREEN, PETER F. 2003 Dynamics of droplets on the surface of a structured fluid film: late-stage coarsening. *Langmuir* **19** (6), 2419–2424.
- LIU, LICHI & RISBUD, SUBHASH H. 1990 Quantum-dot size-distribution analysis and precipitation stages in semiconductor doped glasses. *Journal of Applied Physics* 68 (1), 28–32.
- LO, ALAN & SKODJE, REX T. 2000 Kinetic and monte carlo models of thin film coarsening: Cross over from diffusion-coalescence to ostwald growth modes. *The Journal of Chemical Physics* 112 (4), 1966–1974.
- LOHSE, DETLEF & ZHANG, XUEHUA 2015 Surface nanobubbles and nanodroplets. *Reviews of* Modern Physics 87, 981–1035.
- LOPES, WARD A. & JAEGER, HEINRICH M. 2001 Hierarchical self-assembly of metal nanostructures on diblock copolymer scaffolds. *Nature* **414** (6865), 735–738.
- MACDOWELL, LUIS G., BENET, JORGE & KATCHO, NEBIL A. 2013 Capillary fluctuations and film-height-dependent surface tension of an adsorbed liquid film. *Physical Review Letters* 111, 047802.
- MACDOWELL, L. G., BENET, J., KATCHO, N. A. & PALANCO, J. M.G. 2014 Disjoining pressure and the film-height-dependent surface tension of thin liquid films: New insight from capillary wave fluctuations. Advances in Colloid and Interface Science 206, 150–171.
- MANTZ, HUBERT, JACOBS, KARIN & MECKE, KLAUS 2008 Utilizing Minkowski functionals for image analysis: a marching square algorithm. *Journal of Statistical Mechanics: Theory* and Experiment (12).
- MARCHAND, A., WEIJS, J. H., SNOEIJER, J. H. & ANDREOTTI, B. 2011 Why is surface tension a force parallel to the interface? *American Journal of Physics* **79** (10), 999–1008.
- MCGRAW, J. D., BÄUMCHEN, O., KLOS, M., HAEFNER, S., LESSEL, M., BACKES, S. & JACOBS, K. 2014 Nanofluidics of thin polymer films: Linking the slip boundary condition at solid– liquid interfaces to macroscopic pattern formation and microscopic interfacial properties. Advances in Colloid and Interface Science 210, 13 – 20.
- MCGRAW, JOSHUA D., CHAN, TAK SHING, MAURER, SIMON, SALEZ, THOMAS, BENZAQUEN, MICHAEL, RAPHAËL, ELIE, BRINKMANN, MARTIN & JACOBS, KARIN 2016 Slip-mediated dewetting of polymer microdroplets. *Proceedings of the National Academy of Sciences* 113 (5), 1168–1173.
- MCKEOWN, J. T., WU, Y., FOWLKES, J. D., RACK, P. D. & CAMPBELL, G. H. 2015 Simultaneous in-situ synthesis and characterization of co@cu core-shell nanoparticle arrays. Advanced Materials 27 (6), 1060–1065.
- MECKE, KLAUS & RAUSCHER, MARKUS 2005 On thermal fluctuations in thin film flow. Journal of Physics: Condensed Matter 17 (45), S3515.
- MECKE, KLAUS R. 1998 Integral geometry in statistical physics. International Journal of Modern Physics B 12 (09), 861–899.
- MELI, L. & GREEN, P. F. 2008 Aggregation and coarsening of ligand-stabilized gold nanoparticles in poly(methyl methacrylate) thin films. ACS Nano 2 (6), 1305–1312.
- MERCHANT, GREGORY J. & KELLER, JOSEPH B. 1992 Contact angles. *Physics of Fluids A: Fluid Dynamics* 4 (3), 477–485.
- MEREDITH, J. CARSON, SMITH, ARCHIE P., KARIM, ALAMGIR & AMIS, ERIC J. 2000 Combinatorial materials science for polymer thin-film dewetting. *Macromolecules* 33 (26), 9747–9756.
- MILLER, C.A & RUCKENSTEIN, E 1974 The origin of flow during wetting of solids. Journal of Colloid and Interface Science 48 (3), 368–373.
- MITLIN, VLADIMIR S. 1993 Dewetting of solid surface: Analogy with spinodal decomposition. Journal of Colloid and Interface Science 156 (2), 491–497.
- Molares, M. E. Toimil, Balogh, A. G., Cornelius, T. W., Neumann, R. & Trautmann,

C. 2004 Fragmentation of nanowires driven by rayleigh instability. *Applied Physics Letters* **85** (22), 5337–5339.

- MUKHERJEE, RABIBRATA & SHARMA, ASHUTOSH 2015 Instability, self-organization and pattern formation in thin soft films. *Soft Matter* **11**, 8717–8740.
- NESIC, S., CUERNO, R., MORO, E. & KONDIC, L. 2015 Fully nonlinear dynamics of stochastic thin-film dewetting. *Physical Review E* **92**, 061002.
- NETO, CHIARA, EVANS, DREW R, BONACCURSO, ELMAR, BUTT, HANS-JÜRGEN & CRAIG, VINCENT S J 2005 Boundary slip in newtonian liquids: a review of experimental studies. *Reports on Progress in Physics* 68 (12), 2859.
- NETO, CHIARA, JACOBS, KARIN, SEEMANN, RALF, BLOSSEY, RALF, BECKER, JÜRGEN & GRÜN, GÜNTHER 2003 Satellite hole formation during dewetting: experiment and simulation. Journal of Physics: Condensed Matter 15 (19), 3355–3366.
- NGUYEN, TRUNG DAC, FUENTES-CABRERA, MIGUEL, FOWLKES, JASON D. & RACK, PHILIP D. 2014 Coexistence of spinodal instability and thermal nucleation in thin-film rupture: Insights from molecular levels. *Physical Review E* **89**, 032403.
- NOVICK-COHEN, AMY 1985 The nonlinear Cahn-Hilliard equation: Transition from spinodal decomposition to nucleation behavior. *Journal of Statistical Physics* **38** (3), 707–723.
- ORON, ALEXANDER 2000 Three-dimensional nonlinear dynamics of thin liquid films. *Physical Review Letters* **85**, 2108–2111.
- ORON, ALEXANDER, DAVIS, STEPHEN H. & BANKOFF, S. GEORGE 1997 Long-scale evolution of thin liquid films. *Reviews of Modern Physics* **69**, 931–980.
- OSTWALD, W. 1897 Studien über die Bildung und Umwandlung fester Körper: Übersättigung und Überkaltung. Zeitschrift für Physikalische Chemie **22**, 289–330.
- OTTO, FELIX, RUMP, TOBIAS & SLEPCEV, DEJAN 2006 Coarsening rates for a droplet model: Rigorous upper bounds. SIAM Journal on Mathematical Analysis **38** (2), 503–529.
- PAHLAVAN, AMIR A., CUETO-FELGUEROSO, LUIS, MCKINLEY, GARETH H. & JUANES, RUBEN 2015 Thin films in partial wetting: Internal selection of contact-line dynamics. *Physical Review Letters* 115, 034502.
- PIERRE-LOUIS, OLIVIER 2016 Solid-state wetting at the nanoscale. Progress in Crystal Growth and Characterization of Materials 62 (2), 177–202.
- POKROY, BOAZ, KANG, SUNG H., MAHADEVAN, L. & AIZENBERG, JOANNA 2009 Selforganization of a mesoscale bristle into ordered, hierarchical helical assemblies. *Science* 323 (5911), 237–240.
- POMPE, T. & HERMINGHAUS, S. 2000 Three-phase contact line energetics from nanoscale liquid surface topographies. *Physical Review Letters* 85, 1930–1933.
- QIAN, BIAN, PARK, JOONSIK & BREUER, KENNETH S. 2015 Large apparent slip at a moving contact line. *Physics of Fluids* 27 (9), 091703.
- QIN, D., XIA, Y. & WHITESIDES, G. M 2010 Soft lithography for micro- and nanoscale patterning. Nature Protocols 5 (3), 491–502.
- QUÉRÉ, DAVID 1999 Fluid coating on a fiber. Annual Review of Fluid Mechanics **31** (1), 347–384.
- RAUSCHER, M. & DIETRICH, S. 2008 Wetting phenomena in nanofluidics. Annual Review of Materials Research 38 (1), 143–172.
- REITER, GÜNTER 1992 Dewetting of thin polymer films. Physical Review Letters 68, 75–78.
- REITER, GÜNTER 1993 Unstable thin polymer films: rupture and dewetting processes. *Langmuir* **9** (5), 1344–1351.
- REITER, GÜNTER, HAMIEH, MOUSTAFA, DAMMAN, PASCAL, SCLAVONS, SEVERINE, GABRIELE, SYLVAIN, VILMIN, THOMAS & RAPHAEL, ELIE 2005 Residual stresses in thin polymer films cause rupture and dominate early stages of dewetting. *Nature Materials* **4** (10), 754–758.
- REITER, GÜNTER & SHARMA, ASHUTOSH 2001 Auto-optimization of dewetting rates by rim instabilities in slipping polymer films. *Physical Review Letters* 87, 166103.
- REYNOLDS, OSBORNE 1886 On the theory of lubrication and its application to Mr. Beauchamp Tower's experiments, including an experimental determination of the viscosity of olive oil. *Philosophical Transactions of the Royal Society of London* **177**, 157–234.
- ROWLINSON, J.S. 1979 Translation of J. D. van der Waals' "The thermodynamik theory of capillarity under the hypothesis of a continuous variation of density". *Journal of Statistical Physics* **20** (2), 197–200.

- ROWLINSON, JOHN SHIPLEY & WIDOM, BENJAMIN 2013 Molecular Theory of Capillarity. Courier Corporation.
- RUCKENSTEIN, ELI & JAIN, RAKESH K. 1974 Spontaneous rupture of thin liquid films. Journal of Chemical Society, Faraday Transactions. 2 70, 132–147.
- RUSCHAK, KENNETH J. 1985 Coating flows. Annual Review of Fluid Mechanics 17 (1), 65–89.
- SCHIMMELE, L., NAPIORKOWSKI, M. & DIETRICH, S. 2007 Conceptual aspects of line tensions. The Journal of Chemical Physics 127 (16), 164715.
- SCHMIDT, V., WITTEMANN, J. V. & GÖSELE, U. 2010 Growth, thermodynamics, and electrical properties of silicon nanowires. *Chemical Reviews* **110** (1), 361–388.
- SCHOCH, RETO B., HAN, JONGYOON & RENAUD, PHILIPPE 2008 Transport phenomena in nanofluidics. Reviews of Modern Physics 80, 839–883.
- SEEMANN, R., HERMINGHAUS, S. & JACOBS, K. 2001a Dewetting patterns and molecular forces: A reconciliation. *Physical Review Letters* 86, 5534–5537.
- SEEMANN, R., HERMINGHAUS, S. & JACOBS, K. 2001b Shape of a liquid front upon dewetting. *Physical Review Letters* 87, 196101.
- SEEMANN, RALF, HERMINGHAUS, STEPHAN, NETO, CHIARA, SCHLAGOWSKI, STEFAN, PODZIMEK, DANIEL, KONRAD, RENATE, MANTZ, HUBERT & JACOBS, KARIN 2005 Dynamics and structure formation in thin polymer melt films. Journal of Physics: Condensed Matter 17 (9), S267.
- SEGALMAN, RACHEL A. 2005 Patterning with block copolymer thin films. Materials Science and Engineering: R: Reports 48 (6), 191–226.
- SEGALMAN, RACHEL A. & GREEN, PETER F. 1999 Dynamics of rims and the onset of spinodal dewetting at liquid/liquid interfaces. *Macromolecules* **32** (3), 801–807.
- SHAO-HORN, Y., SHENG, W. C., CHEN, S., FERREIRA, P. J., HOLBY, E. F. & MORGAN, D. 2007 Instability of supported platinum nanoparticles in low-temperature fuel cells. *Topics* in Catalysis 46 (3), 285–305.
- SHARMA, ASHUTOSH 1993a Equilibrium contact angles and film thicknesses in the apolar and polar systems: role of intermolecular interactions in coexistence of drops with thin films. Langmuir 9 (12), 3580–3586, arXiv: http://pubs.acs.org/doi/pdf/10.1021/la00036a038.
- SHARMA, ASHUTOSH 1993b Relationship of thin film stability and morphology to macroscopic parameters of wetting in the apolar and polar systems. Langmuir 9 (3), 861–869.
- SHARMA, A. 2003 Many paths to dewetting of thin films: anatomy and physiology of surface instability. *The European Physical Journal E* **12** (3), 397–408.
- SHARMA, ASHUTOSH & KHANNA, RAJESH 1998 Pattern formation in unstable thin liquid films. Physical Review Letters 81, 3463–3466.
- SHARMA, ASHUTOSH & REITER, GÜNTER 1996 Instability of thin polymer films on coated substrates: Rupture, dewetting, and drop formation. Journal of Colloid and Interface Science 178 (2), 383 – 399.
- SHELUDKO, A. 1967 Thin liquid films. Advances in Colloid and Interface Science 1 (4), 391–464.
- SHIKHMURZAEV, Y. D 1997 Moving contact lines in liquid/liquid/solid systems. Journal of Fluid Mechanics 334, 211–249.
- SHIKHMURZAEV, Y. D. 2007 Capillary flows with forming interfaces. CRC Press.
- SHOLL, D. S. & SKODJE, R. T. 1996 Late-stage coarsening of adlayers by dynamic cluster coalescence. *Physica A: Statistical Mechanics and its Applications* 231 (4), 631 – 647.
- SIBLEY, D., SAVVA, N. & KALLIADASIS, S. 2012 Slip or not slip? a methodical examination of the interface formation model using two-dimensional droplet spreading on a horizontal planar substrate as a prototype system. *Physics of Fluids* **24** (8), 082105.
- SIBLEY, D. N., NOLD, A., SAVVA, N. & KALLIADASIS, S. 2015 A comparison of slip, disjoining pressure, and interface formation models for contact line motion through asymptotic analysis of thin two-dimensional droplet spreading. *Journal of Engineering Mathematics* 94 (1), 19–41.
- SIGGIA, E. D. 1979 Late stages of spinodal decomposition in binary mixtures. *Physical Review* A 20, 595–605.
- SMOLUCHOWSKI, M v 1917 Grundriß der koagulationskinetik kolloider lösungen. Colloid & Polymer Science 21 (3), 98–104.
- SNOEIJER, J. H. & ANDREOTTI, B. 2008 A microscopic view on contact angle selection. *Physics of Fluids* **20** (5), 057101.

- SNOEIJER, J. H. & ANDREOTTI, B. 2013 Moving contact lines: Scales, regimes, and dynamical transitions. Annual Review of Fluid Mechanics 45 (1), 269–292.
- SNOEIJER, J. H. & EGGERS, J. 2010 Asymptotic analysis of the dewetting rim. *Physical Review* E 82, 056314.
- SOLANS, C., IZQUIERDO, P., NOLLA, J., AZEMAR, N. & GARCIA-CELMA, M. J. 2005 Nanoemulsions. Current Opinion in Colloid and Interface Science 10 (3-4), 102–110.
- SQUIRES, T. M. & QUAKE, S. R. 2005 Microfluidics: Fluid physics at the nanoliter scale. *Reviews of Modern Physics* 77, 977–1026.
- STANGE, T. G., EVANS, D. F. & HENDRICKSON, W. A. 1997 Nucleation and growth of defects leading to dewetting of thin polymer films. *Langmuir* 13 (16), 4459–4465.
- STAROV, V. M. 2010 Surface forces action in a vicinity of three phase contact line and other current problems in kinetics of wetting and spreading. Advances in Colloid and Interface Science 161 (1-2), 139–152.
- STAROV, V. M, VELARDE, M. G & RADKE, C. J 2007 Wetting and Spreading Dynamics. CRC press.
- STENHAMMAR, J., TIRIBOCCHI, A., ALLEN, R. J., MARENDUZZO, D. & CATES, M. E. 2013 Continuum theory of phase separation kinetics for active Brownian particles. *Physical Review Letters* 111, 145702.
- STONE, H.A., STROOCK, A.D., & AJDARI, A. 2004 Engineering flows in small devices. Annual Review of Fluid Mechanics 36 (1), 381–411.
- TALAPIN, D. V., ROGACH, A. L., HAASE, M. & WELLER, H. 2001 Evolution of an ensemble of nanoparticles in a colloidal solution: theoretical study. *The Journal of Physical Chemistry* B 105 (49), 12278–12285.
- TAO, Y., YECKEL, A. & DERBY, J. J. 2016 Steady-state and dynamic models for particle engulfment during solidification. *Journal of Computational Physics* **315**, 238–263.
- TAYLOR, P. 1998 Ostwald ripening in emulsions. Advances in Colloid and Interface Science **75** (2), 107–163.
- THIELE, U. 2014 Patterned deposition at moving contact lines. Advances in Colloid and Interface Science **206**, 399 413.
- THIELE, U., MERTIG, M. & POMPE, W. 1998 Dewetting of an evaporating thin liquid film: Heterogeneous nucleation and surface instability. *Physical Review Letters* **80**, 2869–2872.
- THIELE, U., VELARDE, M. G. & NEUFFER, K. 2001a Dewetting: Film rupture by nucleation in the spinodal regime. *Physical Review Letters* 87, 016104.
- THIELE, U., VELARDE, M. G., NEUFFER, K. & POMEAU, Y. 2001b Film rupture in the diffuse interface model coupled to hydrodynamics. *Physical Review E* 64, 031602.
- THOMPSON, C V 1990 Grain growth in thin films. Annual Review of Materials Science **20** (1), 245–268.
- THOMPSON, C. V. 2012 Solid-state dewetting of thin films. Annual Review of Materials Research **42** (1), 399–434.
- VOORHEES, P.W. 1985 The theory of Ostwald ripening. *Journal of Statistical Physics* **38** (1-2), 231–252.
- VRIJ, A. 1966 Possible mechanism for the spontaneous rupture of thin, free liquid films. Discuss. Faraday Soc. 42, 23–33.
- WAGNER, C. 1961 Theorie der alterung von niederschlägen durch umlösen (Ostwald-Reifung). Zeitschrift für Elektrochemie, Berichte der Bunsengesellschaft für physikalische Chemie 65 (7-8), 581–591.
- WEIJS, J. H., MARCHAND, A., ANDREOTTI, B., LOHSE, D. & SNOEIJER, J. H. 2011 Origin of line tension for a Lennard-Jones nanodroplet. *Physics of Fluids* 23 (2), 022001.
- WEINSTEIN, S. J. & RUSCHAK, K. J. 2004 Coating flows. Annual Review of Fluid Mechanics 36 (1), 29–53.
- WIJSHOFF, H. 2010 The dynamics of the piezo inkjet printhead operation. *Physics Reports* **491** (4–5), 77–177.
- WILLIAMS, M. B & DAVIS, S. H 1982 Nonlinear theory of film rupture. Journal of Colloid and Interface Science **90** (1), 220–228.
- WILLIS, A M & FREUND, J B 2009 Enhanced droplet spreading due to thermal fluctuations. Journal of Physics: Condensed Matter **21** (46), 464128.
- WITTKOWSKI, R., TIRIBOCCHI, A., STENHAMMAR, J., ALLEN, R. J., MARENDUZZO, D. &

CATES, M. E. 2014 Scalar 4 field theory for active-particle phase separation. Nature Communications 5 (4351).

- WOEHL, T. J., PARK, C., EVANS, J. E., ARSLAN, I., RISTENPART, W. D. & BROWNING, N. D. 2014 Direct observation of aggregative nanoparticle growth: Kinetic modeling of the size distribution and growth rate. *Nano Letters* 14 (1), 373–378.
- WU, L., DONG, Z., KUANG, M., LI, Y., LI, F., JIANG, L. & SONG, Y. 2015 Printing patterned fine 3D structures by manipulating the three phase contact line. Advanced Functional Materials 25 (15), 2237–2242.
- WU, Q. & WONG, H. 2004 A slope-dependent disjoining pressure for non-zero contact angles. Journal of Fluid Mechanics 506, 157–185.
- WYART, F. BROCHARD & DAILLANT, J. 1990 Drying of solids wetted by thin liquid films. Canadian Journal of Physics 68 (9), 1084–1088.
- XIA, Y. & WHITESIDES, G. M. 1998 Soft lithography. Annual Review of Materials Science 28 (1), 153–184.
- XIE, R., KARIM, A., DOUGLAS, J. F., HAN, C. C. & WEISS, R. A. 1998 Spinodal dewetting of thin polymer films. *Physical Review Letters* 81, 1251–1254.
- YAMAMOTO, D., NAKAJIMA, C., SHIOI, A., KRAFFT, M. P. & YOSHIKAWA, K. 2015 The evolution of spatial ordering of oil drops fast spreading on a water surface. *Nature Communications* **6**, 7189 EP –.
- YEH, E.K., NEWMAN, JOHN & RADKE, C.J. 1999 Equilibrium configurations of liquid droplets on solid surfaces under the influence of thin-film forces: Part I. Thermodynamics. *Colloids* and Surfaces A: Physicochemical and Engineering Aspects **156** (1–3), 137–144.
- YIANTSIOS, S. G. & DAVIS, R. H. 1991 Close approach and deformation of two viscous drops due to gravity and van der Waals forces. *Journal of Colloid and Interface Science* 144 (2), 412–433.
- YOUNG, T. 1805 An essay on the cohesion of fluids. *Philosophical Transactions of the Royal* Society of London **95**, 65–87.
- YU, T. S., BULOVIĆ, V. & HOSOI, A. E. 2013 Coarsening and solidification via solvent-annealing in thin liquid films. *Journal of Fluid Mechanics* 723, 69–90.
- ZENG, H., ZHAO, B., TIAN, Y., TIRRELL, M., LEAL, L. G. & ISRAELACHVILI, J. N. 2007 Transient surface patterns during adhesion and coalescence of thin liquid films. *Soft Matter* 3, 88–93.