

MIT Open Access Articles

Robustly Extracting Medical Knowledge from EHRs: A Case Study of Learning a Health Knowledge Graph

The MIT Faculty has made this article openly available. *Please share* how this access benefits you. Your story matters.

Citation: Chen, Irene Y, Agrawal, Monica, Horng, Steven and Sontag, David. 2020. "Robustly Extracting Medical Knowledge from EHRs: A Case Study of Learning a Health Knowledge Graph." Pacific Symposium on Biocomputing, 25 (2020).

As Published: 10.1142/9789811215636_0003

Publisher: World Scientific Pub Co Pte Lt

Persistent URL: <https://hdl.handle.net/1721.1/137717>

Version: Final published version: final published article, as it appeared in a journal, conference proceedings, or other formally published context

Terms of use: Creative Commons Attribution NonCommercial License 4.0



Robustly Extracting Medical Knowledge from EHRs: A Case Study of Learning a Health Knowledge Graph

Irene Y. Chen[†], Monica Agrawal[†], Steven Horng^{*}, and David Sontag[†]

[†]*Electrical Engineering and Computer Science, Massachusetts Institute of Technology,
Cambridge, MA, USA*

^{*}*Department of Emergency Medicine, Beth Israel Deaconess Medical Center,
Boston, MA, USA*

Corresponding e-mail: iychen@mit.edu

Increasingly large electronic health records (EHRs) provide an opportunity to algorithmically learn medical knowledge. In one prominent example, a causal health knowledge graph could learn relationships between diseases and symptoms and then serve as a diagnostic tool to be refined with additional clinical input. Prior research has demonstrated the ability to construct such a graph from over 270,000 emergency department patient visits. In this work, we describe methods to evaluate a health knowledge graph for robustness. Moving beyond precision and recall, we analyze for which diseases and for which patients the graph is most accurate. We identify sample size and unmeasured confounders as major sources of error in the health knowledge graph. We introduce a method to leverage non-linear functions in building the causal graph to better understand existing model assumptions. Finally, to assess model generalizability, we extend to a larger set of complete patient visits within a hospital system. We conclude with a discussion on how to robustly extract medical knowledge from EHRs.

Supplementary material: http://clinicalml.org/papers/ChenEtAl_PSB20_suppl.pdf .

Keywords: knowledge graph, healthcare, electronic health records, machine learning

1. Introduction

Clinicians are often interested in the causal relationship between diseases and symptoms. Given presenting symptoms, what is the likely diagnosis? An accurate understanding of these relations can be leveraged to build diagnostic tools, which have been shown to be useful for training clinicians,¹ assisting clinical workflows,² or even in substitution of clinicians.³

Historically, researchers have relied on manual creation of such diagnostic tools, which can be expensive and brittle. One of the first attempts, the Quick Medical Reference (QMR) tool, sought to create “on the fly” medical information to suit a clinician’s queries and famously took hundreds of thousands of clinician-hours to assemble.⁴ Successors to QMR faced similar challenges because of the same reliance on expert information.⁵ Adapting a manually created diagnostic tool to new diseases and new symptoms relies on enormous human capacity. Any differences in patient populations present another obstacle to the usefulness of manually

created models. Lastly, physicians are exceptionally poor at accurately approximating the probability of rare diseases and symptoms. For example, physicians can yield to availability bias, inadvertently overestimating the probability of a rare disease they recently read about, seen, or are emotionally linked to. Physicians often also approximate rare symptoms with a probability of 0, saying that they are impossible rather than unlikely.

The increased availability of electronic health knowledge records allows researchers to readily learn latent patterns from observational data. In contrast to clinical trials which are conducted on restricted subpopulations,^{6–9} the breadth of electronic health records (EHRs) allows for the inclusion of all patients who enter the healthcare system.¹⁰ With this data, researchers can build models to extract general medical knowledge^{11–13} and diagnose patients.^{14–16}

Although diagnostic knowledge exists in medical textbooks¹⁷ or online repositories like Mayo Clinic,¹⁸ inferring that medical knowledge automatically from EHRs provides different strengths. First, because EHRs provide a dramatically different perspective than idealized and curated medical textbooks, we may find new connections between diseases and symptoms. Second, the automated nature of extraction allows for any large EHR system to be used as source dataset. Armed with medical knowledge gleaned from EHRs and canonical medical training, clinicians can leverage both for improved clinical decision making.

However, the use of EHRs to build health knowledge graphs is not without potential bias. Because of the nature of data collection, models learned on EHRs like health knowledge graphs are subject to many sources of statistical bias.^{19,20} First, narrow sample sizes of subsets of the data can cause underfitting despite the larger scale of the entire dataset. Second, confounders not measured by the data may bias the reliability of resulting models.²¹ Lastly, algorithms or findings from algorithms may not generalize to entirely different populations.

It is essential that we closely examine so-called health knowledge graphs so that they can be used as the first steps of a diagnostic tool to improve clinical workflow and better understand diseases. We seek to understand for which diseases and for which patients a health knowledge graph performs poorly and understand potential confounders. Error analysis can guide steps to improve derived models. For example, a change in model formulation could improve performance if sources of error are well understood. Moreover, data augmentation through additional features or a more broadly collected dataset could provide additional signal to the health knowledge graph. We hope that this critical evaluation of extracted health knowledge graphs provides an example on how to assess the robustness of medical knowledge extracted from EHRs.

Contributions. We present a methodology for analyzing a graph relating diseases and symptoms derived from EHRs. We explicitly address open questions raised in prior work¹² in an acute care setting from over 270,000 patient records. Open questions include error analysis on the learned health knowledge graph and the inclusion of non-linear models. Similar to prior work,¹² we use a manually curated health knowledge graph from Google for an automated evaluation.²² We aim to provide guidance to researchers about the relationship between dataset size, model specification, and performance for constructing health knowledge graphs.

We describe our main findings:

- (1) We identify and analyze diseases with the lowest precision and recall in existing health knowledge graphs. In particular, diseases with lower performance correlate with having more co-occurring diseases, more co-occurring symptoms, and fewer observations.
- (2) We present results on the impact of adding demographic data of age and gender. We find that demographic data improves performance for certain diseases and therefore some models. We find that differences in graphs learned from patients of varying age groups and different genders can be explained by drastically smaller sample sizes and differences in presentations.
- (3) We propose a method for learning a health knowledge graph from non-linear models based on principles from causal inference. We show that these causal methods do not yield an increase in performance as the noisy OR approach is surprisingly robust in its performance in a wide range of datasets and settings.
- (4) We compare the health knowledge graph learned in the emergency department setting to ones learned from the complete online medical records of the same patients. We find that differences in coarseness yield a change in ranking of performance between models, and we propose potential sources of confounding.

We conclude with a discussion on robustly extraction of medical knowledge from EHRs.

2. Related Work

In the most directly related work, researchers demonstrated how to learn a health knowledge graph from over 270,000 patient visits to the emergency department at Beth Israel Deaconess Medical Center.¹² Health knowledge graphs were extracted from the clinical records and maximum likelihood estimation of three models: logistic regression, naive Bayes, and noisy OR.

We formalize a graph of health knowledge with diseases and symptoms as nodes. When a disease (e.g. type 1 diabetes) causes a symptom (e.g. excessive thirst), an edge is drawn between corresponding nodes. For each model, an importance metric is constructed to determine whether an edge should exist between a disease and symptom. For logistic regression, the importance metric δ_{ij} is $\delta_{ij} = \max(0, b_{ij})$ where b_{ij} is the weight associated with symptom i in a logistic regression fit to predict disease j . For naive Bayes, the importance metric is

$$\delta_{ij} = \log(p(X_i = 1|Y_j = 1)) - \log(p(X_i = 1|Y_j = 0))$$

where X_i is the binary variable denoting the presence of symptom i and Y_j is the binary variable indicating the presence of disease j . Lastly, for noisy OR, we denote importance metric f_{ij} as the probability that a disease Y_j of D total diseases will turn on symptom x_i while taking into account leak probability l_i that turns on symptom i regardless. The probability of symptom X_i being observed is

$$p(X_i = 1|Y_1, \dots, Y_D) = 1 - (1 - l_i) \prod_j (f_{ij})^{Y_j}$$

The corresponding importance metric for noisy OR is $\delta_{ij} = 1 - f_{ij}$. For each model, a threshold is chosen, and disease-symptom pairs with an importance metric over the threshold are included as an edge in a bipartite graph of diseases and symptoms.

We note that of the three methods, logistic regression and naive Bayes predict disease occurrence from observed symptoms whereas noisy OR predicts the probability of a symptom occurrence given the observed diseases. Naive Bayes and noisy OR can be reformulated to show the causal relationship between diseases and symptoms whereas logistic regression does not have an explicit tie to causal inference. We introduce a method to use logistic regression and non-linear methods to build an explicitly causal relationship in Section 3.5.

The derived graphs were evaluated against expert physician opinion and, with permission, a manually curated health knowledge graph from Google. The health knowledge graph created from parameters of a fitted noisy OR model had the best precision and recall, with prior results reported in the first columns of Table 2.

Other similar works have examined the associative rather than causal link between diseases and symptoms in the clinical records¹¹ or estimating the strength of an edge between diseases and symptoms by the distance of mentions in the clinical records.¹³

3. Methods

3.1. *Data collection and preparation*

We consider two datasets; both were collected from patient visits to Beth Israel Deaconess Medical Center (BIDMC), a trauma center and tertiary academic teaching hospital with approximately 55,000 visits/year to the emergency department (ED). The first is the original ED dataset of 273,174 patient de-identified records. It includes all 140,804 patients who visited the ED between 2008 and 2013. The second is a new and related dataset consisting of the complete records (CR) of 140,446 of the patients from the ED dataset. The CR dataset includes 7,401,040 notes, spanning additional sources of data (e.g. cardiology or primary care physician notes).

For the ED dataset, each record represents a single patient visit. For the CR dataset, we consider all notes for a patient (a median of 13 notes each), which at the median, span approximately 2.5 years. We create three separate datasets from the CR dataset, each using a different way of aggregating a patient’s timeline. First, we treat every note in a patient’s file as a separate instance, yielding 7,401,040 instances. Second, in order to capture associations across temporally close notes, but avoid spurious associations from unrelated notes, we split each patient’s file into a variable number of episodes. We defined an episode as a sequence of notes in which any two consecutive notes are at most 30 days apart. If a patient has a gap in her record of more than 30 days, the next record will create a new episode. This process yields 1,481,283 patient episodes, with a median of 3 episodes per patient and 2 notes per episode. Lastly, we consider an entire patient record for each patient as a single instance, ignoring the time component of the medical record. This decision yields 140,446 patient instances, corresponding to the number of unique patients in the dataset.

We extracted positive mentions of 192 possible diseases and 771 possible symptoms from both datasets. For each ED visit or CR episode, the mentions are stored as binary variables to indicate the observation of a disease or symptom. For the ED dataset, concepts were extracted from structured data (e.g. ICD-9 diagnosis codes) as well as unstructured data (e.g. chief complaint, triage assessments, doctor’s comments). For the CR dataset, we extract

mentions only from unstructured notes. Unstructured data extraction was conducted using string matching.

We defined sufficient support for a disease as having at least 100 positive mentions and for a symptom as having at least 10 positive mentions. For the ED dataset, these constraints resulted in 156 diseases and 491 symptoms, and we extracted the same diseases and symptoms in the CR dataset. Age and gender variables are extracted from the patient records at the time of ED admission.

3.2. Evaluation with GHKG

Our source of automated evaluation comes from a health knowledge graph manually curated by Google.²² The Google Health Knowledge Graph (GHKG) represents a combined effort of several physicians through a multi-step process in a precise but not necessarily complete graph. The GHKG has been shown to be consistent with manually-compiled expert clinician opinion.¹²

To use the GHKG for evaluation, we compare the existence of a disease-symptom edge in a proposed health knowledge graph and the same disease-symptom edge in the GHKG. We use the resulting precision and recall as evaluation metrics. For individual diseases, we report the F1 score.²³ For assessing health knowledge graphs recovered by likelihood estimation, we use the area under the precision-recall curve (AUPRC). For each disease, we include the same number of edges as in the GHKG. For additional details in implementing the F1 score and the AUPRC, see the supplementary materials. Pain is removed from the available symptoms because of inconsistent inclusion in the GHKG.

3.3. Disease predictability analysis

To compare performance for individual diseases, for each extracted disease, we assess the existence of an edge between that disease and all possible symptoms for a proposed model and compare against the GHKG to compute the F1 score as a function of precision and recall. For each disease, we sort symptoms by their importance scores and include the top 25 symptoms in the health knowledge graph as a binary edge between disease and symptom. Over all patients with each disease, we compute the number of occurrences of the disease, average number of extracted diseases per patient, average number of extracted symptoms per patient, average patient age, and percentage female.

We denote a disease as abnormal — with a corresponding column label in Table 1 — if the disease has a:

- number of occurrences a standard deviation below the average number of occurrences (**count**)
- mean number of extracted diseases a standard deviation above the mean extracted diseases (**disease**)
- mean number of extracted symptoms a standard deviation above the mean extracted symptoms (**symptom**)
- mean patient age a standard deviation either above or below the population mean (**age**)

- a female percentage a standard deviation either above or below the population female percentage (**female**)
- any of the above abnormalities (**any**)

For a more detailed description of the disease error analysis, please see the supplementary materials. We sort the diseases in order of F1 scores and compare the 50 diseases with the highest F1 scores with the 50 diseases with the lowest F1 scores. When the standard deviation exceeds the range of the value, we use a percentile approximation.

3.4. Demographic analysis

We include the demographic information in the health knowledge graph learning. We use the age and sex recorded at the time of the emergency room visit for each patient. We refer the reader to the supplementary materials for additional information about demographic data extraction and graphs of age and sex distribution in the dataset.

3.5. Non-linear methods

We propose a new method of introducing non-linear functions to estimate the existence of a disease-symptom edge. Leveraging notions from causal inference, we want to designate an edge from disease to symptom if the probability of observing a symptom is higher when we force a disease to occur than when we force a disease to not occur. Using the notion of a do-operator,²¹ we formalize an importance measure δ_{ij} between symptom X_i and condition Y_j

$$\delta_{ij} = \frac{\mathbb{P}(X_i = 1 | do(Y_j = 1))}{\mathbb{P}(X_i = 1 | do(Y_j = 0))}$$

Using our EHRs, we can estimate $\mathbb{P}(X_i = x_i | do(Y_j = y_j))$ by considering each x_{ni}, y_{nj} as the binary features for whether patient stay n has symptom i or condition j .

$$\mathbb{P}(X_i = 1 | do(Y_j = y_j)) \approx \frac{1}{N} \sum_{n=1}^N \hat{\mathbb{P}}(x_{ni} | do(Y_{nj} = y_j))$$

where $do(Y_j = 1)$ indicates intervening on diseases Y_j .

Using a calibrated and accurate predictive model (e.g. random forest, logistic regression) for \hat{P} , we can compute $\hat{\mathbb{P}}(x_{ni} | do(y_{nj}))$ — where y_{nj} indicates whether disease j was observed at patient visit n — through fitting a function on the predicted probability for each patient stay and intervening to set $Y_{nj} = y_{nj}$. Our method allows the introduction of non-linear functions although we can and do use linear functions as \hat{P} .

Note that prior work¹² using logistic regression and naive Bayes relies on predicting disease Y_j from the observation of symptoms X_1, \dots, X_S for S symptoms. Similar to the noisy OR, we focus on predicting a symptom X_i from observed diseases Y_1, \dots, Y_D for D symptoms.

We use a logistic regression, random forest, and naive Bayes as our potential predictive model and denote the corresponding health knowledge graphs as “causal” in Table 2 to avoid confusion with the prior logistic regression method. For each symptom learned, we conduct a hyperparameter search using 3-fold cross validation. The final health knowledge graph results from the model trained using the parameters that yielded the best cross-validation area under

the receiver operator curve (AUROC). For logistic regression, we search over penalty norm (L1, L2) and 10 regularization parameters between 0.001 and 10, evenly spaced logarithmically. For random forest, we search over 8 maximum depths between 2 and 1024 and 8 values of minimum samples per leaf between 10 and 200, evenly spaced logarithmically.

4. Results

We first assess the diseases for which noisy OR, the highest performing health knowledge graph,¹² has the lowest and highest performance on the ED dataset. In Figure 1 (left), we see that the distribution of F1 scores of diseases in the noisy OR health knowledge graph span high and low values. In Figure 1 (right), the F1 scores decrease for diseases that have patients with many co-occurring diseases, which may indicate that the multiple diseases are reducing the signal that noisy OR can learn.




Fig. 1. **Left:** Distribution of F1 scores by disease for noisy OR on the ED dataset. **Right:** F1 score for noisy OR model decreases with number of diseases per patient.

We sort diseases by F1 score in the noisy OR health knowledge graph in Table 1. As defined in Section 3.3, abnormalities occur at much higher rates for diseases with lower F1 scores. Compared to diseases with higher F1 scores, diseases with lower F1 scores are more likely to have more co-occurring diseases, more co-occurring symptoms, more extremely low or extremely high ages, and more extremely low or extremely high female percentages. Notably the number of occurrences does not appear to be associated with high or low F1 scores, probably due to careful selection of diseases and symptoms in the problem construction. For example, obesity has an extremely low F1 score of 0.11, which may be explained by high number of diseases among patients with obesity of 4.3 (compared to the mean of 3.0). In total, 66% of diseases with the lowest 50 F1 scores have some defined aberration compared to 40% of diseases with the highest 50 F1 scores.

The abnormalities in age and gender suggest that including demographic information like age and gender may improve existing models. In Table 2, we find that the addition of age and sex does not meaningful improve existing models. For space, we abbreviate logistic regression (LR), naive Bayes (NB), random forest (RF), and noisy OR (NO). Models using demographic information are designated with “demo”, models using the do-operator formulation are de-

Table 1. Percentage of diseases with abnormalities, as outlined in Section 3.3, sorted by noisy OR F1 score, learned on ED data.

	count	disease	symptom	age	female	any
top 50	16%	18%	8%	10%	8%	40%
bottom 50	16%	32%	16%	16%	24%	66%

noted “causal”.

Table 2. Performance with the addition of demographic information, including models outlined in Section 3.5.

Model	AUPRC
LR ¹²	0.1927
NB ¹²	0.2515
LR (causal)	0.1761
LR (causal, demo)	0.1704
RF (causal)	0.2493
RF (causal, demo)	0.2509
NO ¹²	0.3400
NO (demo)	0.3391

Table 3. AUPRC of health knowledge graphs learned using noisy OR from data subsets.

Model	AUPRC	Sample size
ED dataset	0.3400	273,174
Age: under 21	0.1971	15,467
Age: 21-44	0.3039	97,510
Age: 45-64	0.3102	90,739
Age: 65-84	0.2391	51,550
Age: 85+	0.1653	17,909
Female	0.3212	149,047
Male	0.3053	124,128

We build health knowledge graphs from noisy OR parameter extraction for subsets of the patient population by age bracket and gender and report the AUPRC in Table 3. We find that health knowledge graphs created from both genders have reasonable AUPRC while health knowledge graphs created from groups of smaller sample size or potentially many confounders perform poorly. Poor sample size can lead to model underfitting and poor performance. Additionally older patients may have more diseases (see Table 4) and additional health concerns that may make learning the relationships between diseases and symptoms harder.

We compare prior work¹² on an ED dataset to health knowledge graphs learned from a larger CR dataset from the same hospital. We present summary statistics broken down for the three forms of the CR dataset in Table 4. CR (single) refers to the dataset where each patient note corresponds to a separate visit. CR (episode) refers to a patient visit created by gaps smaller than 30 days long. CR (patient) refers to a patient’s entire medical record over years denoting one patient visit. See Section 3.1 for more details. For a distribution of diseases and symptoms by age group, we direct the reader to the supplementary materials.

In Table 5, we show the AUPRC for health knowledge graphs learned on the three CR datasets compared to the ED dataset. The CR datasets, as described further in Table 4, decrease in granularity with more symptoms and diseases observed for each patient visit. We observe that as granularity decreases, the noisy OR performance is comparable. Naive Bayes has a decreasing performance as the data becomes less granular, likely due to the violations in conditional independence that naive Bayes assumes. Logistic regression, however, appears able to discern more signal from the noise and increases in performance as granularity decreases.

Table 4. Median number of disease and symptom across patients by age group.

Dataset	under 21	21-44	45-64	65-84	85+
Median symptoms (ED)	2	2	2	2	2
Median symptoms (CR, single)	0	0	1	1	1
Median symptoms (CR, episode)	4	4	4	4	4
Median symptoms (CR, patient)	7	14	29	37	29
Median diseases (ED)	0	0	1	1	1
Median diseases (CR)	0	0	1	1	1
Median diseases (CR, episode)	1	2	2	3	3
Median diseases (CR, patient)	2	5	12	17	15

Table 5. AUPRC for ED and CR datasets.

Model	ED dataset	CR (single)	CR (episode)	CR (patient)
Logistic Regression	0.1927	0.2332	0.2590	0.2678
Naive Bayes	0.2515	0.2273	0.2129	0.1836
Noisy OR	0.3400	0.3098	0.3147	0.3183

5. Discussion

5.1. *Data size does not always matter.*

When evaluating models and individual diseases, we observe that sample size can have a large effect. For example, when evaluating on patient populations with different demographics, we find that demographics with smallest sample size correspond to poor AUPRC.

Importantly, however, drastically larger sample size does not necessarily guarantee drastically better performance, as evidenced with the lack of association between diseases and occurrence count. Additionally, the larger size of the online medical record dataset doesn't actually yield improvements in AUPRC. One hypothesis is that the emergency department is a key decision point in a patient's care where an exhaustive list of active symptoms and diseases are elicited and documented in order to diagnose and disposition a patient. However, given the limited resources of the emergency department, this process must be focused and is biased towards more acute complaints, so more chronic conditions and symptoms that are not contributory to the active problem may not be documented.

The ED likely yields an adequate data set for most acute complaints, but likely inadequate for more chronic conditions. The CR dataset, on the other hand, also includes notes from providers who manage more chronic conditions, and therefore may be biased towards more chronic conditions and symptoms.

5.2. *Confounders may explain errors.*

Most strikingly, the number of co-occurring diseases has a high correlation with low F1 scores in our examination of the ED dataset. Put another way, the more diseases a patient has, the more error. We can imagine multiple reasons why. When a patient presents with multiple diseases, the corresponding symptoms may be difficult to attribute to the correct disease. Furthermore, one disease may in fact increase the susceptibility to other diseases and also the resulting symptoms. Lastly, multiple co-occurring diseases may be the result of an underlying

problem that could affect diseases and symptoms.

When we expand to the CR dataset, we increase the number of observed diseases and symptoms per instance from CR (single) to CR (episode) to CR (patient). The information gain in each visit may overwhelm models like the naive Bayes, which decreases in performance, while models like logistic regression seem to improve off the higher density of information.

Another potential confounder is the selection of diseases and symptoms themselves in the evaluation GHKG. The original researchers¹² selected diseases and symptoms relevant to the acute emergency department for evaluation. Examining the broader CR datasets introduces the possibility that observed symptoms may be caused by diseases that are not in the scope of selection. One potential method to assess this confounding would be to widen the extraction process and see how the performance errors differs.

When considering extraction of medical knowledge, it is therefore important to consider the setting of application, the source of the dataset, and any potential differences. Controlled examination across multiple but similar data sources can illuminate potential confounders and suggest solutions.

5.3. Increased model complexity does not necessarily help.

We found that the inclusion of non-linear models does not necessarily improve AUPRC. The continued success of noisy OR models may be attributed to the high likelihood of false negatives and low likelihood of false positives in the dataset: an observed disease or symptom is likely true whereas an unobserved disease or symptom is possibly not true.

While the non-linear models can take advantage of increased computational power and more expressive model parameterization, it does not appear that the strengths of non-linear models are able to compensate for the weaknesses of noisy OR. When leveraging advances in machine learning methods, it is important to understand potential sources of error to improve deficiencies in the existing models.

5.4. Limitations remain as an opportunity for future work.

Our paper focuses on evaluation through a manual and curated GHKG for the emergency department setting. This focus affects all aspects of the pipeline, including which symptoms and diseases to evaluate. AUCPRC as reported is an imperfect measure of performance. Multiple evaluation methods could reduce additional bias.

In order for a health knowledge graph to truly aid clinicians and provide candidates of diseases, a health knowledge graph must also be assessed in the relevant clinical context. We have considered the emergency department, but other potential settings including primary care or before a patient enters a hospital would introduce an opportunity to more robustly assess model generalization.

We grapple with confounders and questions of causal inference from observational data. Unmeasured confounders make determining causal relations difficult without additional experiments. Further work could include methods on improving causal inference methods or incorporating suggestions from our health knowledge graph into the clinical workflow.

Lastly, our model assumes a bipartite graph of binary edges between diseases and symp-

toms. Relaxing these constraints — for example allowing one disease to cause another disease or allowing for different edge strengths — may make the health knowledge graph more closely model medical knowledge and therefore clinically useful.

6. Conclusion

We assess the robustness of a health knowledge graph from patient visits from only the emergency department and the complete online medical record. We find that disease-specific performance varies widely and is correlated to factors like sample size and number of co-occurring diseases while heterogeneity of patients across age and gender causes differences in performance. Non-linear functions, although based on causal inference principles, do not lead to performance improvements. Lastly, we assess the generalizability on three datasets derived from a complete medical record for the same patients to better understand our models.

Researchers seeking to build health knowledge graphs might struggle with dataset questions including sufficient size and appropriate source. They may also be curious about algorithmic choices include whether a more simplistic model like logistic regression is adequate compared to more complex models. We describe several data factors of consideration including size, features, and sources of error. We show that the noisy OR approach is resiliently dominant in many problem settings.

We believe the most promising areas of future research involve incorporating additional datasets across disparate medical settings in order to build clinician trust as well as expose area for potential improvement. Health knowledge graphs can be used to provide automated recommendations for clinicians as well as find new edges between diseases and symptoms to advance understanding of disease.

Acknowledgements

The authors thank Maggie Makar and Rebecca Boiarsky for helpful comments and Google, Inc. for permitting the use of the Google health knowledge graph within our evaluation. This work is supported by a grant from Google, Inc.

References

1. R. Miller and F. Masarie, Use of the quick medical reference (qmr) program as a tool for medical education, *Methods of information in medicine* **28**, 340 (1989).
2. G. O. Barnett, J. J. Cimino, J. A. Hupp and E. P. Hoffer, Dxplain: an evolving diagnostic decision-support system, *Jama* **258**, 67 (1987).
3. F. De Dombal, D. Leaper, J. R. Staniland, A. McCann and J. C. Horrocks, Computer-aided diagnosis of acute abdominal pain, *Br Med J* **2**, 9 (1972).
4. M. A. Shwe, B. Middleton, D. E. Heckerman, M. Henrion, E. J. Horvitz, H. P. Lehmann and G. F. Cooper, Probabilistic diagnosis using a reformulation of the internist-1/qmr knowledge base, *Methods of information in Medicine* **30**, 241 (1991).
5. R. A. Miller, Medical diagnostic decision support systems past, present, and future: a threaded bibliography and brief commentary, *Journal of the American Medical Informatics Association* **1**, 8 (1994).
6. K. Antman, D. Amato, W. Wood, J. Carson, H. Suit, K. Proppe, R. Carey, J. Greenberger,

- R. Wilson and E. Frei 3rd, Selection bias in clinical trials., *Journal of Clinical Oncology* **3**, 1142 (1985).
7. V. Cottin, D. Arpin, C. Lasset, J.-F. Cordier, J. Brune, F. Chauvin and V. Trillet-Lenoir, Small-cell lung cancer: patients included in clinical trials are not representative of the patient population as a whole, *Annals of oncology* **10**, 809 (1999).
 8. F. A. Masoudi, E. P. Havranek, P. Wolfe, C. P. Gross, S. S. Rathore, J. F. Steiner, D. L. Ordin and H. M. Krumholz, Most hospitalized older persons do not meet the enrollment criteria for clinical trials in heart failure, *American heart journal* **146**, 250 (2003).
 9. K. Herland, J.-P. Akselsen, O. H. Skjønberg and L. Bjermer, How representative are clinical study patients with asthma or copd for a larger real life population of patients with obstructive lung disease?, *Respiratory medicine* **99**, 11 (2005).
 10. P. B. Jensen, L. J. Jensen and S. Brunak, Mining electronic health records: towards better research applications and clinical care, *Nature Reviews Genetics* **13**, p. 395 (2012).
 11. S. G. Finlayson, P. LePendu and N. H. Shah, Building the graph of medicine from millions of clinical narratives, *Scientific data* **1**, p. 140032 (2014).
 12. M. Rotmensch, Y. Halpern, A. Tlimat, S. Horng and D. Sontag, Learning a health knowledge graph from electronic medical records, *Scientific reports* **7**, p. 5994 (2017).
 13. P. Sondhi, J. Sun, H. Tong and C. Zhai, Sympgraph: a framework for mining clinical notes through symptom relation graphs, in *Proceedings of the 18th ACM SIGKDD international conference on Knowledge discovery and data mining*, 2012.
 14. M. Fatima and M. Pasha, Survey of machine learning algorithms for disease diagnostic, *Journal of Intelligent Learning Systems and Applications* **9**, p. 1 (2017).
 15. R. Gargeya and T. Leng, Automated identification of diabetic retinopathy using deep learning, *Ophthalmology* **124**, 962 (2017).
 16. A. Y. Hannun, P. Rajpurkar, M. Haghpanahi, G. H. Tison, C. Bourn, M. P. Turakhia and A. Y. Ng, Cardiologist-level arrhythmia detection and classification in ambulatory electrocardiograms using a deep neural network, *Nature medicine* **25**, p. 65 (2019).
 17. S. J. McPhee, M. A. Papadakis, M. W. Rabow *et al.*, *Current medical diagnosis & treatment 2010* (McGraw-Hill Medical New York:, 2010).
 18. (2019).
 19. M. A. Gianfrancesco, S. Tamang, J. Yazdany and G. Schmajuk, Potential biases in machine learning algorithms using electronic health record data, *JAMA internal medicine* **178**, 1544 (2018).
 20. M. Ghassemi, T. Naumann, P. Schulam, A. L. Beam, I. Y. Chen and R. Ranganath, Opportunities in machine learning for healthcare, *arXiv preprint arXiv:1806.00388* (2018).
 21. J. Pearl, *Causality: models, reasoning and inference* (Springer, 2000).
 22. P. Ramaswami, A remedy for your health-related questions: health info in the knowledge graph (Feb 2015).
 23. C. J. Van Rijsbergen, S. E. Robertson and M. F. Porter, *New models in probabilistic information retrieval* (British Library Research and Development Department London, 1980).