

THE OPTIMALITY PROBLEM FOR AUTOMATA ON
INFINITE TREES
Robert Hossley
Charles Rackoff

MAC Technical Memorandum 29

Spring 1972

**This research was supported by the Advanced Research
Projects Agency of the Department of Defense under
ARPA Order No. 2095, and was monitored by ONR under
Contract No. N00014-70-A-0362-0006**

Massachusetts Institute of Technology

PROJECT MAC

Cambridge

Massachusetts 02139

ABSTRACT

The purpose of this paper is to give an alternative proof to the decidability of the emptiness problem for tree automata, as shown in Rabin [4]. The proof reduces the emptiness problem for automata on infinite trees to that for automata on finite trees, by showing that any automata definable set of infinite trees must contain a finitely-generable tree.

© 1974 by John Wiley & Sons, Inc.

0014-1801/74/0000-0002\$01.00

This research was supported by the National Research Council of Canada under the terms of the contract with the National Research Council of Canada, contract number 7080-1-0000.

Department of Computer Science, University of Toronto

1974

Communications of the ACM

Volume 17, No. 1

Section 1: Introduction

The analysis of finite automata on infinite trees is the basis for Rabin's remarkable proof of the decidability of S2S (the monadic second-order theory of two successors) [5]. Rabin's proof follows the now standard form of Buchi and Elgot's proof for WS1S (weak, single successor) [1, 3] and Thatcher-Wright's proof for weak S2S, and requires demonstrating effectively that the automata are closed under union, projection, and negation, and that the emptiness problem for the automata is decidable. As in the case of S1S, the main technical difficulty in the case of S2S lies in proving closure under complementation of sets accepted by non-deterministic automata on infinite trees. The problem is complicated by the fact that nondeterministic infinite tree automata are known not to be equivalent to any of the likely definitions of deterministic infinite tree automata.

Curiously, the emptiness problem, which is easy for the other kinds of automata, turns out to be nontrivial for (nondeterministic) infinite tree automata. Rabin subsequently improved his original proof of the decidability of this emptiness problem, but even the second proof [4] used an involved induction and consequently does not yield a simple effective criterion for deciding emptiness.

In this paper we provide such a criterion by showing that an infinite tree automaton accepts some valued tree if and only if there is a computation of the automaton containing a certain simple kind of finite subtree. Moreover, the set of finite subtrees of the kind we


require are recognizable by finite tree automata, and in this way we reduce the emptiness problem for infinite tree automata directly to that for finite tree automata. This also yields a simpler proof of another result of Rabin about "regular" runs by automata (see below).

The hardest part of Rabin's proof -- the complementation lemma -- remains a difficult combinatorial argument which has yet to be simplified.

Reducing this problem to the corresponding problem of complementing finite-tree automata (which is easily resolved by the usual subset construction) might lead to such a simplification. Our results on emptiness suggest that there is hope for this approach.

Section 2:

For this paper the appropriate way to visualize the infinite binary tree T is as follows. At the top is the root Δ . Every $x \in T$ has a left son $x0$ and a right son $x1$. Hence, $T = \{0,1\}^*$.



We define a partial ordering on T by $x \leq y$ (x is an initial of y) if $y = xz$ for some $z \in \{0,1\}^*$. If $x \leq y$ and $x \neq y$, then we will write $x < y$.

A path π of T is a set $\pi \subset T$ satisfying 1) $\Delta \in \pi$; 2) for $y \in \pi$, either $y_0 \in \pi$ or $y_1 \in \pi$, but not both; 3) π is a minimal subset of T satisfying 1 and 2.

Definition: If for some path π , $x \in \pi$ and $y \in \pi$, then we denote by $[x,y]$ the set $\{w \mid x \leq w \leq y\}$. Note that when $y < x$, $[x,y] = \emptyset$.

For a set B we denote the cardinality of B by $c(B)$.

Definition: A set $B \subset T$ is called a frontier of T if for every path $\pi \subset T$ we have $c(\pi \cap B) = 1$. By König's Lemma every frontier is finite. A finite tree is a set $E = \{y \mid y \leq w, \text{ for some } w \in B\}$, where B is a fixed frontier of T . For E as above, B is called the frontier of E and is denoted by $\text{Ft}(E)$.

Definition: A Σ -tree is a pair (v,T) such that $v: T \rightarrow \Sigma$. A finite Σ -tree is a pair (v,E) such that $v: E \rightarrow \Sigma$, where E is a finite tree.

Definition: For a mapping $\theta: A \rightarrow B$. $\text{In}(\theta) = \{b \mid c(\theta^{-1}(b)) \geq w\}$.

Definition: Let $\theta: A \rightarrow B$ and let $\Omega = ((L_i, U_i))_{1 \leq i \leq n}$ be a sequence of pairs of finite sets. We say that θ is of type Ω , denoted by $\theta \in [\Omega]$, if for some i , $1 \leq i \leq n$, we have $\text{In}(\theta) \cap L_i = \emptyset$ and $\text{In}(\theta) \cap U_i \neq \emptyset$.

Definition: A f.a.t. is a system $\mathcal{A} = \langle S, \Sigma, M, s_0, \Omega \rangle$, where S is a finite set of states, Σ is a finite set, $M: S \times \Sigma \rightarrow P(S \times S)$, $s_0 \in S$ is the initial state, and $\Omega = ((L_i, U_i))_{1 \leq i \leq n}$.

If $t = (v, T)$ is a Σ -tree, then an \mathcal{O} -run on t is any mapping $r: T \rightarrow S$ such that:

$$1) \quad r(\Delta) = s_0, \text{ and}$$

$$2) \quad \text{for all } y \in T,$$

$$(r(y_0), r(y_1)) \in M(r(y), v(y)).$$

If $e = (v, E)$ is a finite Σ -tree, then an \mathcal{O} -run on e is any mapping $r: E \rightarrow S$ such that:

$$1) \quad r(\Delta) = s_0, \text{ and}$$

$$2) \quad \text{for all } y \in E - \text{Ft}(E),$$

$$(r(y_0), r(y_1)) \in M(r(y), v(y)).$$

The set of all \mathcal{O} -runs on $t(e)$ will be denoted by $Rn(\mathcal{O}, t)$ ($Rn(\mathcal{O}, e)$, respectively). An accepting \mathcal{O} -run on t is any $r \in Rn(\mathcal{O}, t)$ such that for every path $\pi \subset T$, $(r|\pi) \in [\Omega]$. $T(\mathcal{O}) = \{t \mid \text{there is an accepting } \mathcal{O}\text{-run on } t\}$. $T(\mathcal{O})$ is called the set defined by \mathcal{O} .

Given an f.a.t. $\mathcal{O} = \langle S, \Sigma, M, s_0, \Omega \rangle$ we wish to determine whether or not $T(\mathcal{O}) = \emptyset$. Consider the automaton $\bar{\mathcal{O}} = \langle S, \{a\}, \bar{M}, s_0, \Omega \rangle$, where for all $s \in S$, $\bar{M}(s, a) = \bigcup_{\sigma \in \Sigma} M(s, \sigma)$. Clearly, $T(\mathcal{O}) = \emptyset$ iff $T(\bar{\mathcal{O}}) = \emptyset$.

Thus the emptiness problem is reduced to the case of automata over the single letter alphabet $\{a\}$. Henceforth we restrict our attention to this case. Since there exists just one $\{a\}$ -tree, (\bar{v}, T) , and for every finite tree E just one finite $\{a\}$ -tree, (\bar{v}, E) , we will omit mention of the valuation \bar{v} and talk about \mathcal{O} -runs on T and E , \mathcal{O} accepting T , etc.

Theorem 1: Let $\mathcal{O} = \langle S, \{a\}, M, s_0, ((L_i, U_i))_{1 \leq i \leq n} \rangle$ be an f.a.t.

$T(\mathcal{O}) \neq \emptyset \Leftrightarrow$ for some finite tree E there exists an r such that

- 1) $r \in \text{Rn}(\mathcal{O}, E)$,
- 2) there exist mappings $J: \text{Ft}(E) \rightarrow E\text{-Ft}(E)$ and $H: \text{Ft}(E) \rightarrow E\text{-Ft}(E)$ such that for all $x \in \text{Ft}(E)$
 - a) $H(x) \leq J(x) < x$,
 - b) $r(J(x)) = r(x)$,
 - c) $r([H(x), J(x)]) = r([J(x), x])$,
 - d) for some i , $1 \leq i \leq n$, $r([J(x), x]) \cap L_i = \emptyset$ and $r(x) \in U_i$.

Before we prove Theorem 1, we show that Theorem 1 easily yields the following theorem.

Theorem 2: The emptiness problem for f.a.t.'s is decidable.

Proof of Theorem 2: Let \mathcal{O} be as in the statement of Theorem 1.

Definition: Let E be a tree (finite or infinite). Let r be an \mathcal{O} -run on E . Let $x \in E$. Since $x \in \{0,1\}^*$ we can write $x = \sigma_1 \sigma_2 \dots \sigma_m$. Define $\alpha_{r,x}$ to be the following member of S^* : $\alpha_{r,x} = r(\wedge) \cdot r(\sigma_1) \cdot r(\sigma_1 \sigma_2) \dots r(x)$.

Notation: Let α be a string. Let n and m be positive integers, $n \leq m$. Then by $\alpha(n)$ we will mean the n th element (from the left) of α . By $\alpha([n,m])$ we will mean the set of elements between and including the n th and the m th places of α .

Definition: Let $\alpha \in S^*$. We say that α is Good if there exist positive integers H and J such that $H \leq J < N = \text{length}(\alpha)$, $\alpha(J) = \alpha(N)$, $\alpha([H, J]) = \alpha([J, N])$, and there exists an i such that $\alpha(N) \in U_i$ and $\alpha([J, N]) \cap L_i = \emptyset$. Note that good is defined with respect to our f.a.t. \mathcal{O} .

Lemma 1: The set of good strings is a regular set, i.e., it is recognizable by a finite state machine on finite input strings.

Proof of Lemma 1: Obvious. \square

Lemma 2: Let G be a regular set of finite strings on S . Let $H = \{E \mid E \text{ is a finite tree and there exists a run } r \text{ on } E \text{ such that for all } x \in \text{Ft}(E), \alpha_{r,x} \in G\}$. Then H is recognizable by a finite automaton on finite trees as defined in [6].

Proof of Lemma 2: Fairly obvious. \square

Completion of proof of Theorem 2: By Theorem 1, Lemma 1, and Lemma 2, the emptiness problem for \mathcal{O} can be reduced to the emptiness problem for a particular finite automaton on finite trees. But by Theorem 7 in [6], this problem is decidable.

Proof of \Rightarrow in Theorem 1: Let r be an accepting \mathcal{O} -run on T . By the definition of accepting run and of good string, it is clear that for every path π of T there exists an x , $x \in \pi$, such that $\alpha_{r,x}$ is a good string. Let $B = \{x \mid \alpha_{r,x} \text{ is good and for all } y < x, \alpha_{r,y} \text{ isn't good}\}$. Then B is a frontier. If we let E be the finite tree with frontier B , then there exist mappings J and H which, together with $r|_E$, satisfy conditions 1 and 2 of Theorem 1. This completes the proof of \Rightarrow .

Proof of \Leftarrow in Theorem 1: Let E , r , J and H be as specified in 1) and 2) of Theorem 1.

We define a mapping $\eta: T \rightarrow E$ inductively as follows. Let $\eta(\Delta) = \Delta$. If $\eta(x)$ has been defined, then for $\sigma \in \{0,1\}$, define $\eta(x\sigma)$ as follows.

Case 1: If $\eta(x) \in E - Ft(E)$, then let $\eta(x\sigma) = \eta(x) \cdot \sigma$.

Case 2: If $\eta(x) \in Ft(E)$, then let $\eta(x\sigma) = J(\eta(x)) \cdot \sigma$.

Define $\bar{r}: T \rightarrow S$ by $\bar{r}(x) = r(\eta(x))$, for all $x \in T$. Clearly by 2) b) of Theorem 1, $\bar{r} \in Rn(\sigma, T)$ so that it suffices to show that for all paths $\pi \subset T$, $(\bar{r} \upharpoonright \pi) \in [\Omega]$, because then $T \in \mathbb{T}(\sigma)$ and hence $T(\sigma) \neq \emptyset$.

Let $\pi \subset T$ be a specific path. Let y_0, y_1, y_2, \dots be the infinite subset of π (listed in increasing order under \leq) consisting of exactly those members of π whose images under η are in $Ft(E)$. Define V_π to be the following infinite sequence of members of $Ft(E) \times Ft(E)$:

$$V_\pi = (\eta(y_0), \eta(y_1)), (\eta(y_1), \eta(y_2)), (\eta(y_2), \eta(y_3)), \dots$$

For all $i < \omega$ we have by the definition of η , $J(\eta(y_i)) < \eta(y_{i+1})$ and $\bar{r}([y_i, y_{i+1}]) = r([J(\eta(y_i)), \eta(y_{i+1})])$. Hence, $In(\bar{r} \upharpoonright \pi) =$

$$\bigcup_{(x,z) \in In(V_\pi)} r([J(x), z]).$$

Clearly there exists a finite sequence (possibly with repetition) of members of $Ft(E)$, $x_1, x_2, x_3, \dots, x_m$, such that

$$(I) \quad \begin{aligned} & x_1 = x_m \text{ and} \\ \text{In}(V_\pi) &= \{(x_1, x_2), (x_2, x_3), (x_3, x_4), \dots, \\ & (x_{m-1}, x_m)\}. \end{aligned}$$

From now on we will denote $J(x_i)$ by J_i and $H(x_i)$ by H_i , for all $1 \leq i \leq m$.

We have from the preceding paragraph

$$(II) \quad \begin{aligned} & \text{for all } 1 \leq i < m, J_i < x_{i+1}, \\ \text{and } \text{In}(\bar{r} \mid \pi) &= \bigcup_{i=1}^{m-1} r([J_i, x_{i+1}]). \end{aligned}$$

$(\bar{r} \mid \pi) \in [\Omega]$ is immediate from the third of the following three lemmas.

Lemma 3: There exists an M , $1 \leq M \leq m$, such that for all i , $1 \leq i \leq m$,

$$H_M \leq H_i.$$

That is, $H_M = \min(H_1, \dots, H_m)$.

Proof:

Our induction

hypothesis at stage h is that there exists an integer M' , $1 \leq M' \leq h$, such that for all i , $1 \leq i \leq h$, $H_{M'} \leq H_i$. Clearly the basis case is trivial. We assume the induction hypothesis for h and prove it for $h+1$.

$$H_{M'} \leq H_h \quad , \text{ by the induction hypothesis.}$$

$$H_h \leq J_h \quad , \text{ by 2) a) in Theorem 1.}$$

$$J_h < x_{h+1} \quad , \text{ by (II).}$$

Hence, $H_{M'} < x_{h+1}$.

By 2) a) of Theorem 1 we also have $H_{h+1} < x_{h+1}$. Therefore, $H_{M'}$ and H_{h+1} are comparable (under \leq). Clearly for all i , $1 \leq i \leq h+1$,

$$\underline{\min}\{H_{M'}, H_{h+1}\} \leq H_i. \quad \square$$


If $M \neq m$, we can rename x_1, x_2, \dots, x_m so that (I) and (II) remain true and $H_m = \underline{\min}\{H_1, \dots, H_m\}$. Henceforth, without loss of generality we assume that $M = m$.

Lemma 4: If $H_m = \underline{\min}\{H_1, \dots, H_m\}$, then for all i , $1 \leq i \leq (m-1)$,

$$r([H_m, x_{i+1}]) \supseteq r([H_m, x_i]).$$

Proof: Let i be any integer such that $1 \leq i < m$. $H_m \leq H_i \leq J_i < x_{i+1}$,

hence we have the picture:




Hence, $r([H_m, x_{i+1}]) \supseteq r([H_m, H_i]) \cup r([H_i, J_i])$. By 2) c) of Theorem 1, $r([H_i, J_i]) = r([J_i, x_i])$. Hence, $r([H_m, x_{i+1}]) \supseteq r([J_i, x_i])$, and therefore, $r([H_m, x_{i+1}]) \supseteq r([H_m, x_i])$. \square

Lemma 5: If $H_m = \min\{H_1, \dots, H_m\}$, then for all i , $1 \leq i \leq (m-1)$, $r([H_m, x_m]) \supseteq r([J_i, x_{i+1}])$.

Proof: Let i be any integer such that $1 \leq i \leq (m-1)$.

By Lemma 4 $r([H_m, x_m]) \supseteq r([H_m, x_{m-1}])$, $r([H_m, x_{m-1}]) \supseteq r([H_m, x_{m-2}])$, \dots , $r([H_m, x_{i+2}]) \supseteq r([H_m, x_{i+1}])$. Hence, $r([H_m, x_m]) \supseteq r([H_m, x_{i+1}])$. We have $H_m \leq H_i \leq J_i < x_{i+1}$. That is the picture:



Hence, $[H_m, x_{i+1}] \supseteq [J_i, x_{i+1}]$. Hence $r([H_m, x_m]) \supseteq r([J_i, x_{i+1}])$. \square

Completion of the Proof of Theorem 1: Without loss of generality we assume $H_m = \min\{H_1, \dots, H_m\}$. By Lemma 5,

$$r([H_m, x_m]) \supseteq \bigcup_{i=1}^{m-1} r([J_i, x_{i+1}]).$$

By part 2) d) of Theorem 1 we have for some i , $1 \leq i \leq n$, $r([J_m, x_m]) \cap L_i = \emptyset$ and $r(x_m) \in U_i$. By part 2) c) of Theorem 1, $r([H_m, x_m]) = r([J_m, x_m])$. Hence,

$$\bigcup_{i=1}^{m-1} r([J_i, x_{i+1}]) \cap L_i = \phi,$$

and

$$\bigcup_{i=1}^{m-1} r([J_i, x_{i+1}]) \cap U_i \neq \phi.$$

Therefore, by (II) $(\bar{r} \mid \pi) \in [\Omega]$.

□

Section 3: Remarks

In [5] Rabin uses the following definition.

Definition: An f.a.t. with designated subsets is a system $\mathcal{O} = \langle S, \Sigma, M, s_0, \mathcal{F} \rangle$, where S is a finite set of states, Σ is a finite set, $M: S \times \Sigma \rightarrow P(S \times S)$, and $\mathcal{F} \subseteq P(S)$ is the set of designated subsets. An \mathcal{O} -run on $t = (v, T)$ is as defined in Section 2. \mathcal{O} accepts t if there exists an $r \in Rn(\mathcal{O}, t)$ such that for all paths $\pi \subset T$, $In(r \mid \pi) \in \mathcal{F}$.

The proof of Theorem 1 can be extended to show that $r([H_m, x_m]) = \bigcup_{i=1}^{m-1} r([J_i, x_{i+1}])$, where H_i, x_i , etc. are as in the proof of Theorem 1.

Hence for $\mathcal{O} = \langle S, \{a\}, M, s_0, \mathcal{F} \rangle$, where $c(S) = q$, we have:

$T(\mathcal{O}) \neq \phi \Leftrightarrow$ for some finite tree E there exists an r such that

- 1) $r \in Rn(\mathcal{O}, E)$,
- 2) there exist mappings $J: Ft(E) \rightarrow E-Ft(E)$ and $H: Ft(E) \rightarrow E-Ft(E)$ such that
 - a) $H(x) \leq J(x) < x$,
 - b) $r(J(x)) = r(x)$,
 - c) $r([H(x), J(x)]) = r([J(x), x])$,
 - d) $r([J(x), x]) \in \mathcal{F}$.

The appropriate definition of a good string with respect to \mathcal{A} is a simple modification of the definition of good string used in the proof of Theorem 2. For either definition of good string we can design a non-deterministic finite automaton on finite strings, \mathfrak{M} , which recognizes the set of good strings and which has at most $2^{2q(q+1)}$ states. By the subset construction we can design a deterministic automaton \mathfrak{M}' equivalent to \mathfrak{M} such that \mathfrak{M}' has at most $Q = 2^{2q(q+1)}$ states. Using \mathfrak{M}' we can easily construct a finite automaton on finite trees, \mathcal{A}' , such that $T(\mathcal{A}') \neq \emptyset$ if and only if $T(\mathcal{A}) \neq \emptyset$ and such that the state set of \mathcal{A}' is the cross product of the state sets of \mathcal{A} and \mathfrak{M}' . Hence \mathcal{A}' has at most qQ states. We can determine whether $T(\mathcal{A}') \neq \emptyset$ in $(qQ)^3$ computational steps.

Hence given a finite automaton \mathcal{A} on infinite trees which has q states and uses either notion of acceptance, we can determine whether or not $T(\mathcal{A}) \neq \emptyset$ in $\left(q 2^{2q(q+1)} \right)^3$ computational steps.

Remark 2: If we have a finite Σ -tree (v, E) , and a function $J: Ft(E) \rightarrow E-Ft(E)$ such that for all $x \in Ft(E)$, $v(J(x)) = v(x)$, then we can generate a unique Σ -tree (\bar{v}, T) as in the proof of Theorem 1. Call any Σ -tree which can be generated in this way a finitely-generable Σ -tree.

Rabin in [4] defines a Σ -tree, (v, T) , to be regular if and only if for each $\sigma \in \Sigma$, $v^{-1}(\sigma)$ is a regular subset of $\{0, 1\}^*$. It is easily shown that a Σ -tree is finitely-generable if and only if it is regular.

Remark 3: From Theorem 1 it is easily shown that if an f.a.t. accepts any Σ -tree, then it accepts a finitely-generable Σ -tree. Rabin shows this in [4]. In [2] Buchi and Landweber prove that if $P(X, Y)$ is a finite-state condition and X has a winning strategy, then X has a winning finite-state strategy. Rabin and Rackoff have independently observed that the set of winning strategies for X corresponds in a natural way to a set of $\{0, 1\}$ -trees defined by a (deterministic) infinite tree automaton. Hence, it easily follows from Rabin's result in [4] or from the results in this paper that if X has a winning strategy then X has a winning finite-state strategy.

C. Rackoff has observed the following. If X does not have a winning strategy, then by our Theorem 1 we see that X does not have a "partial" strategy of a particular kind. From this one can show that Y has a winning strategy for $P(X, Y)$, thus showing that $P(X, Y)$ is determined. This is another result of [2].

We thank Albert Meyer for his assistance in writing this paper and for pointing out the relevance of finite tree automata to our work.

REFERENCES

1. Buchi, J.R. and Elgot, C.C. "Decision problems of weak second-order arithmetics and finite automata", Part I (Abstract), Notices of Amer. Math. Soc., Vol. 5, 1959, 834.
2. Buchi, J.R. and Landweber, L.H. "Solving sequential conditions by finite-state strategies", Trans. of Amer. Math. Soc., Vol. 138, April, 1969, 295-311.
3. Elgot, C.C. "Decision problems of finite automata design and related arithmetics", Trans. Amer. Math. Soc., Vol. 98, 1961, 21-51.
4. Rabin, Michael O. "Automata on infinite trees and the synthesis problem", Tech. Report No. 37, Jerusalem, Isreal, Hebrew University, Dept. of Mathematics, Jan., 1970.
5. Rabin, Michael O. "Decidability of second-order theories and automata on infinite trees", Trans. Amer. Math. Soc., Vol. 141, July, 1969, 1-35.
6. Thatcher, J.W. and Wright, J.B. "Generalized finite automata theory with an application to a decision problem of second-order logic", Math. Systems Theory, Vol. 2, No. 1, 57-81.

DOCUMENT CONTROL DATA - R & D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author) MASSACHUSETTS INSTITUTE OF TECHNOLOGY PROJECT MAC		2a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED	
		2b. GROUP NONE	
3. REPORT TITLE THE EMPTINESS PROBLEM FOR AUTOMATA ON INFINITE TREES			
4. DESCRIPTIVE NOTES (Type of report and inclusive dates) INTERIM SCIENTIFIC REPORT			
5. AUTHOR(S) (First name, middle initial, last name) ROBERT HOSSLEY AND CHARLES RACKOFF			
6. REPORT DATE AUGUST 1972		7a. TOTAL NO. OF PAGES 16	7b. NO. OF REFS 6
8a. CONTRACT OR GRANT NO. N00014-70-A-0362-0006		9a. ORIGINATOR'S REPORT NUMBER(S) MAC-TM-29	
b. PROJECT NO.		9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report) NONE	
c.			
d.			
10. DISTRIBUTION STATEMENT DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED			
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY OFFICE OF NAVAL RESEARCH	
13. ABSTRACT The purpose of this paper is to give an alternative proof to the decidability of the emptiness problem for tree automata, as shown in Rabin [4]. The proof reduces the emptiness problem for automata on infinite trees to that for automata on finite trees, by showing that any automata definable set of infinite trees must contain a finitely-generable tree.			

14. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Infinite trees						
S2S (monadic second-order theory of two successors)						
Infinite games						
Tree automata						
Emptiness problem						

MIT/LCS/TM-29

**THE EMPTINESS PROBLEM
FOR AUTOMATA ON
INFINITE TREES**

**Robert Hossley
Charles Rackoff**

June 1972

MASSACHUSETTS INSTITUTE OF TECHNOLOGY
PROJECT MAC

Reply to: Project MAC
545 Technology Square
Cambridge, Mass. 02139
Telephone: (617) 864-6900 x6201 5860

PUBLICATIONS TR/TM FORM

TITLE OF THESIS OR REPORT:

The Emptiness Problem for Automata on Infinite Trees

AUTHOR:

Robert Hossley and Charles Rackoff

Do you recommend it be made into a Project MAC technical report? If so, what type?

Technical Report (formal, widely distributed)

Technical Memo (informal, limited distribution)

Do not print as a MAC publication

R.C. Henne me
Signature of MAC Group Leader

July 31, 1972
Date

