Design for Manufacturing

Teaching materials to accompany:

Product Design and Development Chapter 11

Karl T. Ulrich and Steven D. Eppinger 2nd Edition, Irwin McGraw-Hill, 2000.

Product Design and Development Karl T. Ulrich and Steven D. Eppinger 2nd edition, Irwin McGraw-Hill, 2000.

Chapter Table of Contents

- 1. Introduction
- 2. Development Processes and Organizations
- 3. Product Planning
- 4. Identifying Customer Needs
- 5. Product Specifications
- 6. Concept Generation
- 7. Concept Selection
- 8. Concept Testing
- 9. Product Architecture
- **10. Industrial Design**
- **11. Design for Manufacturing**
- 12. Prototyping
- **13. Product Development Economics**
- 14. Managing Projects

Product Development Process



How can we emphasize manufacturing issues throughout the development process?

Design for Manufacturing Example: GM 3.8-liter V6 Engine



Understanding Manufacturing Costs



Definition

- <u>Design for manufacturing</u> (DFM) is a development practice emphasizing manufacturing issues throughout the product development process.
- Successful DFM results in lower production cost without sacrificing product quality.

Three Methods to Implement DFM

1. Organization: Cross-Functional Teams

2. Design Rules: Specialized by Firm

3. CAD Tools: Boothroyd-Dewhurst Software

Design for Assembly Rules Example set of DFA guidelines from a computer manufacturer.

- 1. Minimize parts count.
- 2. Encourage modular assembly.
- 3. Stack assemblies.
- 4. Eliminate adjustments.
- 5. Eliminate cables.
- 6. Use self-fastening parts.
- 7. Use self-locating parts.
- 8. Eliminate reorientation.
- 9. Facilitate parts handling.
- **10**. Specify standard parts.

Design for Assembly

- Key ideas of DFA:
 - -Minimize parts count
 - -Maximize the ease of handling parts
 - -Maximize the ease of inserting parts
- Benefits of DFA
 - -Lower labor costs
 - -Other indirect benefits
- Popular software developed by Boothroyd and Dewhurst.

-http://www.dfma.com

To Compute Assembly Time



Method for Part Integration

- Ask of each part in a candidate design:
 - 1. Does the part <u>need to move</u> relative to the rest of the device?
 - 2. Does it need to be of a <u>different material</u> because of fundamental physical properties?
 - 3. Does it need to be separated from the rest of the device to allow for assembly, access, or repair?
- If not, combine the part with another part in the device.

Videocassette DFM Exercise

- 2 billion worldwide annual volume
- 7 major producers of 1/2" cassette shells
- JVC licenses the VHS standard
 dimensions, interfaces, light path, etc
- VHS cassette shells cost ~\$0.25 each
- What is a \$0.01 cost reduction worth?

DFM Strategy is Contingent

