

Variable Name **facid**

Classification

Group PFS Survey
Sub-Group Identification
Group Type -

Description

Weight -
Weight Variable -
Format Type int
Decimal 0
Interval discrete
Dataset Label facID
Imputed? Yes
Unit of Analysis Interviewer

Question Information

Ques. ID -
Ques. Text Facility ID

Valid Ranges

Unit Integers
Min 2
Max 1269
Key -
Notes -

Invalid Ranges

Unit -
Min -
Max -
Key -
Notes -
Undoc Codes -
Universe -

Sum Statistics

Total Responses 486
Mean 587.2757
Mean weighted? -
Weight of Mean -
Stdev. 403.4522
Stdev. Weighted? -
Weight of Stdev. -
Text -
Derivation -
Deriv. Des. -
Notes -

Variable Name **operatorcode**

Classification

Group PFS Survey
Sub-Group Identification
Group Type -

Description

Weight	-
Weight Variable	-
Format Type	byte
Decimal	0
Interval	discrete
Dataset Label	operator code
Imputed?	Yes
Unit of Analysis	Interviewer

Question Information

Ques. ID	-
Ques. Text	Operator Code

Valid Ranges

Unit	Integers
Min	3
Max	7
Key	-
Notes	-

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	486
Mean	5.44856
Mean weighted?	-
Weight of Mean	-
Stdev.	1.595234
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name **date****Classification**

Group	PFS Survey
Sub-Group	Identification
Group Type	-

Description

Weight	-
Weight Variable	-
Format Type	str16
Decimal	-
Interval	-

Dataset Label -
Imputed? Yes
Unit of Analysis Interviewer

Question Information

Ques. ID -
Ques. Text Date of Survey

Valid Ranges

Unit Text
Min -
Max -
Key -
Notes -

Invalid Ranges

Unit -
Min -
Max -
Key -
Notes -
Undoc Codes -
Universe -

Sum Statistics

Total Responses 486
Mean -
Mean weighted? -
Weight of Mean -
Stdev. -
Stdev. Weighted? -
Weight of Stdev. -
Text -
Derivation -
Deriv. Des. -
Notes -

Variable Name entrydate

Classification

Group PFS Survey
Sub-Group Identification
Group Type -

Description

Weight -
Weight Variable -
Format Type str9
Decimal -
Interval -
Dataset Label -
Imputed? Yes
Unit of Analysis Interviewer

Question Information

Ques. ID -
Ques. Text Entry Date

Valid Ranges

Unit	Text
Min	-
Max	-
Key	missing = -777
Notes	-

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	486
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name **gps_n1****Classification**

Group	PFS Survey
Sub-Group	Identification
Group Type	-

Description

Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	-
Imputed?	Yes
Unit of Analysis	Interviewer

Question Information

Ques. ID	-
Ques. Text	GPS Location, Degrees North

Valid Ranges

Unit	Degrees
Min	23
Max	24
Key	missing = -777, -666
Notes	-

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	410
Mean	23.77561
Mean weighted?	-
Weight of Mean	-
Stdev.	0.4176898
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	Summary stats are with -777s and -666s replaced as missing

Variable Name **gps_n2****Classification**

Group	PFS Survey
Sub-Group	Identification
Group Type	-

Description

Weight	-
Weight Variable	-
Format Type	float
Decimal	3
Interval	discrete
Dataset Label	-
Imputed?	Yes
Unit of Analysis	Interviewer

Question Information

Ques. ID	-
Ques. Text	GPS Location, Minutes North

Valid Ranges

Unit	Minutes
Min	
Max	59.947
Key	missing = -777, -666
Notes	

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-

Undoc Codes	-
Universe	-
Sum Statistics	
Total Responses	410
Mean	30.78691
Mean weighted?	-
Weight of Mean	-
Stdev.	18.20423
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	Summary stats are with -777s and -666s replaced as missing

Variable Name	gps_e1
Classification	
Group	PFS Survey
Sub-Group	Identification
Group Type	-
Description	
Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	-
Imputed?	Yes
Unit of Analysis	Interviewer
Question Information	
Ques. ID	-
Ques. Text	GPS Location, Degrees East
Valid Ranges	
Unit	Degrees
Min	
Max	74
Key	missing = -777, -666
Notes	
Invalid Ranges	
Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-
Sum Statistics	
Total Responses	410
Mean	72.83171
Mean weighted?	-

Weight of Mean	-
Stdev.	3.261012
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	Summary stats are with -777s and -666s replaced as missing

Variable Name **gps_e2**

Classification

Group	PFS Survey
Sub-Group	Identification
Group Type	-

Description

Weight	-
Weight Variable	-
Format Type	float
Decimal	3
Interval	discrete
Dataset Label	-
Imputed?	Yes
Unit of Analysis	Interviewer

Question Information

Ques. ID	-
Ques. Text	GPS Location, Minutes East

Valid Ranges

Unit	Minutes
Min	
Max	85.142
Key	missing = -777, -666

Notes

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	410
Mean	29.45308
Mean weighted?	-
Weight of Mean	-
Stdev.	13.283
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-

Deriv. Des. -
Notes Summary stats are with -777s and -666s replaced as missing

Variable Name pf11

Classification

Group PFS Questionnaire

Sub-Group PF1

Group Type Section

Description

Weight -

Weight Variable -

Format Type byte

Decimal 0

Interval discrete

Dataset Label PF1.1

Imputed? No

Unit of Analysis Interviewee

Question Information

Ques. ID PF1.1

Ques. Text How many people work in this facility total (including the main provider(s) and part timers)?

Valid Ranges

Unit Number of people

Min 1

Max 53

Key -

Notes -

Invalid Ranges

Unit -

Min -

Max -

Key -

Notes -

Undoc Codes -

Universe -

Sum Statistics

Total Responses 486

Mean 2.1232

Mean weighted? -

Weight of Mean -

Stdev. 4.13422

Stdev. Weighted? -

Weight of Stdev. -

Text -

Derivation -

Deriv. Des. -

Notes -

Variable Name pf12

Classification

Group	PFS Questionnaire
Sub-Group	PF1
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF1.2
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF1.2
Ques. Text	How many main providers work in this facility?

Valid Ranges

Unit	Number of people
Min	1
Max	13
Key	missing = -777
Notes	-

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	486
Mean	1.113169
Mean weighted?	-
Weight of Mean	-
Stdev.	0.7133133
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	Summary stats are with -777 replaced as missing

Variable Name	pf13_e
----------------------	---------------

Classification

Group	PFS Questionnaire
Sub-Group	PF1
Group Type	Section

Description

Weight	-
---------------	---

Weight Variable	-
Format Type	str
Decimal	-
Interval	-
Dataset Label	PF1.3_e
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF1.3
Ques. Text	What is the name of this facility?

Valid Ranges

Unit	Text
Min	-
Max	-
Key	-
Notes	-

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	486
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name **pf14**

Classification

Group	PFS Questionnaire
Sub-Group	PF1
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF1.4
Imputed?	No

Unit of Analysis Interviewee

Question Information

Ques. ID PF1.4
Ques. Text When did this facility open?

Valid Ranges

Unit Year
Min 1990
Max 2003
Key -
Notes missing = -777, don't know = -999

Invalid Ranges

Unit -
Min -
Max -
Key -
Notes -
Undoc Codes -
Universe -

Sum Statistics

Total Responses 485
Mean 1982.1
Mean weighted? -
Weight of Mean -
Stdev. 83.17
Stdev. Weighted? -
Weight of Stdev. -
Text -
Derivation -
Deriv. Des. -
Notes Summary stats are with -999s, -777s, and -666s replaced as missing

Variable Name pf15_X_e

Classification

Group PFS Questionnaire
Sub-Group PF1
Group Type Section

Description

Weight -
Weight Variable -
Format Type str
Decimal -
Interval -
Dataset Label PF1.5_X_e
Imputed? No
Unit of Analysis Interviewee

Question Information

Ques. ID PF1.5
Ques. Text What is this person's name?

Valid Ranges

Unit Text

Min	-
Max	-
Key	-
Notes	Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name **pf16a_X**

Classification

Group	PFS Questionnaire
Sub-Group	PF1
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF1.6A_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF1.6
Ques. Text	In what year was he/she born?

Valid Ranges

Unit	Year (of date)
Min	1912
Max	1980
Key	missing = -777, don't know = -999

Notes Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)

Invalid Ranges

Unit -
Min -
Max -
Key -
Notes -
Undoc Codes -
Universe -

Sum Statistics

Total Responses -
Mean -
Mean weighted? -
Weight of Mean -
Stdev. -
Stdev. Weighted? -
Weight of Stdev. -
Text -
Derivation -
Deriv. Des. -
Notes -

Variable Name pf16b_X

Classification

Group PFS Questionnaire
Sub-Group PF1
Group Type Section

Description

Weight -
Weight Variable -
Format Type int
Decimal 0
Interval discrete
Dataset Label PF1.6B_X
Imputed? No
Unit of Analysis Interviewee

Question Information

Ques. ID PF1.6
Ques. Text What age is he/she?

Valid Ranges

Unit Years (of age)
Min 22
Max 90
Key missing = -777, don't know = -999
Notes Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-
Sum Statistics	
Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name	pf17_X
Classification	
Group	PFS Questionnaire
Sub-Group	PF1
Group Type	Section
Description	
Weight	-
Weight Variable	-
Format Type	byte
Decimal	0
Interval	discrete
Dataset Label	PF1.7_X
Imputed?	No
Unit of Analysis	Interviewee
Question Information	
Ques. ID	PF1.7
Ques. Text	What is this person's gender?
Valid Ranges	
Unit	Integers
Min	1
Max	2
Key	1=male, 2=female
Notes	Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)
Invalid Ranges	
Unit	-
Min	-
Max	-
Key	-

Notes	-
Undoc Codes	-
Universe	-
Sum Statistics	
Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name	pf18_X
----------------------	---------------

Classification	
-----------------------	--

Group	PFS Questionnaire
Sub-Group	PF1
Group Type	Section

Description	
--------------------	--

Weight	-
Weight Variable	-
Format Type	byte
Decimal	0
Interval	discrete
Dataset Label	PF1.8_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information	
-----------------------------	--

Ques. ID	PF1.8
Ques. Text	Does this person treat patients or assist in the treatment of patients at this facility?

Valid Ranges	
---------------------	--

Unit	Integers
Min	1
Max	2
Key	1=yes, 2=no
Notes	Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)

Invalid Ranges	
-----------------------	--

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf19_y_X**Classification**

Group	PFS Questionnaire
Sub-Group	PF1
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	byte
Decimal	0
Interval	discrete
Dataset Label	PF1.9_Y_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF1.9
Ques. Text	What is the title of this provider in the facility?

Valid Ranges

Unit	Integers
Min	1
Max	2
Key	1=yes, 2=no

Notes

Values for Y: (1=doctor, 2=nurse, 3=compounder, 4=pharmacist, 5=TBA/Dai, 6=Village Health Worker, 7=Community Health Worker, 8=Home Remedy Worker, 9=Traditional Healer/desi ilaj practitioner, 10=Jhaad foonk practitioner, 11=both desi ilaj and jhaad foonk practitioner, 12=other (SPECIFY) ||| Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-

Universe	-
Sum Statistics	
Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name **pf1912s_X_e**

Classification	
Group	PFS Questionnaire
Sub-Group	PF1
Group Type	Section
Description	
Weight	-
Weight Variable	-
Format Type	str
Decimal	-
Interval	-
Dataset Label	PF1.9.12s_X_e
Imputed?	No
Unit of Analysis	Interviewee
Question Information	
Ques. ID	PF1.9
Ques. Text	Other, specify
Valid Ranges	
Unit	Text
Min	-
Max	-
Key	-
Notes	Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)
Invalid Ranges	
Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-
Sum Statistics	
Total Responses	-
Mean	-

Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name **pf110_X**

Classification

Group	PFS Questionnaire
Sub-Group	PF1
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	byte
Decimal	0
Interval	discrete
Dataset Label	PF1.10_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF1.10
Ques. Text	Is this person a main provider in the facility?

Valid Ranges

Unit	Integers
Min	1
Max	2
Key	1=yes, 2=no
Notes	Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-

Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf111_X

Classification

<i>Group</i>	PFS Questionnaire
Sub-Group	PF1
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	byte
Decimal	0
Interval	discrete
Dataset Label	PF1.11_X
Imputed?	No
Unit of Analysis	Interviewer

Question Information

Ques. ID	PF1.11
Ques. Text	INTERVIEWER CHECKPOINT: Does the facility exist whether this main provider is treating patients there or not?

Valid Ranges

Unit	Integers
Min	1
Max	2
Key	1=yes, 2=no
Notes	Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-

Deriv. Des. -
Notes -

Variable Name pf112_X

Classification

Group PFS Questionnaire

Sub-Group PF1

Group Type Section

Description

Weight -

Weight Variable -

Format Type int

Decimal 0

Interval discrete

Dataset Label PF1.12_X

Imputed? No

Unit of Analysis Interviewee

Question Information

Ques. ID PF1.12

Ques. Text In what year did this person start treating patients?

Valid Ranges

Unit Year (of date)

Min 1950

Max 2003

Key missing = -777

Notes Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)

Invalid Ranges

Unit -

Min -

Max -

Key -

Notes -

Undoc Codes -

Universe -

Sum Statistics

Total Responses -

Mean -

Mean weighted? -

Weight of Mean -

Stdev. -

Stdev. Weighted? -

Weight of Stdev. -

Text -

Derivation -

Deriv. Des. -

Notes -

Variable Name	pf113_X
Classification	
Group	PFS Questionnaire
Sub-Group	PF1
Group Type	Section
Description	
Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF1.13_X
Imputed?	No
Unit of Analysis	Interviewee
Question Information	
Ques. ID	PF1.13
Ques. Text	What is the highest education level he/she has achieved?
Valid Ranges	
Unit	Integers
Min	1
Max	17
Key	1=not literate, 2=literate through attending NFEC/AEC, 3=literate through attending TLC, 4=literate through attending others, 5=Class 1, 6=Class 2, 7=Class 3, 8=Class 4, 9=Class 5, 10=Class 6, 11=Class 7, 12=Class 8, 13=Class 9, 14=Class 10, 15=Class 11, 16=Class 12, 17=Graduate and Above
Notes	Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)
Invalid Ranges	
Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-
Sum Statistics	
Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name	pf114Y_X
Classification	
Group	PFS Questionnaire
Sub-Group	PF1
Group Type	Section
Description	
Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF1.14.Y_X
Imputed?	No
Unit of Analysis	Interviewee
Question Information	
Ques. ID	PF1.14
Ques. Text	What medical training did he/she receive (circle all that apply)?
Valid Ranges	
Unit	Integers
Min	1
Max	2
Key	1=yes, 2=no, -777=missing
Notes	Values for Y: (1=no formal qualification, 2=RMP, 3=BAMS, 4=BIMS, 5=BUMS, 6=MBBS, 7=BHMS/DHMS, 8=MBBS+Specialization, 9=ANM, 10=Pharmacists' Course, 11=Seva Mandir Training, 12=Other NGO Training, 13=Government Training, 14=Other) Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)
Invalid Ranges	
Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-
Sum Statistics	
Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf11414s_X_e

Classification	
Group	PFS Questionnaire
Sub-Group	PF1
Group Type	Section
Description	
Weight	-
Weight Variable	-
Format Type	str
Decimal	-
Interval	-
Dataset Label	PF1.14.14s_X_e
Imputed?	No
Unit of Analysis	Interviewee
Question Information	
Ques. ID	PF1.14
Ques. Text	Other, specify
Valid Ranges	
Unit	Text
Min	-
Max	-
Key	-
Notes	Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)
Invalid Ranges	
Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-
Sum Statistics	
Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name p115_X

Classification	
Group	PFS Questionnaire
Sub-Group	PF1

Group Type	Section
Description	
Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF1.15_X
Imputed?	No
Unit of Analysis	Interviewee
Question Information	
Ques. ID	PF1.15
Ques. Text	If he/she has received more than one kind of formal medical training, which training gave him/her the title he/she now holds?
Valid Ranges	
Unit	Integers
Min	1
Max	17
Key	1=no formal qualification, 2=RMP, 3=BAMS, 4=BIMS, 5=BUMS, 6=MBBS, 7=BHMS/DHMS, 8=MBBS+Specialization, 9=ANM, 10=Pharmacists' Course, 11=Seva Mandir Training, 12=Other NGO Training, 13=Government Training, 14=Other...missing = -777
Notes	Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)
Invalid Ranges	
Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-
Sum Statistics	
Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name	pf116_X
Classification	
Group	PFS Questionnaire
Sub-Group	PF1

Group Type Section

Description

Weight -
Weight Variable -
Format Type int
Decimal 0
Interval discrete
Dataset Label PF1.16_X
Imputed? No
Unit of Analysis Interviewee

Question Information

Ques. ID PF1.16
Ques. Text In what year did he/she receive this formal medical training?

Valid Ranges

Unit Year (of date)
Min 1947
Max 2002
Key missing = -777, don't know = -999
Notes Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)

Invalid Ranges

Unit -
Min -
Max -
Key -
Notes -
Undoc Codes -
Universe -

Sum Statistics

Total Responses -
Mean -
Mean weighted? -
Weight of Mean -
Stdev. -
Stdev. Weighted? -
Weight of Stdev. -
Text -
Derivation -
Deriv. Des. -
Notes -

Variable Name pf117a_X

Classification

Group PFS Questionnaire
Sub-Group PF1
Group Type Section

Description

Weight -
Weight Variable -

Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF1.17A_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF1.17
Ques. Text	Where did he/she complete this formal medical training?

Valid Ranges

Unit	Integers
Min	1
Max	2
Key	1=in Udaipur, 2=in other place, specify
Notes	Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf117b_X_e

Classification

Group	PFS Questionnaire
Sub-Group	PF1
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	str
Decimal	-
Interval	-
Dataset Label	PF1.17B_X_e

Imputed? No
Unit of Analysis Interviewee

Question Information

Ques. ID PF1.17
Ques. Text Where did he/she complete this formal medical training? STATE

Valid Ranges

Unit Text
Min -
Max -
Key -
Notes Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)

Invalid Ranges

Unit -
Min -
Max -
Key -
Notes -
Undoc Codes -
Universe -

Sum Statistics

Total Responses -
Mean -
Mean weighted? -
Weight of Mean -
Stdev. -
Stdev. Weighted? -
Weight of Stdev. -
Text -
Derivation -
Deriv. Des. -
Notes -

Variable Name pf117c_X_e

Classification

Group PFS Questionnaire
Sub-Group PF1
Group Type Section

Description

Weight -
Weight Variable -
Format Type str
Decimal -
Interval -
Dataset Label PF1.17C_X
Imputed? No
Unit of Analysis Interviewee

Question Information

Ques. ID PF1.17

Ques. Text	Where did he/she complete this formal medical training? DISTRICT
Valid Ranges	
Unit	Text
Min	-
Max	-
Key	-
Notes	Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf118a_X

Classification

Group	PFS Questionnaire
Sub-Group	PF1
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF1.18A_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF1.18
Ques. Text	What was the duration of this formal medical training? YEAR(S)

Valid Ranges

Unit	Years
Min	0

Max 10
Key missing = -777
Notes Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)

Invalid Ranges

Unit -
Min -
Max -
Key -
Notes -
Undoc Codes -
Universe -

Sum Statistics

Total Responses -
Mean -
Mean weighted? -
Weight of Mean -
Stdev. -
Stdev. Weighted? -
Weight of Stdev. -
Text -
Derivation -
Deriv. Des. -
Notes -

Variable Name pf118b_X

Classification

Group PFS Questionnaire
Sub-Group PF1
Group Type Section

Description

Weight -
Weight Variable -
Format Type int
Decimal 0
Interval discrete
Dataset Label PF1.18B_X
Imputed? No
Unit of Analysis Interviewee

Question Information

Ques. ID PF1.18
Ques. Text What was the duration of this formal medical training? MONTH(S)

Valid Ranges

Unit Months
Min 0
Max 9
Key missing = -777

Notes Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf118c_X

Classification

Group	PFS Questionnaire
Sub-Group	PF1
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF1.18C_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF1.18
Ques. Text	What was the duration of this formal medical training? DAY(S)

Valid Ranges

Unit	Days
Min	0
Max	18
Key	missing = -777
Notes	Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-
Sum Statistics	
Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name	pf119_X
Classification	
Group	PFS Questionnaire
Sub-Group	PF1
Group Type	Section
Description	
Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF1.19_1
Imputed?	No
Unit of Analysis	Interviewee
Question Information	
Ques. ID	PF1.19
Ques. Text	Did he/she obtain training from any other sources?
Valid Ranges	
Unit	Integers
Min	1
Max	2
Key	1=yes, 2=no...missing = -777
Notes	Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)
Invalid Ranges	
Unit	-
Min	-
Max	-
Key	-

Notes	-
Undoc Codes	-
Universe	-
Sum Statistics	
Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name **pf120Y_X**

Classification

Group	PFS Questionnaire
Sub-Group	PF1
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	byte
Decimal	0
Interval	discrete
Dataset Label	PF1.20.Y_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF1.20
Ques. Text	From what sources did she obtain training? (Circle all that apply)

Valid Ranges

Unit	Integers
Min	1
Max	2
Key	1=yes, 2=no

Notes

Values for Y: (1=family member, 2=another provider, 3=trained by working in the area, 4=trained in a hospital, 5=trained in a nursing home, 6=spiritual enlightenment, 7=other, specify) ||||| Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-

Undoc Codes	-
Universe	-
Sum Statistics	
Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf1207s_X_e

Classification	
Group	PFS Questionnaire
Sub-Group	PF1
Group Type	Section

Description	
Weight	-
Weight Variable	-
Format Type	str
Decimal	-
Interval	-
Dataset Label	PF1.20.7s_X_e
Imputed?	No
Unit of Analysis	Interviewee

Question Information	
Ques. ID	PF1.20
Ques. Text	Other, specify

Valid Ranges	
Unit	Text
Min	-
Max	-
Key	-
Notes	Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)

Invalid Ranges	
Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics	
Total Responses	-

Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name **pf121_X**

Classification

Group	PFS Questionnaire
Sub-Group	PF1
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	byte
Decimal	0
Interval	discrete
Dataset Label	PF1.21_X
Imputed?	No
Unit of Analysis	Interviewer

Question Information

Ques. ID	PF1.21
Ques. Text	INTERVIEWER CHECKPOINT: Is the health provider's home residence in the same place as the facility?

Valid Ranges

Unit	Integers
Min	1
Max	2
Key	1=yes, 2=no
Notes	Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-

Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name **pf122a_X_e**

Classification

Group	PFS Questionnaire
Sub-Group	PF1
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	str
Decimal	-
Interval	-
Dataset Label	PF1.22a_X_e
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF1.22
Ques. Text	Where does he/she live? DISTRICT

Valid Ranges

Unit	Text
Min	-
Max	-
Key	-
Notes	Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-

Derivation -
Deriv. Des. -
Notes -

Variable Name pf122b_X_e

Classification

Group PFS Questionnaire

Sub-Group PF1

Group Type Section

Description

Weight -

Weight Variable -

Format Type str

Decimal -

Interval -

Dataset Label PF1.22b_X_e

Imputed? No

Unit of Analysis Interviewee

Question Information

Ques. ID PF1.22

Ques. Text Where does he/she live? BLOCK

Valid Ranges

Unit Text

Min -

Max -

Key -

Notes Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)

Invalid Ranges

Unit -

Min -

Max -

Key -

Notes -

Undoc Codes -

Universe -

Sum Statistics

Total Responses -

Mean -

Mean weighted? -

Weight of Mean -

Stdev. -

Stdev. Weighted? -

Weight of Stdev. -

Text -

Derivation -

Deriv. Des. -

Notes -

Variable Name pf122c_X_e**Classification****Group** PFS Questionnaire**Sub-Group** PF1**Group Type** Section**Description****Weight** -**Weight Variable** -**Format Type** str**Decimal** -**Interval** -**Dataset Label** PF1.22c_X_e**Imputed?** No**Unit of Analysis** Interviewee**Question Information****Ques. ID** PF1.22**Ques. Text** Where does he/she live? VILLAGE**Valid Ranges****Unit** Text**Min** -**Max** -**Key** -**Notes** Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)**Invalid Ranges****Unit** -**Min** -**Max** -**Key** -**Notes** -**Undoc Codes** -**Universe** -**Sum Statistics****Total Responses** -**Mean** -**Mean weighted?** -**Weight of Mean** -**Stdev.** -**Stdev. Weighted?** -**Weight of Stdev.** -**Text** -**Derivation** -**Deriv. Des.** -**Notes** -**Variable Name** pf122d_X_e**Classification****Group** PFS Questionnaire

Sub-Group PF1
Group Type Section

Description

Weight -
Weight Variable -
Format Type str
Decimal -
Interval -
Dataset Label PF1.22d_X_e
Imputed? No
Unit of Analysis Interviewee

Question Information

Ques. ID PF1.22
Ques. Text Where does he/she live? HAMLET

Valid Ranges

Unit Text
Min -
Max -
Key -
Notes Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)

Invalid Ranges

Unit -
Min -
Max -
Key -
Notes -
Undoc Codes -
Universe -

Sum Statistics

Total Responses -
Mean -
Mean weighted? -
Weight of Mean -
Stdev. -
Stdev. Weighted? -
Weight of Stdev. -
Text -
Derivation -
Deriv. Des. -
Notes -

Variable Name pf123_X

Classification

Group PFS Questionnaire
Sub-Group PF1
Group Type Section

Description

Weight -

Weight Variable	-
Format Type	float
Decimal	0
Interval	discrete
Dataset Label	PF1.23_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF1.23
Ques. Text	How far is this place where he/she lives from the facility?

Valid Ranges

Unit	Kilometers (km)
Min	0
Max	50
Key	-
Notes	Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf124_X

Classification

Group	PFS Questionnaire
Sub-Group	PF1
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete

Dataset Label PF1.24_X
 Imputed? No
 Unit of Analysis Interviewee

Question Information

Ques. ID PF1.24
 Ques. Text How does he/she usually travel from this place to the facility?

Valid Ranges

Unit Integers
 Min 1
 Max 4
 Key 1=foot, 2=bus, 3=common jeep, 4=other, specify
 Notes Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)

Invalid Ranges

Unit -
 Min -
 Max -
 Key -
 Notes -
 Undoc Codes -
 Universe -

Sum Statistics

Total Responses -
 Mean -
 Mean weighted? -
 Weight of Mean -
 Stdev. -
 Stdev. Weighted? -
 Weight of Stdev. -
 Text -
 Derivation -
 Deriv. Des. -
 Notes -

Variable Name pf1244s_X_e

Classification

Group PFS Questionnaire
 Sub-Group PF1
 Group Type Section

Description

Weight -
 Weight Variable -
 Format Type str
 Decimal -
 Interval -
 Dataset Label PF1.24.4s_X_e
 Imputed? No
 Unit of Analysis Interviewee

Question Information

Ques. ID	PF1.24
Ques. Text	Other, specify
Valid Ranges	
Unit	Text
Min	-
Max	-
Key	-
Notes	Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1

Invalid Ranges	
Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics	
Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name	pf125a_X
----------------------	-----------------

Classification	
-----------------------	--

Group	PFS Questionnaire
--------------	-------------------

Sub-Group	PF1
------------------	-----

Group Type	Section
-------------------	---------

Description	
--------------------	--

Weight	-
---------------	---

Weight Variable	-
------------------------	---

Format Type	int
--------------------	-----

Decimal	0
----------------	---

Interval	discrete
-----------------	----------

Dataset Label	PF1.25A_X
----------------------	-----------

Imputed?	No
-----------------	----

Unit of Analysis	Interviewee
-------------------------	-------------

Question Information	
-----------------------------	--

Ques. ID	PF1.25
-----------------	--------

Ques. Text	How long does it take to travel from this place to the facility? HOURS
-------------------	--

Valid Ranges	
---------------------	--

Unit	Hours
-------------	-------

Min	0
Max	1
Key	-
Notes	Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf125b_X

Classification

Group	PFS Questionnaire
Sub-Group	PF1
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF1.25B_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF1.25
Ques. Text	How long does it take to travel from this place to the facility? MINUTES

Valid Ranges

Unit	Minutes
Min	0
Max	45
Key	-

Notes Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)

Invalid Ranges

Unit -
Min -
Max -
Key -
Notes -
Undoc Codes -
Universe -

Sum Statistics

Total Responses -
Mean -
Mean weighted? -
Weight of Mean -
Stdev. -
Stdev. Weighted? -
Weight of Stdev. -
Text -
Derivation -
Deriv. Des. -
Notes -

Variable Name pf126_X

Classification

Group PFS Questionnaire
Sub-Group PF1
Group Type Section

Description

Weight -
Weight Variable -
Format Type int
Decimal 0
Interval discrete
Dataset Label PF1.26_X
Imputed? No
Unit of Analysis Interviewee

Question Information

Ques. ID PF1.26
Ques. Text How much does it cost to travel from this place to the facility?

Valid Ranges

Unit Rupees
Min 0
Max 50
Key -

Notes Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-
Sum Statistics	
Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf127a_X_e

Classification

Group	PFS Questionnaire
Sub-Group	PF1
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	str
Decimal	-
Interval	-
Dataset Label	PF1.27A_X_e
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF1.27
Ques. Text	Where was he/she born? STATE

Valid Ranges

Unit	Text
Min	-
Max	-
Key	-
Notes	Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-

Notes	-
Undoc Codes	-
Universe	-
Sum Statistics	
Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name **pf127b_X_e**

Classification

Group	PFS Questionnaire
Sub-Group	PF1
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	str
Decimal	-
Interval	-
Dataset Label	PF1.27B_X_e
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF1.27
Ques. Text	Where was he/she born? DISTRICT

Valid Ranges

Unit	Text
Min	-
Max	-
Key	-
Notes	Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf127c_X_e

Classification

Group	PFS Questionnaire
Sub-Group	PF1
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	str
Decimal	-
Interval	-
Dataset Label	PF1.27C_X_e
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF1.27
Ques. Text	Where was he/she born? BLOCK

Valid Ranges

Unit	Text
Min	-
Max	-
Key	-
Notes	Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-

Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name **pf127d_X_e**

Classification

Group	PFS Questionnaire
Sub-Group	PF1
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	str
Decimal	-
Interval	-
Dataset Label	PF1.27D_X_e
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF1.27
Ques. Text	Where was he/she born? VILLAGE

Valid Ranges

Unit	Text
Min	-
Max	-
Key	-
Notes	Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-

Derivation -
Deriv. Des. -
Notes -

Variable Name pf128_X

Classification

Group PFS Questionnaire

Sub-Group PF1

Group Type Section

Description

Weight -

Weight Variable -

Format Type int

Decimal 0

Interval discrete

Dataset Label PF1.28_X

Imputed? No

Unit of Analysis Interviewer

Question Information

Ques. ID PF1.28

Ques. Text INTERVIEWER CHECKPOINT: Was he/she born in a different district or state from where he/she lives now?

Valid Ranges

Unit Integers

Min 1

Max 2

Key 1=yes, 2=no

Notes Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)

Invalid Ranges

Unit -

Min -

Max -

Key -

Notes -

Undoc Codes -

Universe -

Sum Statistics

Total Responses -

Mean -

Mean weighted? -

Weight of Mean -

Stdev. -

Stdev. Weighted? -

Weight of Stdev. -

Text -

Derivation -

Deriv. Des. -

Notes -

Variable Name pf129_X

Classification	
Group	PFS Questionnaire
Sub-Group	PF1
Group Type	Section
Description	
Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF1.29_X
Imputed?	No
Unit of Analysis	Interviewee
Question Information	
Ques. ID	PF1.29
Ques. Text	Did he/she always live in this district?
Valid Ranges	
Unit	Integers
Min	1
Max	2
Key	1=yes, 2=no
Notes	Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)
Invalid Ranges	
Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-
Sum Statistics	
Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf130_X

Classification

Group	PFS Questionnaire
Sub-Group	PF1
Group Type	Section
Description	
Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF1.30_X
Imputed?	No
Unit of Analysis	Interviewee
Question Information	
Ques. ID	PF1.30
Ques. Text	In what year did he/she move in this district?
Valid Ranges	
Unit	Year (of date)
Min	1944
Max	2003
Key	missing = -777
Notes	Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)
Invalid Ranges	
Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-
Sum Statistics	
Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name	pf131_X
Classification	
Group	PFS Questionnaire
Sub-Group	PF1
Group Type	Section
Description	

Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF1.31_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF1.31
Ques. Text	Does he/she have another professional occupation, besides treating patients?

Valid Ranges

Unit	Integers
Min	1
Max	2
Key	1=yes, 2=no
Notes	Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name **pf132Y_X**

Classification

Group	PFS Questionnaire
Sub-Group	PF1
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	int

Decimal	0
Interval	discrete
Dataset Label	PF1.32.Y_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF1.32
Ques. Text	What is this other professional occupation

Valid Ranges

Unit	Integers
Min	1
Max	2
Key	1=yes, 2=no
Notes	

Values for Y: (1=self-employed in non-agriculture, 2=self-employed in agriculture, 3=rural labor, 4=wage/salary earners, private sector, 5=wage/salary earner, NGO, 6=casual labor, 7=other) |||| Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf1327s_X_e

Classification

Group	PFS Questionnaire
Sub-Group	PF1
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	str
Decimal	-

Interval -
Dataset Label PF.1237s_1_e
Imputed? No
Unit of Analysis Interviewee

Question Information

Ques. ID PF1.32
Ques. Text Other, specify

Valid Ranges

Unit Text
Min -
Max -
Key -
Notes Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)

Invalid Ranges

Unit -
Min -
Max -
Key -
Notes -
Undoc Codes -
Universe -

Sum Statistics

Total Responses -
Mean -
Mean weighted? -
Weight of Mean -
Stdev. -
Stdev. Weighted? -
Weight of Stdev. -
Text -
Derivation -
Deriv. Des. -
Notes -

Variable Name pf133_X

Classification

Group PFS Questionnaire
Sub-Group PF1
Group Type Section

Description

Weight -
Weight Variable -
Format Type int
Decimal 0
Interval discrete
Dataset Label PF1.33_X
Imputed? No
Unit of Analysis Interviewee

Question Information

Ques. ID PF1.33
Ques. Text Does he/she treat patients at any other location?

Valid Ranges

Unit Integers
Min 1
Max 2
Key 1=yes, 2=no, missing = -777
Notes Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)

Invalid Ranges

Unit -
Min -
Max -
Key -
Notes -
Undoc Codes -
Universe -

Sum Statistics

Total Responses -
Mean -
Mean weighted? -
Weight of Mean -
Stdev. -
Stdev. Weighted? -
Weight of Stdev. -
Text -
Derivation -
Deriv. Des. -
Notes -

Variable Name pf134Y_X

Classification

Group PFS Questionnaire
Sub-Group PF1
Group Type Section

Description

Weight -
Weight Variable -
Format Type int
Decimal 0
Interval discrete
Dataset Label PF1.34.Y_X
Imputed? No
Unit of Analysis Interviewee

Question Information

Ques. ID PF1.34
Ques. Text At what other facility type does he/she treat patients?

Valid Ranges

Unit	Integers
Min	1
Max	2
Key	1=yes, 2=no
Notes	

Values for Y: (1=government hospital, 2=government PHC/CHC, 3=government subcentre, 4=anganwadi, 5=private hospital, 6=private clinic, 7=NGO hospital or clinic, 8=other) ||||| Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf1348s_X_e

Classification

Group	PFS Questionnaire
Sub-Group	PF1
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	str
Decimal	-
Interval	-
Dataset Label	PF1.348s_X_e
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF1.34
Ques. Text	Other, specify

Valid Ranges

Unit	Text
-------------	------

Min	-
Max	-
Key	-
Notes	Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf135a_X_e

Classification

Group	PFS Questionnaire
Sub-Group	PF1
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	str
Decimal	-
Interval	-
Dataset Label	PF1.35a_X_e
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF1.35
Ques. Text	Location of this facility DISTRICT

Valid Ranges

Unit	Text
Min	-
Max	-
Key	-

Notes Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)

Invalid Ranges

Unit -
 Min -
 Max -
 Key -
 Notes -
 Undoc Codes -
 Universe -

Sum Statistics

Total Responses -
 Mean -
 Mean weighted? -
 Weight of Mean -
 Stdev. -
 Stdev. Weighted? -
 Weight of Stdev. -
 Text -
 Derivation -
 Deriv. Des. -
 Notes -

Variable Name pf135b_X_e

Classification

Group PFS Questionnaire
 Sub-Group PF1
 Group Type Section

Description

Weight -
 Weight Variable -
 Format Type str
 Decimal -
 Interval -
 Dataset Label PF1.35b_X_e
 Imputed? No
 Unit of Analysis Interviewee

Question Information

Ques. ID PF1.35
 Ques. Text Location of this facility BLOCK

Valid Ranges

Unit Text
 Min -
 Max -
 Key -

Notes Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-
Sum Statistics	
Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name	pf135c_X_e
Classification	
Group	PFS Questionnaire
Sub-Group	PF1
Group Type	Section
Description	
Weight	-
Weight Variable	-
Format Type	str
Decimal	-
Interval	-
Dataset Label	PF1.35c_X_e
Imputed?	No
Unit of Analysis	Interviewee
Question Information	
Ques. ID	PF1.35
Ques. Text	Location of this facility VILLAGE
Valid Ranges	
Unit	Text
Min	-
Max	-
Key	-
Notes	Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)
Invalid Ranges	
Unit	-
Min	-
Max	-
Key	-

Notes	-
Undoc Codes	-
Universe	-
Sum Statistics	
Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf136_X

Classification

Group	PFS Questionnaire
Sub-Group	PF1
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	byte
Decimal	0
Interval	discrete
Dataset Label	PF1.36_X
Imputed?	No
Unit of Analysis	Interviewer

Question Information

Ques. ID	PF1.36
Ques. Text	INTERVIEWER CHECKPOINT: Is there anyone else working in the facility?

Valid Ranges

Unit	Integers
Min	1
Max	2
Key	1=yes, 2=no
Notes	Values for X: X corresponds to the person answering the question for section PF1 (all people present at facility were interviewed, this number is consistent for a given respondent across PF1)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf21_X**Classification**

Group	PFS Questionnaire
Sub-Group	PF2
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	dicrete
Dataset Label	PF2.1_X
Imputed?	No
Unit of Analysis	Interviewer

Question Information

Ques. ID	PF2.1
Ques. Text	INTERVIEWER CHECKPOINT: Is the respondent a Dai or Tba?

Valid Ranges

Unit	Integers
Min	1
Max	2
Key	1=yes, 2=no

Notes

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-

Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf22_X

Classification

Group	PFS Questionnaire
Sub-Group	PF2
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF2.2_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF2.2
Ques. Text	On average, how many days per week do you see patients (including village or home visits)?

Valid Ranges

Unit	Days
Min	0
Max	8
Key	missing = -777
Notes	

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-

Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf23_X

Classification

<i>Group</i>	PFS Questionnaire
Sub-Group	PF2
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF2.3_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF2.3
Ques. Text	On the average day when you are seeing patients, how many hours do you see patients (including village or home visits)?

Valid Ranges

Unit	Hours
Min	0
Max	24
Key	missing = -777, don't know = -999
Notes	

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-

Deriv. Des. -
Notes -

Variable Name pf24a_X

Classification

Group PFS Questionnaire
Sub-Group PF2
Group Type Section

Description

Weight -
Weight Variable -
Format Type int
Decimal 0
Interval discrete
Dataset Label PF2.4A_X
Imputed? No
Unit of Analysis Interviewee

Question Information

Ques. ID PF2.4
Ques. Text On average, how many patients do you see in one week, month, or year? No. OF PATIENTS

Valid Ranges

Unit Number of Patients per ____ (see next question for unit)
Min 0
Max 2000
Key missing = -777

Notes

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit -
Min -
Max -
Key -
Notes -
Undoc Codes -
Universe -

Sum Statistics

Total Responses -
Mean -
Mean weighted? -
Weight of Mean -
Stdev. -
Stdev. Weighted? -
Weight of Stdev. -
Text -
Derivation -
Deriv. Des. -
Notes -

Variable Name pf24b_X**Classification****Group** PFS Questionnaire**Sub-Group** PF2**Group Type** Section**Description****Weight** -**Weight Variable** -**Format Type** int**Decimal** 0**Interval** discrete**Dataset Label** PF2.4B_X**Imputed?** No**Unit of Analysis** Interviewee**Question Information****Ques. ID** PF2.4**Ques. Text** On average, how many patients do you see in one week, month, or year?
TIME INTERVAL**Valid Ranges****Unit** Integers**Min** 1**Max** 3**Key** 1=year, 2=month, 3=week...missing = -777**Notes**

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges**Unit** -**Min** -**Max** -**Key** -**Notes** -**Undoc Codes** -**Universe** -**Sum Statistics****Total Responses** -**Mean** -**Mean weighted?** -**Weight of Mean** -**Stdev.** -**Stdev. Weighted?** -**Weight of Stdev.** -**Text** -**Derivation** -**Deriv. Des.** -**Notes** -**Variable Name** pf25_X**Classification**

Group	PFS Questionnaire
Sub-Group	PF2
Group Type	Section
Description	
Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF2.5_X
Imputed?	No
Unit of Analysis	Interviewee
Question Information	
Ques. ID	PF2.5
Ques. Text	Do you visit patients in villages other than the one in which you have your primary location?
Valid Ranges	
Unit	Integers
Min	1
Max	2
Key	1=yes, 2=no...missing = -777
Notes	Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)
Invalid Ranges	
Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-
Sum Statistics	
Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name	pf26_X
Classification	
Group	PFS Questionnaire
Sub-Group	PF2
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	byte
Decimal	0
Interval	discrete
Dataset Label	PF2.6_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF2.6
Ques. Text	Do you visit patients in other villages at regular time intervals, on call, or both?

Valid Ranges

Unit	Integers
Min	1
Max	3
Key	1=at regular intervals, 2=on call, 3=both
Notes	Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name	pf27_X
----------------------	---------------

Classification

Group	PFS Questionnaire
Sub-Group	PF2
Group Type	Section

Description

Weight	-
Weight Variable	-

Format Type	byte
Decimal	0
Interval	discrete
Dataset Label	PF2.7_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF2.7
Ques. Text	In the last month, how many times did you visit a patient in a village other than the one in which you have your primary location?

Valid Ranges

Unit	Number of visits
Min	0
Max	20
Key	-
Notes	

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf28Ya_Xe

Classification

Group	PFS Questionnaire
Sub-Group	PF2
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	str
Decimal	-
Interval	-

Dataset Label PF2.8.YA_X.e
Imputed? No
Unit of Analysis Interviewee

Question Information

Ques. ID PF2.8
Ques. Text What are the names of the villages you visited in the last month?

Valid Ranges

Unit Text
Min -
Max -
Key -
Notes Values for Y:(Each Y corresponds to one village of the last 10 villages visited by respondent...villages 1 to 10) ||||| Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit -
Min -
Max -
Key -
Notes -
Undoc Codes -
Universe -

Sum Statistics

Total Responses -
Mean -
Mean weighted? -
Weight of Mean -
Stdev. -
Stdev. Weighted? -
Weight of Stdev. -
Text -
Derivation -
Deriv. Des. -
Notes -

Variable Name pf28Yb_X

Classification

Group PFS Questionnaire
Sub-Group PF2
Group Type Section

Description

Weight -
Weight Variable -
Format Type int
Decimal 0
Interval discrete
Dataset Label PF2.2.YB_X
Imputed? No
Unit of Analysis Interviewee

Question Information

Ques. ID PF2.8
Ques. Text How far are they from the village where you have your primary location?

Valid Ranges

Unit Integers
Min 1
Max 3
Key 1=(0-5 km away), 2=(5-10 km away), 3=(10+ km away)
Notes Values for Y:(Each Y corresponds to one village of the last 10 villages visited by respondent...villages 1 to 10) ||||| Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit -
Min -
Max -
Key -
Notes -
Undoc Codes -
Universe -

Sum Statistics

Total Responses -
Mean -
Mean weighted? -
Weight of Mean -
Stdev. -
Stdev. Weighted? -
Weight of Stdev. -
Text -
Derivation -
Deriv. Des. -
Notes -

Variable Name pf29_X

Classification

Group PFS Questionnaire
Sub-Group PF2
Group Type Section

Description

Weight -
Weight Variable -
Format Type int
Decimal 0
Interval discrete
Dataset Label PF2.9_X
Imputed? No
Unit of Analysis Interviewee

Question Information

Ques. ID PF2.9
Ques. Text Do you visit patients in their homes?

Valid Ranges

Unit	Integers
Min	1
Max	2
Key	1=yes, 2=no
Notes	

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf210_X**Classification**

Group	PFS Questionnaire
Sub-Group	PF2
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF2.10_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF2.10
Ques. Text	In the last month, how many times did you visit a patient in their home (including visits in this village and in other villages)?

Valid Ranges

Unit	Number of visits
Min	0

Max 150
Key missing = -777
Notes

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit -
Min -
Max -
Key -
Notes -
Undoc Codes -
Universe -

Sum Statistics

Total Responses -
Mean -
Mean weighted? -
Weight of Mean -
Stdev. -
Stdev. Weighted? -
Weight of Stdev. -
Text -
Derivation -
Deriv. Des. -
Notes -

Variable Name pf211_X

Classification

Group PFS Questionnaire
Sub-Group PF2
Group Type Section

Description

Weight -
Weight Variable -
Format Type int
Decimal 0
Interval discrete
Dataset Label PF2.11_X
Imputed? No
Unit of Analysis Interviewer

Question Information

Ques. ID PF2.11
Ques. Text INTERVIEWER CHECKPOINT: Is the respondent an HRW, Bhopa, or someone who practices traditional medicine or Jhaad Foonk?

Valid Ranges

Unit Integers
Min 1
Max 2
Key 1=yes, 2=no...missing = -777

Notes

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf212_X**Classification**

Group	PFS Questionnaire
Sub-Group	PF2
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF2.12_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF2.12
Ques. Text	Do people bring offerings to you when they consult you about health and other problems?

Valid Ranges

Unit	Integers
Min	1
Max	2
Key	1=yes, 2=no
Notes	

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf213Y_X**Classification**

Group	PFS Questionnaire
Sub-Group	PF2
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	byte
Decimal	0
Interval	discrete
Dataset Label	PF2.13.Y_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF2.13
Ques. Text	What kind of offerings do people usually bring you and how many times were you offered these items last month (circle all that apply)?

Valid Ranges

Unit	Number of times item Y was brought to you in last month
Min	0
Max	2000
Key	missing = -777
Notes	Values for Y: (1=anaj/mitthai, 2=chicken, 3=goat, 4=wine, 5=coconut and incense, 6=cash, 7-other, specify) Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit	-
------	---

Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf214_X

Classification

Group	PFS Questionnaire
Sub-Group	PF2
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF2.14_X
Imputed?	No
Unit of Analysis	Interviewer

Question Information

Ques. ID	PF2.14
Ques. Text	INTERVIEWER CHECKPOINT: Is the respondent a Dai or Tba?

Valid Ranges

Unit	Integers
Min	1
Max	2
Key	1=yes, 2=no
Notes	

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-

Undoc Codes	-
Universe	-
Sum Statistics	
Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf215_X

Classification	
Group	PFS Questionnaire
Sub-Group	PF2
Group Type	Section
Description	
Weight	-
Weight Variable	-
Format Type	byte
Decimal	0
Interval	discrete
Dataset Label	PF2.14_X
Imputed?	No
Unit of Analysis	Interviewee
Question Information	
Ques. ID	PF2.15
Ques. Text	Do your normal fees for delivery depend on the economic status of the patient?
Valid Ranges	
Unit	Integers
Min	1
Max	2
Key	1=yes, 2=no
Notes	Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)
Invalid Ranges	
Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-
Sum Statistics	

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name **pf216a_X**

Classification

Group	PFS Questionnaire
Sub-Group	PF2
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF2.16A_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF2.16
Ques. Text	What are your normal fees for a delivery? POOR ADULT MIN

Valid Ranges

Unit	Rupees
Min	0
Max	200
Key	don't know = -999, missing = -777

Notes

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-

Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name **pf216b_X**

Classification

Group	PFS Questionnaire
Sub-Group	PF2
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF2.16B_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF2.16
Ques. Text	What are your normal fees for a delivery? POOR ADULT MAX

Valid Ranges

Unit	Rupees
Min	0
Max	250
Key	don't know = -999, missing = -777
Notes	

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-

Derivation -
Deriv. Des. -
Notes -

Variable Name pf216c_X

Classification

Group PFS Questionnaire
Sub-Group PF2
Group Type Section

Description

Weight -
Weight Variable -
Format Type int
Decimal 0
Interval discrete
Dataset Label PF2.16C_X
Imputed? No
Unit of Analysis Interviewee

Question Information

Ques. ID PF2.16
Ques. Text What are your normal fees for a delivery? NON-POOR ADULT MIN

Valid Ranges

Unit Rupees
Min 0
Max 200
Key don't know = -999, missing = -777

Notes

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit -
Min -
Max -
Key -
Notes -
Undoc Codes -
Universe -

Sum Statistics

Total Responses -
Mean -
Mean weighted? -
Weight of Mean -
Stdev. -
Stdev. Weighted? -
Weight of Stdev. -
Text -
Derivation -
Deriv. Des. -
Notes -

Variable Name pf216d_X**Classification****Group** PFS Questionnaire**Sub-Group** PF2**Group Type** Section**Description****Weight** -**Weight Variable** -**Format Type** int**Decimal** 0**Interval** discrete**Dataset Label** PF2.16D_X**Imputed?** No**Unit of Analysis** Interviewee**Question Information****Ques. ID** PF2.16**Ques. Text** What are your normal fees for a delivery? NON-POOR ADULT MAX**Valid Ranges****Unit** Rupees**Min** 0**Max** 300**Key** don't know = -999, missing = -777**Notes**

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges**Unit** -**Min** -**Max** -**Key** -**Notes** -**Undoc Codes** -**Universe** -**Sum Statistics****Total Responses** -**Mean** -**Mean weighted?** -**Weight of Mean** -**Stdev.** -**Stdev. Weighted?** -**Weight of Stdev.** -**Text** -**Derivation** -**Deriv. Des.** -**Notes** -**Variable Name** pf217_X**Classification****Group** PFS Questionnaire

Sub-Group	PF2
Group Type	Section
Description	
Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF2.17_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF2.17
Ques. Text	Is the compensation you receive for a delivery usually in cash or in kind?

Valid Ranges

Unit	Integers
Min	1
Max	3
Key	1=cash, 2=in kind, 3=both in cash and in kind...missing = -777
Notes	

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf218_X

Classification

Group	PFS Questionnaire
Sub-Group	PF2
Group Type	Section

Description

Weight	-
--------	---

Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF2.18_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF2.18
Ques. Text	Do your normal fees for delivery depend on the gender of the baby?

Valid Ranges

Unit	Integers
Min	1
Max	2
Key	1=yes, 2=no...missing = -777
Notes	

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf219_X

Classification

Group	PFS Questionnaire
Sub-Group	PF2
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete

Dataset Label PF2.19_X
Imputed? No
Unit of Analysis Interviewee

Question Information

Ques. ID PF2.19
Ques. Text

Do you provide any healthcare for any medical condition, in addition to performing deliveries (like prenatal care, post natal care, or health problems)?

Valid Ranges

Unit Integers
Min 1
Max 2
Key 1=yes, 2=no
Notes

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit -
Min -
Max -
Key -
Notes -
Undoc Codes -
Universe -

Sum Statistics

Total Responses -
Mean -
Mean weighted? -
Weight of Mean -
Stdev. -
Stdev. Weighted? -
Weight of Stdev. -
Text -
Derivation -
Deriv. Des. -
Notes -

Variable Name pf220_X

Classification

Group PFS Questionnaire
Sub-Group PF2
Group Type Section

Description

Weight -
Weight Variable -
Format Type int
Decimal 0
Interval discrete
Dataset Label PF2.20_X
Imputed? No

Unit of Analysis Interviewee

Question Information

Ques. ID PF2.20

Ques. Text Do you charge any fees for consultation about and/or treatment of health and other problems?

Valid Ranges

Unit Integers

Min 1

Max 2

Key 1=yes, 2=no

Notes

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit -

Min -

Max -

Key -

Notes -

Undoc Codes -

Universe -

Sum Statistics

Total Responses -

Mean -

Mean weighted? -

Weight of Mean -

Stdev. -

Stdev. Weighted? -

Weight of Stdev. -

Text -

Derivation -

Deriv. Des. -

Notes -

Variable Name pf221_X

Classification

Group PFS Questionnaire

Sub-Group PF2

Group Type Section

Description

Weight -

Weight Variable -

Format Type byte

Decimal 0

Interval discrete

Dataset Label PF2.21_X

Imputed? No

Unit of Analysis Interviewee

Question Information

Ques. ID PF2.21

Ques. Text Do your normal fees for consultation and/or treatment vary depending on the age of your patient?

Valid Ranges

Unit Integers
Min 1
Max 2
Key 1=yes, 2=no
Notes

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit -
Min -
Max -
Key -
Notes -
Undoc Codes -
Universe -

Sum Statistics

Total Responses -
Mean -
Mean weighted? -
Weight of Mean -
Stdev. -
Stdev. Weighted? -
Weight of Stdev. -
Text -
Derivation -
Deriv. Des. -
Notes -

Variable Name pf222_X

Classification

Group PFS Questionnaire
Sub-Group PF2
Group Type Section

Description

Weight -
Weight Variable -
Format Type byte
Decimal 0
Interval discrete
Dataset Label PF2.22_X
Imputed? No
Unit of Analysis Interviewee

Question Information

Ques. ID PF2.22
Ques. Text Do your normal fees for consultation and/or treatment vary depending on the economic status of your patient?

Valid Ranges

Unit	Integers
Min	1
Max	2
Key	1=yes, 2=no
Notes	

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf223a_X

Classification

Group	PFS Questionnaire
Sub-Group	PF2
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	byte
Decimal	0
Interval	discrete
Dataset Label	PF2.23A_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF2.23
Ques. Text	What are your normal fees for a consultation only, excluding medication, treatment, operation or other intervention for an adult patient? POOR ADULT MIN

Valid Ranges

Unit	Rupees
Min	0

Max 100
 Key -
 Notes

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit -
 Min -
 Max -
 Key -
 Notes -
 Undoc Codes -
 Universe -

Sum Statistics

Total Responses -
 Mean -
 Mean weighted? -
 Weight of Mean -
 Stdev. -
 Stdev. Weighted? -
 Weight of Stdev. -
 Text -
 Derivation -
 Deriv. Des. -
 Notes -

Variable Name pf223b_X

Classification

Group PFS Questionnaire
Sub-Group PF2
Group Type Section

Description

Weight -
Weight Variable -
Format Type int
Decimal 0
Interval discrete
Dataset Label PF2.23B_X
Imputed? No
Unit of Analysis Interviewee

Question Information

Ques. ID PF2.23
Ques. Text What are your normal fees for a consultation only, excluding medication, treatment, operation or other intervention for an adult patient? POOR ADULT MAX

Valid Ranges

Unit Rupees
Min 0
Max 500
Key -

Notes

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf223c_X**Classification**

Group	PFS Questionnaire
Sub-Group	PF2
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	byte
Decimal	0
Interval	discrete
Dataset Label	PF2.23C_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF2.23
Ques. Text	What are your normal fees for a consultation only, excluding medication, treatment, operation or other intervention for an adult patient? NON-POOR ADULT MIN

Valid Ranges

Unit	Rupees
Min	0
Max	100
Key	-

Notes

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf223d_X**Classification**

Group	PFS Questionnaire
Sub-Group	PF2
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF2.23D_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF2.23
Ques. Text	What are your normal fees for a consultation only, excluding medication, treatment, operation or other intervention for an adult patient? NON-POOR ADULT MAX

Valid Ranges

Unit	Rupees
Min	0
Max	500
Key	-

Notes

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf224_X**Classification**

Group	PFS Questionnaire
Sub-Group	PF2
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF2.24_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF2.24
Ques. Text	Do you give injections?

Valid Ranges

Unit	Integers
Min	1
Max	2
Key	1=yes, 2=no...missing = -777
Notes	

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-
Sum Statistics	
Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf225a_X

Classification

Group	PFS Questionnaire
Sub-Group	PF2
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF2.25A_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF2.25
Ques. Text	How much do you charge for an injection given to an adult patient? POOR ADULT MIN

Valid Ranges

Unit	Rupees
Min	0
Max	50
Key	-
Notes	

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit	-
Min	-
Max	-

Key -
 Notes -
 Undoc Codes -
 Universe -

Sum Statistics

Total Responses -
 Mean -
 Mean weighted? -
 Weight of Mean -
 Stdev. -
 Stdev. Weighted? -
 Weight of Stdev. -
 Text -
 Derivation -
 Deriv. Des. -
 Notes -

Variable Name pf225b_X

Classification

Group PFS Questionnaire
Sub-Group PF2
Group Type Section

Description

Weight -
Weight Variable -
Format Type int
Decimal 0
Interval discrete
Dataset Label PF2.25B_X
Imputed? No
Unit of Analysis Interviewee

Question Information

Ques. ID PF2.25
Ques. Text How much do you charge for an injection given to an adult patient? POOR
 ADULT MAX

Valid Ranges

Unit Rupees
Min 0
Max 100
Key -
Notes

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit -
Min -
Max -
Key -
Notes -
Undoc Codes -

Universe	-
Sum Statistics	
Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name **pf225c_X**

Classification	
Group	PFS Questionnaire
Sub-Group	PF2
Group Type	Section
Description	
Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF2.25C_X
Imputed?	No
Unit of Analysis	Interviewee
Question Information	
Ques. ID	PF2.25
Ques. Text	How much do you charge for an injection given to an adult patient? NON-POOR ADULT MIN
Valid Ranges	
Unit	Rupees
Min	0
Max	50
Key	-
Notes	Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)
Invalid Ranges	
Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-
Sum Statistics	
Total Responses	-

Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf225d_X

Classification

Group	PFS Questionnaire
Sub-Group	PF2
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF2.25D_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF2.25
Ques. Text	How much do you charge for an injection given to an adult patient? NON-POOR ADULT MAX

Valid Ranges

Unit	Rupees
Min	0
Max	100
Key	-
Notes	

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-

Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf226_X

Classification

Group	PFS Questionnaire
Sub-Group	PF2
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF2.26_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF2.26
Ques. Text	Do you dispense and/or prescribe medicines or jali buti?

Valid Ranges

Unit	Integers
Min	1
Max	2
Key	1=yes, 2=no...missing = -777
Notes	

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-

Derivation -
 Deriv. Des. -
 Notes -

Variable Name pf227Y_X

Classification

Group PFS Questionnaire
Sub-Group PF2
Group Type Section

Description

Weight -
Weight Variable -
Format Type byte
Decimal 0
Interval discrete
Dataset Label PF2.27.Y_X
Imputed? No
Unit of Analysis Interviewee

Question Information

Ques. ID PF2.27
Ques. Text What types of medicines do you dispense or prescribe (circle all that apply)?

Valid Ranges

Unit Integers
Min 1
Max 2
Key 1=yes, 2=no
Notes Values for Y(1=herbs, 2=aryurvedic medicine, 3=allopathic treatment, 4=homeopathic medicine, 5=other, specify) ||||| Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit -
Min -
Max -
Key -
Notes -
Undoc Codes -
Universe -

Sum Statistics

Total Responses -
Mean -
Mean weighted? -
Weight of Mean -
Stdev. -
Stdev. Weighted? -
Weight of Stdev. -
Text -
Derivation -
Deriv. Des. -

Notes

-

Variable Name pf2275s_Xe

Classification

Group PFS Questionnaire

Sub-Group PF2

Group Type Section

Description

Weight -

Weight Variable -

Format Type str

Decimal -

Interval -

Dataset Label PF2.27.5s_X.e

Imputed? No

Unit of Analysis Interviewee

Question Information

Ques. ID PF2.27

Ques. Text Other, specify

Valid Ranges

Unit Text

Min -

Max -

Key -

Notes

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit -

Min -

Max -

Key -

Notes -

Undoc Codes -

Universe -

Sum Statistics

Total Responses

Mean

Mean weighted?

Weight of Mean

Stdev.

Stdev. Weighted?

Weight of Stdev.

Text

Derivation

Deriv. Des.

Notes

Variable Name pf228a_X

Classification

Group	PFS Questionnaire
Sub-Group	PF2
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF2.28A_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF2.28
Ques. Text	How much do you usually charge for medicine (total medicine given in a consultation)? POOR ADULT MIN

Valid Ranges

Unit	Rupees
Min	0
Max	500
Key	don't know = -999, missing = -777
Notes	

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name	pf228b_X
----------------------	-----------------

Classification

Group	PFS Questionnaire
Sub-Group	PF2

Group Type Section

Description

Weight -
Weight Variable -
Format Type int
Decimal 0
Interval discrete
Dataset Label PF2.28B_X
Imputed? No
Unit of Analysis Interviewee

Question Information

Ques. ID PF2.28
Ques. Text How much do you usually charge for medicine (total medicine given in a consultation)? POOR ADULT MAX

Valid Ranges

Unit Rupees
Min 0
Max 1000
Key don't know = -999, missing = -777

Notes

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit -
Min -
Max -
Key -
Notes -
Undoc Codes -
Universe -

Sum Statistics

Total Responses -
Mean -
Mean weighted? -
Weight of Mean -
Stdev. -
Stdev. Weighted? -
Weight of Stdev. -
Text -
Derivation -
Deriv. Des. -
Notes -

Variable Name pf228c_X

Classification

Group PFS Questionnaire
Sub-Group PF2
Group Type Section

Description

Weight -

Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF2.28C_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF2.28
Ques. Text	How much do you usually charge for medicine (total medicine given in a consultation)? NON-POOR ADULT MIN

Valid Ranges

Unit	Rupees
Min	0
Max	500
Key	don't know = -999, missing = -777

Notes

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name **pf228d_X**

Classification

Group	PFS Questionnaire
Sub-Group	PF2
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	int
Decimal	0

Interval	discrete
Dataset Label	PF2.28D_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF2.28
Ques. Text	How much do you usually charge for medicine (total medicine given in a consultation)? NON-POOR ADULT MAX

Valid Ranges

Unit	Rupees
Min	0
Max	1000
Key	don't know = -999, missing = -777
Notes	

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf229Ya_Xe

Classification

Group	PFS Questionnaire
Sub-Group	PF2
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	str
Decimal	-
Interval	-
Dataset Label	PF2.29.YA_Xe
Imputed?	No

Unit of Analysis Interviewee

Question Information

Ques. ID PF2.29
Ques. Text Given the usual illnesses/problems that you see, which medicines would you say are used most often in your practice? NAME OF MEDICINE

Valid Ranges

Unit Text
Min -
Max -
Key -
Notes Values for Y: (each Y represents one of 10 most used medicines...y=1 is 1st medicine, y=2 is 2nd medicine, etc.) ||||| Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit -
Min -
Max -
Key -
Notes -
Undoc Codes -
Universe -

Sum Statistics

Total Responses -
Mean -
Mean weighted? -
Weight of Mean -
Stdev. -
Stdev. Weighted? -
Weight of Stdev. -
Text -
Derivation -
Deriv. Des. -
Notes -

Variable Name pf229Yb_X

Classification

Group PFS Questionnaire
Sub-Group PF2
Group Type Section

Description

Weight -
Weight Variable -
Format Type int
Decimal 0
Interval discrete
Dataset Label PF2.29.YB_X
Imputed? No
Unit of Analysis Interviewee

Question Information

Ques. ID PF2.29
Ques. Text Is this medicine normally dispensed on site, prescribed, or both?
Valid Ranges
Unit Integers
Min 1
Max 3
Key 1=dispense, 2=both, 3=prescribe...missing = -777
Notes Values for Y: (each Y represents one of 10 most used medicines...y=1 is 1st medicine, y=2 is 2nd medicine, etc.) ||||| Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges
Unit -
Min -
Max -
Key -
Notes -
Undoc Codes -
Universe -

Sum Statistics
Total Responses -
Mean -
Mean weighted? -
Weight of Mean -
Stdev. -
Stdev. Weighted? -
Weight of Stdev. -
Text -
Derivation -
Deriv. Des. -
Notes -

Variable Name pf229Yc1_X

Classification

Group PFS Questionnaire

Sub-Group PF2

Group Type Section

Description

Weight -

Weight Variable -

Format Type int

Decimal 0

Interval discrete

Dataset Label PF2.29.YC1_X

Imputed? No

Unit of Analysis Interviewee

Question Information

Ques. ID PF2.29

Ques. Text If dispensed on site, what is the quantity you usually dispense? QUANTITY

Valid Ranges

Unit	Quantity of dispensed medicine (see unit in next question)
Min	0
Max	100
Key	missing = -777
Notes	Values for Y: (each Y represents one of 10 most used medicines...y=1 is 1st medicine, y=2 is 2nd medicine, etc.) Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	
Mean	
Mean weighted?	
Weight of Mean	
Stdev.	
Stdev. Weighted?	
Weight of Stdev.	
Text	
Derivation	
Deriv. Des.	
Notes	

Variable Name pf229Yc2_X**Classification**

Group	PFS Questionnaire
Sub-Group	PF2
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF2.29.YC2_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF2.29
Ques. Text	If dispensed on site, what is the quantity you usually dispense? UNIT

Valid Ranges

Unit	Integers
Min	1

Max 3
Key 1=tables, 2=bottles, 3=other
Notes Values for Y: (each Y represents one of 10 most used medicines...y=1 is 1st medicine, y=2 is 2nd medicine, etc.) ||||| Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit -
Min -
Max -
Key -
Notes -
Undoc Codes -
Universe -

Sum Statistics

Total Responses -
Mean -
Mean weighted? -
Weight of Mean -
Stdev. -
Stdev. Weighted? -
Weight of Stdev. -
Text -
Derivation -
Deriv. Des. -
Notes -

Variable Name pf229Yd_X

Classification

Group PFS Questionnaire
Sub-Group PF2
Group Type Section

Description

Weight -
Weight Variable -
Format Type int
Decimal 0
Interval discrete
Dataset Label PF2.29.YD_X
Imputed? No
Unit of Analysis Interviewee

Question Information

Ques. ID PF2.29
Ques. Text For what time period is this supposed to last?

Valid Ranges

Unit Days
Min 0
Max 30
Key missing = -777, don't know = -999

Notes

Values for Y: (each Y represents one of 10 most used medicines...y=1 is 1st medicine, y=2 is 2nd medicine, etc.) |||| Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf229Ye1_X**Classification**

Group	PFS Questionnaire
Sub-Group	PF2
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF2.29.YE1_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF2.29
Ques. Text	If dispensed on site: What is the fee for the quantity you normally dispense to an adult patient? POOR ADULT MIN

Valid Ranges

Unit	Rupees
Min	0
Max	100
Key	missing = -777, don't know = -999

Notes

Values for Y: (each Y represents one of 10 most used medicines...y=1 is 1st medicine, y=2 is 2nd medicine, etc.) |||| Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf229Ye2_X**Classification**

Group	PFS Questionnaire
Sub-Group	PF2
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF2.29.YE2_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF2.29
Ques. Text	If dispensed on site: What is the fee for the quantity you normally dispense to an adult patient? POOR ADULT MAX

Valid Ranges

Unit	Rupees
Min	0
Max	200
Key	missing = -777, don't know = -999

Notes

Values for Y: (each Y represents one of 10 most used medicines...y=1 is 1st medicine, y=2 is 2nd medicine, etc.) ||||| Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf229Ye3_X**Classification**

Group	PFS Questionnaire
Sub-Group	PF2
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF2.29.YE3_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF2.29
Ques. Text	If dispensed on site: What is the fee for the quantity you normally dispense to an adult patient? NON-POOR ADULT MIN

Valid Ranges

Unit	Rupees
Min	0
Max	250
Key	missing = -777, don't know = -999

Notes

Values for Y: (each Y represents one of 10 most used medicines...y=1 is 1st medicine, y=2 is 2nd medicine, etc.) |||| Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf229Ye4_X**Classification**

Group	PFS Questionnaire
Sub-Group	PF2
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF2.29.YE4_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF2.29
Ques. Text	If dispensed on site: What is the fee for the quantity you normally dispense to an adult patient? NON-POOR ADULT MAX

Valid Ranges

Unit	Rupees
Min	0
Max	200
Key	missing = -777, don't know = -999

Notes Values for Y: (each Y represents one of 10 most used medicines...y=1 is 1st medicine, y=2 is 2nd medicine, etc.) |||| Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit -
 Min -
 Max -
 Key -
 Notes -
 Undoc Codes -
 Universe -

Sum Statistics

Total Responses
 Mean
 Mean weighted?
 Weight of Mean
 Stdev.
 Stdev. Weighted?
 Weight of Stdev.
 Text
 Derivation
 Deriv. Des.
 Notes

Variable Name pf230a_X

Classification

Group PFS Questionnaire
Sub-Group PF2
Group Type Section

Description

Weight -
Weight Variable -
Format Type int
Decimal 0
Interval discrete
Dataset Label PF2.30A_X
Imputed? No
Unit of Analysis Interviewee

Question Information

Ques. ID PF2.30
Ques. Text In total, what are your normal fees for a consultation - including medication treatment or other intervention for an adult patient? POOR ADULT MIN

Valid Ranges

Unit Rupees
Min 0
Max 5000
Key don't know = -999, missing = -777

Notes

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf230b_X**Classification**

Group	PFS Questionnaire
Sub-Group	PF2
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF2.30B_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF2.30
Ques. Text	In total, what are your normal fees for a consultation - including medication treatment or other intervention for an adult patient? POOR ADULT MAX

Valid Ranges

Unit	Rupees
Min	0
Max	25000
Key	don't know = -999, missing = -777

Notes

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf230c_X**Classification**

Group	PFS Questionnaire
Sub-Group	PF2
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF2.30C_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF2.30
Ques. Text	In total, what are your normal fees for a consultation - including medication treatment or other intervention for an adult patient? NON-POOR ADULT MIN

Valid Ranges

Unit	Rupees
Min	0
Max	2000
Key	don't know = -999, missing = -777

Notes

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf230d_X**Classification**

Group	PFS Questionnaire
Sub-Group	PF2
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF2.30D_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF2.30
Ques. Text	In total, what are your normal fees for a consultation - including medication treatment or other intervention for an adult patient? NON-POOR ADULT MAX

Valid Ranges

Unit	Rupees
Min	0
Max	25000
Key	don't know = -999, missing = -777

Notes

Values for X: X corresponds to the person answering the question for section PF2 (each "MAIN PROVIDER" identified in Section PF1 answered this)

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf31_X**Classification**

Group	PFS Questionnaire
Sub-Group	PF3
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF3.1_X
Imputed?	No
Unit of Analysis	Interviewer

Question Information

Ques. ID	PF3.1
Ques. Text	INTERVIEWER CHECKPOINT: Is the respondent an HRW, Bhopa, or someone who practices traditional medicine or Jhaad Foonk?

Valid Ranges

Unit	Integers
Min	1
Max	2
Key	1=yes, 2=no...missing = -777
Notes	Values for X: X corresponds to persons 1-6 responding for each facility (up to 6 if applicable)...X is consistent across PF3

Invalid Ranges

Unit -
 Min -
 Max -
 Key -
 Notes -
 Undoc Codes -
 Universe -

Sum Statistics

Total Responses -
 Mean -
 Mean weighted? -
 Weight of Mean -
 Stdev. -
 Stdev. Weighted? -
 Weight of Stdev. -
 Text -
 Derivation -
 Deriv. Des. -
 Notes -

Variable Name pf32Y_Xe

Classification

Group PFS Questionnaire
 Sub-Group PF3
 Group Type Section

Description

Weight -
 Weight Variable -
 Format Type str
 Decimal -
 Interval -
 Dataset Label PF3.2.Y_X.e
 Imputed? No
 Unit of Analysis Interviewee

Question Information

Ques. ID PF3.2
 Ques. Text What are the main health and/or other problems for which people consult you?

Valid Ranges

Unit Text
 Min -
 Max -
 Key -
 Notes Values for Y: (Each Y corresponds to 5 main health problems...y=1 is 1st health problem, y=2 is 2nd health problem, etc) |||| Values for X: X corresponds to persons 1-6 responding for each facility (up to 6 if applicable)...X is consistent across PF3

Invalid Ranges

Unit -
 Min -

Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf33Y_X

Classification

Group	PFS Questionnaire
Sub-Group	PF3
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	byte
Decimal	0
Interval	discrete
Dataset Label	PF.3.3.Y_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF3.3
Ques. Text	How do you treat the people who come to you for health problems (circle all that apply)?

Valid Ranges

Unit	Integers
Min	1
Max	2
Key	1=yes, 2=no
Notes	Values for Y: (1=give herbs/medication, 2=prayers, 3=exorcism, 4=other, specify)...Values for X: X corresponds to persons 1-6 responding for each facility (up to 6 if applicable)...X is consistent across PF3

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-

Undoc Codes	-
Universe	-
Sum Statistics	
Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name	pf334s_Xe
----------------------	------------------

Classification	
Group	PFS Questionnaire
Sub-Group	PF3
Group Type	Section
Description	
Weight	-
Weight Variable	-
Format Type	str
Decimal	-
Interval	-
Dataset Label	PF3.3.4s_X.e
Imputed?	No
Unit of Analysis	Interviewee
Question Information	
Ques. ID	PF3.3
Ques. Text	Other, specify
Valid Ranges	
Unit	Text
Min	-
Max	-
Key	-
Notes	Values for X: X corresponds to persons 1-6 responding for each facility (up to 6 if applicable)...X is consistent across PF3
Invalid Ranges	
Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-
Sum Statistics	
Total Responses	-
Mean	-

Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name **pf34_X**

Classification

Group	PFS Questionnaire
Sub-Group	PF3
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF3.4_X
Imputed?	No
Unit of Analysis	Interviewer

Question Information

Ques. ID	PF3.4
Ques. Text	INTERVIEWER CHECKPOINT: Is the respondent a TBA or a Dai?

Valid Ranges

Unit	Integers
Min	1
Max	2
Key	1=yes, 2=no...missing = -777
Notes	Values for X: X corresponds to persons 1-6 responding for each facility (up to 6 if applicable)...X is consistent across PF3

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-

Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf35Y_Xe

Classification

Group	PFS Questionnaire
Sub-Group	PF3
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	str
Decimal	-
Interval	-
Dataset Label	PF3.5.Y_X.e
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF3.5
Ques. Text	Besides delivery, for which condition do you provide healthcare?

Valid Ranges

Unit	Text
Min	-
Max	-
Key	missing = -777
Notes	Values for Y: (each Y corresponds to conditions 1 - 5 (where applicable)...y=1 is 1st condition, y=2 is 2nd condition, etc) Values for X: X corresponds to persons 1-6 responding for each facility (up to 6 if applicable)...X is consistent across PF3

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses
Mean
Mean weighted?
Weight of Mean
Stdev.
Stdev. Weighted?
Weight of Stdev.
Text
Derivation
Deriv. Des.

Notes

Variable Name pf36Y_Xe

Classification

Group PFS Questionnaire
Sub-Group PF3
Group Type Section

Description

Weight -
Weight Variable -
Format Type str
Decimal -
Interval -
Dataset Label PF3.6.Y_X.e
Imputed? No
Unit of Analysis Interviewee

Question Information

Ques. ID PF3.6
Ques. Text What are the main illnesses that you encounter in the summer (during the months from March to June)?

Valid Ranges

Unit Text
Min -
Max -
Key missing = -777
Notes Values for Y: (each Y corresponds to illnesses 1 - 5 (where applicable)...y=1 is 1st illness, y=2 is 2nd illness, etc) ||| Values for X: X corresponds to persons 1-6 responding for each facility (up to 6 if applicable)...X is consistent across PF3

Invalid Ranges

Unit -
Min -
Max -
Key -
Notes -
Undoc Codes -
Universe -

Sum Statistics

Total Responses -
Mean -
Mean weighted? -
Weight of Mean -
Stdev. -
Stdev. Weighted? -
Weight of Stdev. -
Text -
Derivation -
Deriv. Des. -
Notes -

Variable Name	pf37Y_Xe
Classification	
Group	PFS Questionnaire
Sub-Group	PF3
Group Type	Section
Description	
Weight	-
Weight Variable	-
Format Type	str
Decimal	-
Interval	-
Dataset Label	PF3.7.Y_X.e
Imputed?	No
Unit of Analysis	Interviewee
Question Information	
Ques. ID	PF3.7
Ques. Text	What are the main illnesses that you encounter in the monsoon season (during the onths from June/July to October)?
Valid Ranges	
Unit	Text
Min	-
Max	-
Key	-
Notes	Values for Y: (each Y corresponds to illnesses 1 - 5 (where applicable)...y=1 is 1st illness, y=2 is 2nd illness, etc) Values for X: X corresponds to persons 1-6 responding for each facility (up to 6 if applicable)...X is consistent across PF3
Invalid Ranges	
Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-
Sum Statistics	
Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name **pf38Y_Xe**

Classification

Group	PFS Questionnaire
Sub-Group	PF3
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	str
Decimal	-
Interval	-
Dataset Label	PF3.8.Y_X.e
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF3.8
Ques. Text	What are the main illnesses that you encounter in the winter (during the months from October to February)?

Valid Ranges

Unit	Text
Min	-
Max	-
Key	-
Notes	Values for Y: (each Y corresponds to illnesses 1 - 5 (where applicable)...y=1 is 1st illness, y=2 is 2nd illness, etc) Values for X: X corresponds to persons 1-6 responding for each facility (up to 6 if applicable)...X is consistent across PF3

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name	pf39_X
----------------------	--------

Classification

Group	PFS Questionnaire
--------------	-------------------

Sub-Group	PF3
Group Type	Section
Description	
Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF3.9_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF3.9
Ques. Text	Do you specialize in the treatment of any specific illnesses/conditions (even if you are not a specialist)?

Valid Ranges

Unit	Integers
Min	1
Max	2
Key	1=yes, 2=no...-777=missing
Notes	Values for X: X corresponds to persons 1-6 responding for each facility (up to 6 if applicable)...X is consistent across PF3

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name **pf310Y_Xe**

Classification

Group	PFS Questionnaire
Sub-Group	PF3
Group Type	Section

Description

Weight	-
--------	---

Weight Variable	-
Format Type	str
Decimal	-
Interval	-
Dataset Label	PF3.10.Y_X.e
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF3.10
Ques. Text	What are the illnesses/conditions in which you specialize?

Valid Ranges

Unit	Text
Min	-
Max	-
Key	-
Notes	Values for Y: (each Y corresponds to illnesses 1 - 5 (where applicable)...y=1 is 1st illness, y=2 is 2nd illness, etc) Values for X: X corresponds to persons 1-6 responding for each facility (up to 6 if applicable)...X is consistent across PF3

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name pf311_X

Classification

Group	PFS Questionnaire
Sub-Group	PF3
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	int
Decimal	0

Interval discrete
Dataset Label PF3.11_X
Imputed? No
Unit of Analysis Interviewee

Question Information

Ques. ID PF3.11
Ques. Text Do you refer patients to any other provider when they have a specific illness/condition or for preventative care or for diagnostic care?

Valid Ranges

Unit Integers
Min 1
Max 2
Key 1=yes, 2=no...-777=missing
Notes Values for X: X corresponds to persons 1-6 responding for each facility (up to 6 if applicable)...X is consistent across PF3

Invalid Ranges

Unit -
Min -
Max -
Key -
Notes -
Undoc Codes -
Universe -

Sum Statistics

Total Responses -
Mean -
Mean weighted? -
Weight of Mean -
Stdev. -
Stdev. Weighted? -
Weight of Stdev. -
Text -
Derivation -
Deriv. Des. -
Notes -

Variable Name pf312_Y_X

Classification

Group PFS Questionnaire
Sub-Group PF3
Group Type Section

Description

Weight -
Weight Variable -
Format Type int
Decimal 0
Interval discrete
Dataset Label PF3.12_Y_X
Imputed? No
Unit of Analysis Interviewee

Question Information

Ques. ID PF3.12
Ques. Text When did you refer the patient to another provider?

Valid Ranges

Unit Integers
Min 1
Max 4
Key 1=last month, 2=one to six months ago, 3=six months to one year ago, 4=more than one year ago
Notes Values for Y: (1, 2, or 3, referring to the last 3 cases when main provider referred patients to another provider) |||| Values for X: X corresponds to persons 1-6 responding for each facility (up to 6 if applicable)...X is consistent across PF3

Invalid Ranges

Unit -
Min -
Max -
Key -
Notes -
Undoc Codes -
Universe -

Sum Statistics

Total Responses -
Mean -
Mean weighted? -
Weight of Mean -
Stdev. -
Stdev. Weighted? -
Weight of Stdev. -
Text -
Derivation -
Deriv. Des. -
Notes -

Variable Name pf313_Y_X

Classification

Group PFS Questionnaire
Sub-Group PF3
Group Type Section

Description

Weight -
Weight Variable -
Format Type int
Decimal 0
Interval discrete
Dataset Label PF3.13_Y_X
Imputed? No
Unit of Analysis Interviewee

Question Information

Ques. ID PF3.13

Ques. Text	To what type of facility did you refer the patient?
Valid Ranges	
Unit	Integers
Min	1
Max	18
Key	1=PHC/CHC, 2=government referral hospital, 3=private hospital, 4=aryurvedic hospital, 5=subcentre/aide post, 6=anganwadi, 8=NGO clinic, 9=private qualified doctor/compounder/pharmacist, 10=Bengali doctor, 11=TBA/Dai, 12=VHW/CHW, 14=HRW, 15=Traditional healer, desi ilaj practitioner, 16=Jhaad foonk practitioner, 17=Both desi ilaj and jhaad foonk practitioner, 18=other, specify...missing = -777, don't know = -999
Notes	Values for Y: (1, 2, or 3, referring to the last 3 cases when main provider referred patients to another provider) Values for X: X corresponds to persons 1-6 responding for each facility (up to 6 if applicable)...X is consistent across PF3
Invalid Ranges	
Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-
Sum Statistics	
Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name	pf314_Y_Xe
Classification	
Group	PFS Questionnaire
Sub-Group	PF3
Group Type	Section
Description	
Weight	-
Weight Variable	-
Format Type	str
Decimal	-
Interval	-
Dataset Label	PF3.14_Y_X.e
Imputed?	No

Unit of Analysis Interviewee

Question Information

Ques. ID PF3.14

Ques. Text

What was the name and location of the facility where you referred the patient?

Valid Ranges

Unit Text

Min -

Max -

Key -

Notes Values for Y: (1, 2, or 3, referring to the last 3 cases when main provider referred patients to another provider) |||| Values for X: X corresponds to persons 1-6 responding for each facility (up to 6 if applicable)...X is consistent across PF3

Invalid Ranges

Unit -

Min -

Max -

Key -

Notes -

Undoc Codes -

Universe -

Sum Statistics

Total Responses -

Mean -

Mean weighted? -

Weight of Mean -

Stdev. -

Stdev. Weighted? -

Weight of Stdev. -

Text -

Derivation -

Deriv. Des. -

Notes -

Variable Name pf315_Y_Xe

Classification

Group PFS Questionnaire

Sub-Group PF3

Group Type Section

Description

Weight -

Weight Variable -

Format Type str

Decimal -

Interval -

Dataset Label PF3.14_Y_X.e

Imputed? No

Unit of Analysis Interviewee

Question Information

Ques. ID	PF3.15
Ques. Text	What was the case for which you referred the patient?
Valid Ranges	
Unit	Text
Min	-
Max	-
Key	-
Notes	Values for Y: (1, 2, or 3, referring to the last 3 cases when main provider referred patients to another provider) Values for X: X corresponds to persons 1-6 responding for each facility (up to 6 if applicable)...X is consistent across PF3

Invalid Ranges	
Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics	
Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name	pf316_Y_X
----------------------	------------------

Classification	
-----------------------	--

Group	PFS Questionnaire
Sub-Group	PF3
Group Type	Section

Description	
--------------------	--

Weight	-
Weight Variable	-
Format Type	int
Decimal	0
Interval	discrete
Dataset Label	PF3.16_Y_X
Imputed?	No
Unit of Analysis	Interviewee

Question Information	
-----------------------------	--

Ques. ID	PF3.16
Ques. Text	Did you or someone else from this facility go to this other facility with the patient?

Valid Ranges

Unit	Integers
Min	1
Max	2
Key	1=yes, 2=no...don't know = -999, missing = -777
Notes	Values for Y: (1, 2, or 3, referring to the last 3 cases when main provider referred patients to another provider) Values for X: X corresponds to persons 1-6 responding for each facility (up to 6 if applicable)...X is consistent across PF3

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-

Variable Name **comments_e****Classification**

Group	PFS Questionnaire
Sub-Group	PF3
Group Type	Section

Description

Weight	-
Weight Variable	-
Format Type	str
Decimal	-
Interval	-
Dataset Label	none
Imputed?	No
Unit of Analysis	Interviewee

Question Information

Ques. ID	PF3.16
Ques. Text	Any additional comments

Valid Ranges

Unit	Text
Min	-

Max	-
Key	-
Notes	english translation

Invalid Ranges

Unit	-
Min	-
Max	-
Key	-
Notes	-
Undoc Codes	-
Universe	-

Sum Statistics

Total Responses	-
Mean	-
Mean weighted?	-
Weight of Mean	-
Stdev.	-
Stdev. Weighted?	-
Weight of Stdev.	-
Text	-
Derivation	-
Deriv. Des.	-
Notes	-
