

MIT Open Access Articles

Search for Stopped Gluinos in pp Collisions at root s=7 TeV

The MIT Faculty has made this article openly available. **Please share** how this access benefits you. Your story matters.

Citation: Khachatryan, V. et al. "Search for Stopped Gluinos in pp Collisions at $\sqrt{s}=7$ [square root s=7] TeV" Physical review letters, v. 106, no. 1, Jan. 2011. © 2011 CERN, for the CMS Collaboration

As Published: <http://dx.doi.org/10.1103/PhysRevLett.106.011801>

Publisher: American Physical Society

Persistent URL: <http://hdl.handle.net/1721.1/64413>

Version: Final published version: final published article, as it appeared in a journal, conference proceedings, or other formally published context

Terms of Use: Article is made available in accordance with the publisher's policy and may be subject to US copyright law. Please refer to the publisher's site for terms of use.



Search for Stopped Gluinos in pp Collisions at $\sqrt{s} = 7$ TeV

V. Khachatryan *et al.**

(CMS Collaboration)

(Received 26 November 2010; published 7 January 2011)

The results of the first search for long-lived gluinos produced in 7 TeV pp collisions at the CERN Large Hadron Collider are presented. The search looks for evidence of long-lived particles that stop in the CMS detector and decay in the quiescent periods between beam crossings. In a dataset with a peak instantaneous luminosity of $1 \times 10^{32} \text{ cm}^{-2} \text{ s}^{-1}$, an integrated luminosity of 10 pb^{-1} , and a search interval corresponding to 62 hours of LHC operation, no significant excess above background was observed. Limits at the 95% confidence level on gluino pair production over 13 orders of magnitude of gluino lifetime are set. For a mass difference $m_{\tilde{g}} - m_{\tilde{\chi}_1^0} > 100 \text{ GeV}/c^2$, and assuming $\text{BR}(\tilde{g} \rightarrow g\tilde{\chi}_1^0) = 100\%$, $m_{\tilde{g}} < 370 \text{ GeV}/c^2$ are excluded for lifetimes from $10 \mu\text{s}$ to 1000 s .

DOI: 10.1103/PhysRevLett.106.011801

PACS numbers: 14.80.Ly, 12.60.Jv, 13.85.Rm

Many extensions of the standard model predict the existence of new heavy quasistable particles [1]. Such particles are present in some supersymmetric models [2–4], “hidden valley” scenarios [5], and grand-unified theories (GUTs), where the new particles decay through dimension five or six operators suppressed by the GUT scale [6]. Long-lived particles are also a hallmark of split supersymmetry [7], where the gluino (\tilde{g}) decay is suppressed due to the large gluino-squark mass splitting, from which the theory gets its name. Of these possibilities, the Compact Muon Solenoid (CMS) experiment is most sensitive to models like split supersymmetry where production proceeds via the strong interaction resulting in relatively large cross sections at the Large Hadron Collider (LHC) [8–11]. For this reason, we have targeted the search described in this Letter at long-lived gluinos. Existing experimental constraints on the lifetime of such gluinos are weak [12,13]; these gluinos may be stable on typical CMS experimental time scales. Lifetimes of $\mathcal{O}(100\text{--}1000)$ seconds are especially interesting in cosmology since such decays would affect the primordial light element abundances, and could resolve the present discrepancy between the measured ${}^6\text{Li}$ and ${}^7\text{Li}$ abundances and those predicted by conventional big-bang nucleosynthesis [14–16].

If long-lived gluinos were produced at the LHC, they would hadronize into $\tilde{g}g$, $\tilde{g}q\bar{q}$, $\tilde{g}qqq$ states, collectively known as “ R hadrons” some of which would be charged, while others would be neutral [17–19]. Those that were charged would lose energy via ionization as they traverse the CMS detector. For slow R hadrons, this energy loss would be sufficient to bring a significant fraction of the produced particles to rest inside the CMS detector volume

[20]. These “stopped” R hadrons may decay seconds, days, or even weeks later, resulting in a jetlike energy deposit in the CMS calorimeter. These decays will be out of time with respect to LHC collisions and may well occur at times when there are no collisions in CMS. The observation of such decays, in what should be a “quiet” detector except for an occasional cosmic ray, would be an unambiguous discovery of new physics. The CMS apparatus has an overall length of 22 m, a diameter of 15 m, and weighs 14000 tons. The CMS coordinate system has the origin at the center of the detector. The z axis points along the direction of the counterclockwise beam, with the transverse plane perpendicular to the beam; ϕ is the azimuthal angle in radians, θ is the polar angle, and the pseudorapidity is $\eta \equiv -\ln(\tan[\theta/2])$. The central feature of the CMS apparatus is a superconducting solenoid of 6 m internal diameter, providing a field of 3.8 T. Within the field volume are the silicon pixel and strip tracker, the crystal electromagnetic calorimeter (ECAL) and the brass-scintillator hadronic calorimeter (HCAL). Muons are measured in gas-ionization detectors embedded in the steel return yoke. The HCAL, when combined with the ECAL, measures jets with a resolution $\Delta E/E \approx 100\% \sqrt{E[\text{GeV}]} \oplus 5\%$. The calorimeter cells are grouped in projective towers, of granularity $\Delta\eta \times \Delta\phi = 0.087 \times 0.087$ at central rapidities. In this analysis, jets are reconstructed using an iterative cone algorithm with $R = \sqrt{\Delta\phi^2 + \Delta\eta^2} = 0.5$. The reconstructed jet energy E is defined as the scalar sum of the calorimeter tower energies inside the jet. The first level ($L1$) of the CMS trigger system, composed of custom hardware processors, uses information from the calorimeters and muon detectors to select (in less than $3 \mu\text{s}$) the most interesting events. The High Level Trigger (HLT) processor farm further decreases the event rate to 300 Hz before data storage. A more detailed description of the CMS experiment can be found elsewhere [21].

*Full author list given at the end of the article.

Published by The American Physical Society under the terms of the Creative Commons Attribution 3.0 License. Further distribution of this work must maintain attribution to the author(s) and the published article’s title, journal citation, and DOI.

The 7 TeV center-of-mass pp collision data analyzed in this Letter were recorded by CMS between April and October 2010. We divide these data into two samples: the first corresponds to 95 hours of trigger live-time during LHC “fills”, in which the instantaneous luminosity was $2\text{--}7 \times 10^{27} \text{ cm}^{-2} \text{ s}^{-1}$. We use this as a control sample to estimate the background rate. Because these data were recorded at relatively low instantaneous luminosity, there is negligible risk that a stopped-particle signal is present in this sample. The second sample, in which we search for the presence of a stopped-particle signal, corresponds to 62 hours of trigger live-time during which data, corresponding to an integrated luminosity of 10 pb^{-1} , were recorded by CMS with a peak instantaneous luminosity of $1 \times 10^{32} \text{ cm}^{-2} \text{ s}^{-1}$. In producing these data, the LHC was filled with up to 312 proton bunches per beam (out of a maximum of 2808).

We employed a dedicated trigger to search for decays of particles at times when there are no collisions. Information from the beam position and timing (BPTX) monitors are used to identify gaps between the proton bunches that comprise the LHC beam. The BPTX monitors are positioned 175 m from the center of CMS on either side of the CMS interaction region and produce a signal when an LHC proton bunch passes the monitor. Even though the R -hadron decay does not produce a true jet, the resultant energy deposition is sufficiently jetlike that a jet trigger is reasonably efficient. We therefore require a jet trigger together with the condition that a coincidence of signals from both BPTX did not occur, ensuring that the trigger will not fire on jets produced from pp collisions. The $L1$ trigger requires a jet with at least 10 GeV transverse energy. A 20 GeV threshold on jet energy is applied in the HLT. At both $L1$ and HLT, the pseudorapidity of the jet, $|\eta_{\text{jet}}|$, is required to be less than 3.0. Additional selection criteria are applied during data analysis. Despite the BPTX veto in the trigger, several beam-related processes remain possible sources of background. In order to reject background events due to an unpaired proton bunch passing through CMS, events in which *either* BPTX is over threshold are vetoed. Instrumental effects during trigger generation, and features of the LHC beam such as lower intensity “satellite” bunches that accompany the colliding protons, can cause triggers in some of the 25 ns intervals (BX’s) which precede or follow the one in which the intended proton collisions occur. We therefore reject any event occurring up to two BX’s before, or one BX after, the BX in which collisions are expected. To reject beam-halo muon events, which may not be synchronous with proton collisions, we employ a loose beam-halo veto using the cathode strip chambers (CSC) in the endcap muon system. The algorithm rejects events in which a beam-halo trigger was recorded, or a track segment was reconstructed in the CSC system with timing consistent with beam-halo, or a muon track was reconstructed with beam-halo-like

kinematics. Finally, to ensure that no out-of-time pp collision events due to satellite bunches contaminate the search sample, events with one or more reconstructed primary vertices are rejected. A small fraction of cosmic rays traversing the CMS detector deposit significant energy in the calorimeters. To reduce this background, events that contain reconstructed muons are vetoed. Once beam-related backgrounds and cosmic rays are removed, the remaining source of background is instrumental noise. Standard calorimeter cleaning and noise rejection criteria [22–24] are applied. Since gluinos are produced (and correspondingly stopped) nearly isotropically, we restrict our search to jets in the less noisy central HCAL; we require that the most energetic jet in the event has $|\eta_{\text{jet}}| < 1.3$. To suppress noise fluctuations and energy deposits from cosmic rays, a jet with reconstructed energy above 50 GeV is required. To remove events where a single HCAL channel has misfired, events with more than 90% of the energy deposited in three or fewer calorimeter towers are vetoed. We also require that the leading jet has at least 60% of its energy contained in fewer than 6 towers. To suppress noise from hybrid photodiode discharge [22], events with 5 or more of the leading towers at the same azimuthal angle, or where more than 95% of the jet energy is contained within towers at the same azimuthal angle, are rejected. The HCAL electronics have a well-defined time response to charge deposits generated by showering particles. Analog signal pulses produced by these electronics are sampled at 40 MHz, synchronized with the LHC clock. These pulses are readout over ten BX samples centered around the pulse maximum. A physical pulse has some notable properties which we use to distinguish it from noise pulses. There is a clear peak in the signal pulse shape (BX_{peak}), significant energy in one bunch crossing before the peak ($\text{BX}_{\text{peak}-1}$), and an exponential decay for several BX’s following the peak. We use the ratios $R_1 = \text{BX}_{\text{peak}+1}/\text{BX}_{\text{peak}}$ and $R_2 = \text{BX}_{\text{peak}+2}/\text{BX}_{\text{peak}+1}$ to characterize the exponential decay, requiring $R_1 > 0.15$ and $0.10 < R_2 < 0.50$. Since a physical pulse spans only four time samples we are able to reject noise events based on the presence of energy in previous or successive BX’s. We remove events with more than 10% of the energy of the pulse outside of the central four BX’s. Energy deposits from physical particles tend to have a large fraction of the pulse energy in the peak BX. Noise does not produce this pulse shape; noise pulses tend to be spread across many BX’s or localized in one BX. We require the ratio of the peak energy to the total energy to be between 0.4 and 0.7. The requirement that the pulse shape satisfy all the preceding criteria rejects 50% of the remaining events in the background sample while preserving 93% of simulated signal events.

We have developed a custom, factorized simulation of gluino production, stopping, and decay to investigate the experimental signature of this atypical signal. First, we generate $q\bar{q} \rightarrow \tilde{g} \tilde{g}$ and $gg \rightarrow \tilde{g} \tilde{g}$ events at $\sqrt{s} = 7 \text{ TeV}$

using PYTHIA [25]. The lifetime of the gluino is set such that it is stable. Gluino masses $m_{\tilde{g}} = 150$ to $500 \text{ GeV}/c^2$ are studied. PYTHIA hadronizes the produced gluino into R hadrons. A modified GEANT4 [26] that implements a “cloud model” of heavy stable colored interactions with matter [27] is used to simulate the interaction of these R hadrons with the CMS detector and to record the location at which those R hadrons that do not exit the detector come to rest. Using this simulation, the probability of a single R hadron to stop in the CMS detector was determined to be ≈ 0.2 for the explored gluino mass range. We also considered alternative, more pessimistic, models of R -hadronic interactions with matter. For electromagnetic interactions (EM) only, the CMS stopping probability is found to be ≈ 0.06 . Finally, with a “neutral R -baryon” model in which only R mesons stop [28,29] the stopping probability is ≈ 0.01 .

Next, we again use PYTHIA to produce an R hadron at rest which we translate from the nominal vertex position to the recorded stopping location and decay the constituent gluino instantaneously to the lightest neutralino ($\tilde{\chi}_1^0$) via $\tilde{g} \rightarrow g\tilde{\chi}_1^0$. Finally, we use a specialized Monte Carlo simulation to determine how often the stopped gluino decay would occur during a triggerable beam gap. Further details of this simulation are described elsewhere [30].

The efficiency with which triggered events pass all selection criteria is estimated from the simulation to be 54% for a representative gluino decay signal ($m_{\tilde{g}} = 300 \text{ GeV}/c^2$ and $m_{\tilde{\chi}_1^0} = 200 \text{ GeV}/c^2$). This point was chosen to be above existing limits and within the reach of CMS. The equivalent efficiency with respect to all stopped particles is 17% since a significant number of R hadrons stop in uninstrumented regions of the CMS detector where their subsequent decay would not be observable. For any new physics model that predicts events with sufficient visible energy, $m_{\tilde{g}} - m_{\tilde{\chi}_1^0} > 100 \text{ GeV}/c^2$, this efficiency does not change significantly. We measure the background rate in the control sample after all but one of the selection criteria are applied, R_{control}^{N-1} . We also measure the background rate in the control sample after all selection criteria are applied, R_{control}^N . To obtain an estimate of the background rate in the search sample after all selection criteria, we again measure the rate after omitting one selection criterion and multiply it by the ratio of the rates obtained from the control sample, $R_{\text{search}}^N = R_{\text{search}}^{N-1} (R_{\text{control}}^N / R_{\text{control}}^{N-1})$. This procedure is performed twice, each time omitting one of the most powerful background rejection criteria such that $R^{N-1} \gg R^N$; we take the mean of both determinations as the final background rate estimate. We estimate the systematic uncertainty on the background to be 23% from the observed variation of the control sample rate R_{control}^{N-1} during the time period in which the data were taken. There is also a potential systematic uncertainty due to the accuracy with which the energy deposition of our jetlike signal is simulated. From proton

and pion test-beam data and studies of the energy deposited in HCAL by incident cosmic rays, we estimate this introduces a 7% uncertainty on the acceptance. The systematic uncertainty due to trigger efficiency is negligible since the data analyzed are well above the turn-on region. Similarly, the systematic uncertainty due to reconstruction efficiency is negligible since we restrict our search to $m_{\tilde{g}} - m_{\tilde{\chi}_1^0} > 100 \text{ GeV}/c^2$ wherein we are fully efficient. Finally, there is an 11% uncertainty on the luminosity measurement [31]. Limits on a particular model (e.g., gluinos in split supersymmetry) introduce more substantial systematic uncertainties, since the signal yield is sensitive to the stopping probability and the stopping probability varies greatly depending on the model of R -hadronic interactions used in the simulation.

After the selection criteria described in the preceding paragraphs are applied, we perform a counting experiment and a time-profile analysis on the remaining data. For the counting experiment, we consider gluino lifetime hypotheses from 75 ns to 10^6 s, where we have chosen the upper limit of the search to be the longest lifetime for which we can still expect to observe at least one event. For lifetime hypotheses shorter than one LHC orbit (89 μs), we search within a time window following each filled bunch crossing. This time window is equal to $1.256 \times \tau_{\tilde{g}}$ for optimal sensitivity to each hypothesized gluino lifetime $\tau_{\tilde{g}}$. In addition to the lifetimes required to map the general features of the exclusion limit, we include two lifetimes for each observed event: the largest lifetime hypothesis for which the event lies outside the time window, and the smallest lifetime hypothesis for which the event is contained within the time window. For lifetime hypotheses longer than one LHC fill, we do not consider the possibility that any observed events may have come from gluinos produced in a previous fill.

In the search sample, we do not observe a significant excess above expected background for any lifetime hypothesis. The results of this counting experiment for selected lifetime hypotheses are presented in Table I. In the absence of any discernible signal, we proceed to set 95% confidence level (C.L.) limits over 13 orders of magnitude in gluino lifetime using a hybrid CL_S method [32] inspired by Ref. [33]. In Fig. 1 we show the 95% C.L. limit on $\sigma(pp \rightarrow \tilde{g}\tilde{g}) \times \text{BR}(\tilde{g} \rightarrow g\tilde{\chi}_1^0)$ for a mass difference

TABLE I. Results of counting experiments for selected values of $\tau_{\tilde{g}}$. Entries between 1×10^{-5} and 1×10^6 s are identical and are suppressed from the table.

Lifetime [s]	Expected Background (\pm stat \pm syst)	Observed
1×10^{-7}	$0.8 \pm 0.2 \pm 0.2$	2
1×10^{-6}	$1.9 \pm 0.4 \pm 0.5$	3
1×10^{-5}	$4.9 \pm 1.0 \pm 1.3$	5
1×10^6	$4.9 \pm 1.0 \pm 1.3$	5




FIG. 1 (color online). Expected and observed 95% C.L. limits on gluino pair production cross section times branching fraction using the “cloud model” of R -hadron interactions as a function of gluino lifetime from both the counting experiment and the time-profile analysis. Observed 95% C.L. limits on the gluino cross section for alternative R -hadron interaction models are also presented. The NLO + NLL calculation is for $m_{\tilde{g}} = 300$ GeV/ c^2 from a private communication with the authors of Ref. [11].

$m_{\tilde{g}} - m_{\tilde{\chi}_1^0} > 100$ GeV/ c^2 . The error bands include statistical and systematic uncertainties. With the horizontal line in Fig. 1 we show a recent NLO + NLL calculation of the cross section at $\sqrt{s} = 7$ TeV for $m_{\tilde{g}} = 300$ GeV/ c^2 from the authors of Ref. [11]. To illustrate the effect of the stopping probability uncertainty, we present three different 95% C.L. limits on $\sigma(pp \rightarrow \tilde{g}\tilde{g}) \times BR(\tilde{g} \rightarrow g\tilde{\chi}_1^0)$ in which the three different R -hadron models are used. Assuming the cloud model for the interaction of R hadrons with matter, and assuming $BR(\tilde{g} \rightarrow g\tilde{\chi}_1^0) = 100\%$, we are able to exclude lifetimes from 75 ns to 3×10^5 s for $m_{\tilde{g}} = 300$ GeV/ c^2 with the counting experiment. Finally, we present the result as a function of the gluino mass in Fig. 2. Under the same assumptions as for the cross section limit, we exclude $m_{\tilde{g}} < 370$ GeV/ c^2 for lifetimes between 10 μ s and 1000 s. If we assume the EM only model for R -hadronic interactions with matter in order to compare with what was done in Ref. [12], this exclusion becomes $m_{\tilde{g}} < 302$ GeV/ c^2 .

We also perform a time-profile analysis. Whereas, for short lifetimes, a signal from a stopped gluino decay is correlated in time with the collisions, backgrounds are at in time. Since the signal and background have very different time profiles, it is possible to extract both their contributions by analyzing the distribution of the observed events in time. We assume all colliding bunches in an orbit have equal individual instantaneous luminosity. We build a probability density function (PDF) for the gluino decay signal as a function of time for a given gluino lifetime hypothesis and the actual times of LHC beam crossings as recorded in our data. Figure 3 shows an example of such a




FIG. 2 (color online). 95% C.L. limits on gluino pair production cross section times branching fraction as a function of gluino mass assuming the “cloud model” of R -hadron interactions (solid line) and EM interactions only (dot-dashed line). The $m_{\tilde{g}} - m_{\tilde{\chi}_1^0}$ mass difference is maintained at 100 GeV/ c^2 ; results are only presented for $m_{\tilde{\chi}_1^0} > 50$ GeV/ c^2 . The NLO + NLL calculation is from a private communication with the authors of Ref. [11]. The lifetimes chosen are those for which the counting experiment and time-profile analysis are most sensitive.

PDF for a gluino lifetime of 1 μ s; the in-orbit positions of 2 observed events in the subset of our data that were recorded during an LHC fill with 140 colliding bunches are overlaid. We limit the range of lifetime hypotheses considered for this time-profile analysis to 75 ns to 100 μ s such that the gluino lifetime is not much longer than the orbit period. For each lifetime hypothesis we build a corresponding signal time profile, fit the signal plus background contribution to the data, and extract a 95% C.L. upper limit on the possible signal contribution. The obtained results are plotted as a dotted line in Fig. 1. This temporal analysis relies only on the flatness of the background shape; it does not have the counting experiment’s systematic uncertainty on the background normalization. Consequently, its dominant systematic uncertainty is the 11% uncertainty on the luminosity measurement. For a mass difference $m_{\tilde{g}} - m_{\tilde{\chi}_1^0} > 100$ GeV/ c^2 , assuming $BR(\tilde{g} \rightarrow g\tilde{\chi}_1^0) = 100\%$, we are able to exclude $m_{\tilde{g}} < 382$ GeV/ c^2 at the 95% C.L. for a lifetime of 10 μ s with the time-profile analysis.

We have presented the results of the first search for long-lived gluinos produced in 7 TeV pp collisions at the LHC. We looked for the subsequent decay of those gluinos that would have stopped in the CMS detector during time intervals where there were no pp collisions. In particular, we searched for decays during gaps in the LHC beam structure. We recorded such decays with dedicated calorimeter triggers. In a data set with a peak instantaneous luminosity of 1×10^{32} cm $^{-2}$ s $^{-1}$, an integrated luminosity of 10 pb $^{-1}$, and a search interval corresponding to 62 h of LHC operation, no significant excess above background




FIG. 3 (color online). The top panel shows the in-orbit positions of 2 observed events in the subset of our data that was recorded during an LHC fill with 140 colliding bunches. The decay profile for a $1 \mu\text{s}$ lifetime hypothesis is overlaid. The bottom panels are zoomed views of the boxed regions around the 2 events in the top panel so that the exponential decay shape of the signal hypothesis can be seen.

was observed. Limits at the 95% C.L. on gluino pair production over 13 orders of magnitude of gluino lifetime are set. For a mass difference $m_{\tilde{g}} - m_{\tilde{\chi}_1^0} > 100 \text{ GeV}/c^2$, assuming $\text{BR}(\tilde{g} \rightarrow g\tilde{\chi}_1^0) = 100\%$, we exclude $m_{\tilde{g}} < 370 \text{ GeV}/c^2$ for lifetimes from $10 \mu\text{s}$ to 1000 s with a counting experiment. Under the same assumptions, we are able to further exclude $m_{\tilde{g}} < 382 \text{ GeV}/c^2$ at the 95% C.L. for a lifetime of $10 \mu\text{s}$ with a time-prole analysis. These results extend existing limits from the D0 Collaboration [12] on both gluino lifetime and gluino mass. These limits are the most restrictive to date.

We wish to congratulate our colleagues in the CERN accelerator departments for the excellent performance of the LHC machine. We thank the technical and administrative staff at CERN and other CMS institutes, and acknowledge support from: FMSR (Austria); FNRS and FWO (Belgium); CNPq, CAPES, FAPERJ, and FAPESP (Brazil); MES (Bulgaria); CERN; CAS, MoST, and NSFC (China); COLCIENCIAS (Colombia); MSES (Croatia); RPF (Cyprus); Academy of Sciences and NICPB (Estonia); Academy of Finland, ME, and HIP (Finland); CEA and CNRS/IN2P3 (France); BMBF, DFG, and HGF (Germany); GSRT (Greece); OTKA and NKTH (Hungary); DAE and DST (India); IPM (Iran); SFI (Ireland); INFN (Italy); NRF and WCU (Korea); LAS (Lithuania); CINVESTAV, CONACYT, SEP, and UASLP-FAI (Mexico); PAEC (Pakistan); SCSR (Poland); FCT (Portugal); JINR (Armenia, Belarus, Georgia, Ukraine, Uzbekistan); MST and MAE (Russia); MSTD (Serbia); MICINN and CPAN (Spain); Swiss Funding Agencies (Switzerland); NSC (Taipei); TUBITAK and TAEK (Turkey); STFC (United Kingdom); DOE and

NSF (USA).

- [1] M. Fairbairn *et al.*, *Phys. Rep.* **438**, 1 (2007).
- [2] S. Dimopoulos *et al.*, *Phys. Rev. Lett.* **76**, 3494 (1996).
- [3] H. Baer *et al.*, *Phys. Rev. D* **59**, 075002 (1999).
- [4] T. Jittoh *et al.*, *Phys. Rev. D* **73**, 055009 (2006).
- [5] M. Strassler and K. Zurek, *Phys. Lett. B* **651**, 374 (2007).
- [6] A. Arvanitaki *et al.*, *Phys. Rev. D* **79**, 105022 (2009).
- [7] N. Arkani-Hamed and S. Dimopoulos, *J. High Energy Phys.*06 (2005) 073.
- [8] S. Dawson *et al.*, *Phys. Rev. D* **31**, 1581 (1985).
- [9] W. Beenakker *et al.*, *Nucl. Phys.* **B492**, 51 (1997).
- [10] T. Plehn *et al.*, *Phys. Lett. B* **645**, 217 (2007).
- [11] W. Beenakker *et al.*, *J. High Energy Phys.* 12 (2009) 041.
- [12] V.M. Abazov *et al.* (D0 Collaboration), *Phys. Rev. Lett.* **99**, 131801 (2007).
- [13] A. Arvanitaki *et al.*, *Phys. Rev. D* **72**, 075011 (2005).
- [14] K. Jedamzik, *Phys. Rev. D* **70**, 063524 (2004).
- [15] K. Jedamzik *et al.*, *J. Cosmol. Astropart. Phys.* 07 (2006) 007.
- [16] S. Bailly, K. Jedamzik, and G. Moulhaka, *Phys. Rev. D* **80**, 063509 (2009).
- [17] P. Fayet, *Phys. Lett. B* **69**, 489 (1977).
- [18] P. Fayet, *Phys. Lett. B* **78**, 417 (1978).
- [19] G.R. Farrar and P. Fayet, *Phys. Lett. B* **76**, 575 (1978).
- [20] A. Arvanitaki *et al.*, *Phys. Rev. D* **76**, 055007 (2007).
- [21] S. Chatrchyan *et al.* (CMS Collaboration), *JINST* **3**, S08004 (2008).
- [22] S. Chatrchyan *et al.* (CMS Collaboration), *JINST* **5**, T03014 (2010).
- [23] CMS Collaboration, CMS Physics Analysis Summary Report No. CMS-PAS-JME-10-007, 2010.
- [24] CMS Collaboration, CMS Physics Analysis Summary Report No. CMS-PAS-JME-10-004, 2010.
- [25] T. Sjostrand *et al.*, *J. High Energy Phys.* 05 (2006) 026.
- [26] S. Agostinelli *et al.* (GEANT4 Collaboration), *Nucl. Instrum. Methods Phys. Res., Sect. A* **506**, 250 (2003).
- [27] R. Mackeprang and A. Rizzi, *Eur. Phys. J. C* **50**, 353 (2007).
- [28] R. Mackeprang and D. Milstead, *Eur. Phys. J. C* **66**, 493 (2010).
- [29] G. Buccella, F. Farrar and A. Pugliese, *Phys. Lett. B* **153**, 311 (1985).
- [30] CMS Collaboration, CMS Physics Analysis Summary, Report No. CMS-PAS-EXO-09-001, 2009.
- [31] CMS Collaboration, CMS Physics Analysis Summary, Report No. CMS-PAS-EWK-10-004, 2010.
- [32] A.L. Read, in *Proceedings of the First Workshop on Confidence Limits*, edited by F. James, L. Lyons, and Y. Perrin (CERN, Geneva, Switzerland, 2000), p. 81, <http://cdsweb.cern.ch/record/451614>.
- [33] R. Cousins and V. Highland, *Nucl. Instrum. Methods Phys. Res., Sect. A* **320**, 331 (1992).

V. Khachatryan,¹ A.M. Sirunyan,¹ A. Tumasyan,¹ W. Adam,² T. Bergauer,² M. Dragicevic,² J. Erö,² C. Fabjan,² M. Friedl,² R. Frühwirth,² V.M. Ghete,² J. Hammer,^{2,b} S. Häsnel,² C. Hartl,² M. Hoch,² N. Hörmann,² J. Hrubec,²

M. Jeitler,² G. Kasieczka,² W. Kiesenhofer,² M. Krammer,² D. Liko,² I. Mikulec,² M. Pernicka,² H. Rohringer,² R. Schöfbeck,² J. Strauss,² A. Taurok,² F. Teischinger,² W. Waltenberger,² G. Walzel,² E. Widl,² C.-E. Wulz,² V. Mossolov,³ N. Shumeiko,³ J. Suarez Gonzalez,³ L. Benucci,⁴ L. Ceard,⁴ K. Cerny,⁴ E. A. De Wolf,⁴ X. Janssen,⁴ T. Maes,⁴ L. Mucibello,⁴ S. Ochesanu,⁴ B. Roland,⁴ R. Rougny,⁴ M. Selvaggi,⁴ H. Van Haevermaet,⁴ P. Van Mechelen,⁴ N. Van Remortel,⁴ V. Adler,⁵ S. Beauceron,⁵ F. Blekman,⁵ S. Blyweert,⁵ J. D'Hondt,⁵ O. Devroede,⁵ A. Kalogeropoulos,⁵ J. Maes,⁵ M. Maes,⁵ S. Tavernier,⁵ W. Van Doninck,⁵ P. Van Mulders,⁵ G. P. Van Onsem,⁵ I. Vilella,⁵ O. Charaf,⁶ B. Clerbaux,⁶ G. De Lentdecker,⁶ V. Dero,⁶ A. P. R. Gay,⁶ G. H. Hammad,⁶ T. Hreus,⁶ P. E. Marage,⁶ L. Thomas,⁶ C. Vander Velde,⁶ P. Vanlaer,⁶ J. Wickens,⁶ S. Costantini,⁷ M. Grunewald,⁷ B. Klein,⁷ A. Marinov,⁷ D. Ryckbosch,⁷ F. Thyssen,⁷ M. Tytgat,⁷ L. Vanelderen,⁷ P. Verwilligen,⁷ S. Walsh,⁷ N. Zaganidis,⁷ S. Basesmez,⁸ G. Bruno,⁸ J. Caudron,⁸ J. De Favereau De Jeneret,⁸ C. Delaere,⁸ P. Demin,⁸ D. Favart,⁸ A. Giammanco,⁸ G. Grégoire,⁸ J. Hollar,⁸ V. Lemaître,⁸ J. Liao,⁸ O. Militaru,⁸ S. Ovin,⁸ D. Pagano,⁸ A. Pin,⁸ K. Piotrkowski,⁸ L. Quertenmont,⁸ N. Schulz,⁸ N. Belyi,⁹ T. Caebergs,⁹ E. Daubie,⁹ G. A. Alves,¹⁰ D. De Jesus Damiao,¹⁰ M. E. Pol,¹⁰ M. H. G. Souza,¹⁰ W. Carvalho,¹¹ E. M. Da Costa,¹¹ C. De Oliveira Martins,¹¹ S. Fonseca De Souza,¹¹ L. Mundim,¹¹ H. Nogima,¹¹ V. Oguri,¹¹ W. L. Prado Da Silva,¹¹ A. Santoro,¹¹ S. M. Silva Do Amaral,¹¹ A. Sznajder,¹¹ F. Torres Da Silva De Araujo,¹¹ F. A. Dias,¹² M. A. F. Dias,¹² Tomei T. R. Fernandez Perez,¹² E. M. Gregores,^{12,c} F. Marinho,¹² S. F. Novaes,¹² Sandra S. Padula,¹² N. Darnenov,^{13,b} L. Dimitrov,¹³ V. Genchev,^{13,b} P. Iaydjiev,^{13,b} S. Piperov,¹³ M. Rodozov,¹³ S. Stoykova,¹³ G. Sultanov,¹³ V. Tcholakov,¹³ R. Trayanov,¹³ I. Vankov,¹³ M. Dyulendarova,¹⁴ R. Hadjiiska,¹⁴ V. Kozhuharov,¹⁴ L. Litov,¹⁴ E. Marinova,¹⁴ M. Mateev,¹⁴ B. Pavlov,¹⁴ P. Petkov,¹⁴ J. G. Bian,¹⁵ G. M. Chen,¹⁵ H. S. Chen,¹⁵ C. H. Jiang,¹⁵ D. Liang,¹⁵ S. Liang,¹⁵ J. Wang,¹⁵ J. Wang,¹⁵ X. Wang,¹⁵ Z. Wang,¹⁵ M. Xu,¹⁵ M. Yang,¹⁵ J. Zang,¹⁵ Z. Zhang,¹⁵ Y. Ban,¹⁶ S. Guo,¹⁶ W. Li,¹⁶ Y. Mao,¹⁶ S. J. Qian,¹⁶ H. Teng,¹⁶ B. Zhu,¹⁶ A. Cabrera,¹⁷ B. Gomez Moreno,¹⁷ A. A. Ocampo Rios,¹⁷ A. F. Osorio Oliveros,¹⁷ J. C. Sanabria,¹⁷ N. Godinovic,¹⁸ D. Lelas,¹⁸ K. Lelas,¹⁸ R. Plestina,^{18,d} D. Polic,¹⁸ I. Puljak,¹⁸ Z. Antunovic,¹⁹ M. Dzelalija,¹⁹ V. Brigljevic,²⁰ S. Duric,²⁰ K. Kadija,²⁰ S. Morovic,²⁰ A. Attikis,²¹ R. Fereos,²¹ M. Galanti,²¹ J. Mousa,²¹ C. Nicolaou,²¹ F. Ptochos,²¹ P. A. Razis,²¹ H. Rykaczewski,²¹ Y. Assran,^{22,e} M. A. Mahmoud,^{22,f} A. Hektor,²³ M. Kadastik,²³ K. Kannike,²³ M. Müntel,²³ M. Raidal,²³ L. Rebane,²³ V. Azzolini,²⁴ P. Eerola,²⁴ S. Czellar,²⁵ J. Härkönen,²⁵ A. Heikkinen,²⁵ V. Karimäki,²⁵ R. Kinnunen,²⁵ J. Klem,²⁵ M. J. Kortelainen,²⁵ T. Lampén,²⁵ K. Lassila-Perini,²⁵ S. Lehti,²⁵ T. Lindén,²⁵ P. Luukka,²⁵ T. Mäenpää,²⁵ E. Tuominen,²⁵ J. Tuominiemi,²⁵ E. Tuovinen,²⁵ D. Ungaro,²⁵ L. Wendland,²⁵ K. Banzuzi,²⁶ A. Korpela,²⁶ T. Tuuva,²⁶ D. Silou,²⁷ M. Besancon,²⁸ M. Dejardin,²⁸ D. Denegri,²⁸ B. Fabbro,²⁸ J. L. Faure,²⁸ F. Ferri,²⁸ S. Ganjour,²⁸ F. X. Gentit,²⁸ A. Givernaud,²⁸ P. Gras,²⁸ G. Hamel de Monchenault,²⁸ P. Jarry,²⁸ E. Locci,²⁸ J. Malcles,²⁸ M. Marionneau,²⁸ L. Millischer,²⁸ J. Rander,²⁸ A. Rosowsky,²⁸ I. Shreyber,²⁸ M. Titov,²⁸ P. Verrecchia,²⁸ S. Baffioni,²⁹ F. Beaudette,²⁹ L. Bianchini,²⁹ M. Bluj,^{29,g} C. Broutin,²⁹ P. Busson,²⁹ C. Charlot,²⁹ L. Dobrzynski,²⁹ R. Granier de Cassagnac,²⁹ M. Haguenaer,²⁹ P. Miné,²⁹ C. Mironov,²⁹ C. Ochando,²⁹ P. Paganini,²⁹ S. Porteboeuf,²⁹ D. Sabes,²⁹ R. Salerno,²⁹ Y. Sirois,²⁹ C. Thiebaux,²⁹ B. Wyslouch,^{29,h} A. Zabi,²⁹ J.-L. Agram,^{30,i} J. Andrea,³⁰ A. Besson,³⁰ D. Bloch,³⁰ D. Bodin,³⁰ J.-M. Brom,³⁰ M. Cardaci,³⁰ E. C. Chabert,³⁰ C. Collard,³⁰ E. Conte,^{30,i} F. Drouhin,^{30,i} C. Ferro,³⁰ J.-C. Fontaine,^{30,i} D. Gelé,³⁰ U. Goerlach,³⁰ S. Greder,³⁰ P. Juillot,³⁰ M. Karim,^{30,i} A.-C. Le Bihan,³⁰ Y. Mikami,³⁰ P. Van Hove,³⁰ F. Fassi,³¹ D. Mercier,³¹ C. Baty,³² N. Beaupere,³² M. Bedjidian,³² O. Bondu,³² G. Boudoul,³² D. Boumediene,³² H. Brun,³² N. Chanon,³² R. Chierici,³² D. Contardo,³² P. Depasse,³² H. El Mamouni,³² A. Falkiewicz,³² J. Fay,³² S. Gascon,³² B. Ille,³² T. Kurca,³² T. Le Grand,³² M. Lethuillier,³² L. Mirabito,³² S. Perries,³² V. Sordini,³² S. Tosi,³² Y. Tschudi,³² P. Verdier,³² H. Xiao,³² V. Roinishvili,³³ G. Anagnostou,³⁴ M. Edelhoff,³⁴ L. Feld,³⁴ N. Heracleous,³⁴ O. Hindrichs,³⁴ R. Jussen,³⁴ K. Klein,³⁴ J. Merz,³⁴ N. Mohr,³⁴ A. Ostapchuk,³⁴ A. Perieanu,³⁴ F. Raupach,³⁴ J. Sammet,³⁴ S. Schael,³⁴ D. Sprenger,³⁴ H. Weber,³⁴ M. Weber,³⁴ B. Wittmer,³⁴ M. Ata,³⁵ W. Bender,³⁵ M. Erdmann,³⁵ J. Frangenheim,³⁵ T. Hebbeker,³⁵ A. Hinzmann,³⁵ K. Hoepfner,³⁵ C. Hof,³⁵ T. Klimkovich,³⁵ D. Klingebiel,³⁵ P. Kreuzer,^{35,b} D. Lanske,^{35,a} C. Magass,³⁵ G. Masetti,³⁵ M. Merschmeyer,³⁵ A. Meyer,³⁵ P. Papacz,³⁵ H. Pieta,³⁵ H. Reithler,³⁵ S. A. Schmitz,³⁵ L. Sonnenschein,³⁵ J. Steggemann,³⁵ D. Teyssier,³⁵ M. Bontenackels,³⁶ M. Davids,³⁶ M. Duda,³⁶ G. Flügge,³⁶ H. Geenen,³⁶ M. Giffels,³⁶ W. Haj Ahmad,³⁶ D. Heydhausen,³⁶ T. Kress,³⁶ Y. Kuessel,³⁶ A. Linn,³⁶ A. Nowack,³⁶ L. Perchalla,³⁶ O. Pooth,³⁶ J. Rennefeld,³⁶ P. Sauerland,³⁶ A. Stahl,³⁶ M. Thomas,³⁶ D. Tornier,³⁶ M. H. Zoeller,³⁶ M. Aldaya Martin,³⁷ W. Behrenhoff,³⁷ U. Behrens,³⁷ M. Bergholz,^{37,j} K. Borras,³⁷ A. Cakir,³⁷ A. Campbell,³⁷ E. Castro,³⁷ D. Dammann,³⁷ G. Eckerlin,³⁷ D. Eckstein,³⁷ A. Flossdorf,³⁷ G. Flucke,³⁷ A. Geiser,³⁷ I. Glushkov,³⁷ J. Hauk,³⁷ H. Jung,³⁷ M. Kasemann,³⁷ I. Katkov,³⁷ P. Katsas,³⁷ C. Kleinwort,³⁷ H. Kluge,³⁷

A. Knutsson,³⁷ D. Krücker,³⁷ E. Kuznetsova,³⁷ W. Lange,³⁷ W. Lohmann,^{37,j} R. Mankel,³⁷ M. Marienfeld,³⁷ I.-A. Melzer-Pellmann,³⁷ A. B. Meyer,³⁷ J. Mnich,³⁷ A. Mussgiller,³⁷ J. Olzem,³⁷ A. Parenti,³⁷ A. Raspereza,³⁷ A. Raval,³⁷ R. Schmidt,^{37,j} T. Schoerner-Sadenius,³⁷ N. Sen,³⁷ M. Stein,³⁷ J. Tomaszewska,³⁷ D. Volyanskyy,³⁷ R. Walsh,³⁷ C. Wissing,³⁷ C. Autermann,³⁸ S. Bobrovskiy,³⁸ J. Draeger,³⁸ H. Enderle,³⁸ U. Gebbert,³⁸ K. Kaschube,³⁸ G. Kaussen,³⁸ R. Klanner,³⁸ B. Mura,³⁸ S. Naumann-Emme,³⁸ F. Nowak,³⁸ N. Pietsch,³⁸ C. Sander,³⁸ H. Schettler,³⁸ P. Schleper,³⁸ M. Schröder,³⁸ T. Schum,³⁸ J. Schwandt,³⁸ A. K. Srivastava,³⁸ H. Stadie,³⁸ G. Steinbrück,³⁸ J. Thomsen,³⁸ R. Wolf,³⁸ J. Bauer,³⁹ V. Buege,³⁹ T. Chwalek,³⁹ W. De Boer,³⁹ A. Dierlamm,³⁹ G. Dirkes,³⁹ M. Feindt,³⁹ J. Gruschke,³⁹ C. Hackstein,³⁹ F. Hartmann,³⁹ S. M. Heindl,³⁹ M. Heinrich,³⁹ H. Held,³⁹ K. H. Hoffmann,³⁹ S. Honc,³⁹ T. Kuhr,³⁹ D. Martschei,³⁹ S. Mueller,³⁹ Th. Müller,³⁹ M. Niegel,³⁹ O. Oberst,³⁹ A. Oehler,³⁹ J. Ott,³⁹ T. Peiffer,³⁹ D. Piparo,³⁹ G. Quast,³⁹ K. Rabbertz,³⁹ F. Ratnikov,³⁹ M. Renz,³⁹ C. Saout,³⁹ A. Scheurer,³⁹ P. Schieferdecker,³⁹ F.-P. Schilling,³⁹ G. Schott,³⁹ H. J. Simonis,³⁹ F. M. Stober,³⁹ D. Troendle,³⁹ J. Wagner-Kuhr,³⁹ M. Zeise,³⁹ V. Zhukov,^{39,k} E. B. Ziebarth,³⁹ G. Daskalakis,⁴⁰ T. Geralis,⁴⁰ S. Kesisoglou,⁴⁰ A. Kyriakis,⁴⁰ D. Loukas,⁴⁰ I. Manolakos,⁴⁰ A. Markou,⁴⁰ C. Markou,⁴⁰ C. Mavrommatis,⁴⁰ E. Petrakou,⁴⁰ L. Gouskos,⁴¹ T. J. Mertzimekis,⁴¹ A. Panagiotou,^{41,b} I. Evangelou,⁴² C. Foudas,⁴² P. Kokkas,⁴² N. Manthos,⁴² I. Papadopoulos,⁴² V. Patras,⁴² F. A. Triantis,⁴² A. Aranyi,⁴³ G. Bencze,⁴³ L. Boldizar,⁴³ G. Debreczeni,⁴³ C. Hajdu,^{43,b} D. Horvath,^{43,l} A. Kapusi,⁴³ K. Krajczar,^{43,m} A. Laszlo,⁴³ F. Sikler,⁴³ G. Vesztergombi,^{43,m} N. Beni,⁴⁴ J. Molnar,⁴⁴ J. Palinkas,⁴⁴ Z. Szillasi,⁴⁴ V. Veszpremi,⁴⁴ P. Raics,⁴⁵ Z. L. Trocsanyi,⁴⁵ B. Ujvari,⁴⁵ S. Bansal,⁴⁶ S. B. Beri,⁴⁶ V. Bhatnagar,⁴⁶ N. Dhingra,⁴⁶ M. Jindal,⁴⁶ M. Kaur,⁴⁶ J. M. Kohli,⁴⁶ M. Z. Mehta,⁴⁶ N. Nishu,⁴⁶ L. K. Saini,⁴⁶ A. Sharma,⁴⁶ A. P. Singh,⁴⁶ J. B. Singh,⁴⁶ S. P. Singh,⁴⁶ S. Ahuja,⁴⁷ S. Bhattacharya,⁴⁷ B. C. Choudhary,⁴⁷ P. Gupta,⁴⁷ S. Jain,⁴⁷ S. Jain,⁴⁷ A. Kumar,⁴⁷ R. K. Shivpuri,⁴⁷ R. K. Choudhury,⁴⁸ D. Dutta,⁴⁸ S. Kailas,⁴⁸ S. K. Kataria,⁴⁸ A. K. Mohanty,^{48,b} L. M. Pant,⁴⁸ P. Shukla,⁴⁸ P. Suggisetti,⁴⁸ T. Aziz,⁴⁹ M. Guchait,^{49,n} A. Gurtu,⁴⁹ M. Maity,^{49,o} D. Majumder,⁴⁹ G. Majumder,⁴⁹ K. Mazumdar,⁴⁹ G. B. Mohanty,⁴⁹ A. Saha,⁴⁹ K. Sudhakar,⁴⁹ N. Wickramage,⁴⁹ S. Banerjee,⁵⁰ S. Dugad,⁵⁰ N. K. Mondal,⁵⁰ H. Arfaei,⁵¹ H. Bakhshiansohi,⁵¹ S. M. Etesami,⁵¹ A. Fahim,⁵¹ M. Hashemi,⁵¹ A. Jafari,⁵¹ M. Khakzad,⁵¹ A. Mohammadi,⁵¹ M. Mohammadi Najafabadi,⁵¹ S. Paktinat Mehdiabadi,⁵¹ B. Safarzadeh,⁵¹ M. Zeinali,⁵¹ M. Abbrescia,^{52a,52b} L. Barbone,^{52a,52b} C. Calabria,^{52a,52b} A. Colaleo,^{52a} D. Creanza,^{52a,52c} N. De Filippis,^{52a,52c} M. De Palma,^{52a,52b} A. Dimitrov,^{52a} L. Fiore,^{52a} G. Iaselli,^{52a,52c} L. Lusito,^{52a,52b} G. Maggi,^{52a,52c} M. Maggi,^{52a} N. Manna,^{52a,52b} B. Marangelli,^{52a,52b} S. My,^{52a,52c} S. Nuzzo,^{52a,52b} N. Pacifico,^{52a,52b} G. A. Pierro,^{52a} A. Pompili,^{52a,52b} G. Pugliese,^{52a,52c} F. Romano,^{52a,52c} G. Roselli,^{52a,52b} G. Selvaggi,^{52a,52b} L. Silvestris,^{52a} R. Trentadue,^{52a} S. Tupputi,^{52a,52b} G. Zito,^{52a} G. Abbiendi,^{53a} A. C. Benvenuti,^{53a} D. Bonacorsi,^{53a} S. Braibant-Giacomelli,^{53a,53b} P. Capiluppi,^{53a,53b} A. Castro,^{53a,53b} F. R. Cavallo,^{53a} M. Cuffiani,^{53a,53b} G. M. Dallavalle,^{53a} F. Fabbri,^{53a} A. Fanfani,^{53a,53b} D. Fasanella,^{53a} P. Giacomelli,^{53a} M. Giunta,^{53a} C. Grandi,^{53a} S. Marcellini,^{53a} M. Meneghelli,^{53a,53b} A. Montanari,^{53a} F. L. Navarria,^{53a,53b} F. Odorici,^{53a} A. Perrotta,^{53a} A. M. Rossi,^{53a,53b} T. Rovelli,^{53a,53b} G. Siroli,^{53a,53b} R. Travaglini,^{53a,53b} S. Albergo,^{54a,54b} G. Cappello,^{54a,54b} M. Chiorboli,^{54a,54b} S. Costa,^{54a,54b} A. Tricoli,^{54a,54b} C. Tuve,^{54a} G. Barbagli,^{55a} V. Ciulli,^{55a,55b} C. Civinini,^{55a} R. D'Alessandro,^{55a,55b} E. Focardi,^{55a,55b} S. Frosali,^{55a,55b} E. Gallo,^{55a} C. Genta,^{55a} P. Lenzi,^{55a,55b} M. Meschini,^{55a} S. Paoletti,^{55a} G. Sguazzoni,^{55a} A. Tropiano,^{55a,b} L. Benussi,⁵⁶ S. Bianco,⁵⁶ S. Colafranceschi,^{56,p} F. Fabbri,⁵⁶ D. Piccolo,⁵⁶ P. Fabbricatore,⁵⁷ R. Musenich,⁵⁷ A. Benaglia,^{58a,58b} G. B. Cerati,^{58a,58b} F. De Guio,^{58a,58b} L. Di Matteo,^{58a,58b} A. Ghezzi,^{58a,58b} M. Malberti,^{58a,58b} S. Malvezzi,^{58a} A. Martelli,^{58a,58b} A. Massironi,^{58a,58b} D. Menasce,^{58a} L. Moroni,^{58a} M. Paganoni,^{58a,58b} D. Pedrini,^{58a} S. Ragazzi,^{58a,58b} N. Redaelli,^{58a} S. Sala,^{58a} T. Tabarelli de Fatis,^{58a,58b} V. Tancini,^{58a,58b} S. Buontempo,^{59a} C. A. Carrillo Montoya,^{59a} A. Cimmino,^{59a,59b} A. De Cosa,^{59a,59b} M. De Gruttola,^{59a,59b} F. Fabozzi,^{59a,q} A. O. M. Iorio,^{59a} L. Lista,^{59a} M. Merola,^{59a,59b} P. Noli,^{59a,59b} P. Paolucci,^{59a} P. Azzi,^{60a} N. Bacchetta,^{60a} P. Bellan,^{60a,60b} M. Bellato,^{60a} D. Bisello,^{60a,60b} A. Branca,^{60a} P. Checchia,^{60a} E. Conti,^{60a} M. De Mattia,^{60a,60b} T. Dorigo,^{60a} F. Gasparini,^{60a,60b} P. Giubileo,^{60a,60b} A. Gresele,^{60a,60c} S. Lacaprara,^{60a,r} I. Lazzizzera,^{60a,60b} M. Margoni,^{60a,60b} G. Maron,^{60a,r} A. T. Meneguzzo,^{60a,60b} M. Nespolo,^{60a} M. Passaseo,^{60a} L. Perrozzi,^{60a,b} N. Pozzobon,^{60a,60b} P. Ronchese,^{60a,60b} F. Simonetto,^{60a,60b} E. Torassa,^{60a} M. Tosi,^{60a,60b} A. Triossi,^{60a} S. Vanini,^{60a,60b} P. Zotto,^{60a,60b} G. Zumerle,^{60a,60b} P. Baesso,^{61a,61b} U. Berzano,^{61a} C. Riccardi,^{61a,61b} P. Torre,^{61a,61b} P. Vitulo,^{61a,61b} C. Viviani,^{61a,61b} M. Biasini,^{62a,62b} G. M. Bilei,^{62a} B. Caponeri,^{62a,62b} L. Fanò,^{62a,62b} P. Lariccia,^{62a,62b} A. Lucaroni,^{62a,62b} G. Mantovani,^{62a,62b} M. Menichelli,^{62a} A. Nappi,^{62a,62b} A. Santocchia,^{62a,62b} L. Servoli,^{62a} S. Taroni,^{62a,62b} M. Valdata,^{62a,62b} R. Volpe,^{62a,62b} P. Azzurri,^{63a,63c} G. Bagliesi,^{63a} J. Bernardini,^{63a,63b} T. Boccali,^{63a,b} G. Broccolo,^{63a,63c} R. Castaldi,^{63a}

R. T. D'Agnolo,^{63a,63c} R. Dell'Orso,^{63a} F. Fiori,^{63a,63b} L. Foà,^{63a,63c} A. Giassi,^{63a} A. Kraan,^{63a} F. Ligabue,^{63a,63c} T. Lomtadze,^{63a} L. Martini,^{63a} A. Messineo,^{63a,63b} F. Palla,^{63a} F. Palmonari,^{63a} S. Sarkar,^{63a,63c} G. Segneri,^{63a} A. T. Serban,^{63a} P. Spagnolo,^{63a} R. Tenchini,^{63a} G. Tonelli,^{63a,63b} A. Venturi,^{63a,b} P. G. Verdini,^{63a} L. Barone,^{64a,64b} F. Cavallari,^{64a} D. Del Re,^{64a,64b} E. Di Marco,^{64a,64b} M. Diemoz,^{64a} D. Franci,^{64a,64b} M. Grassi,^{64a} E. Longo,^{64a,64b} G. Organtini,^{64a,64b} A. Palma,^{64a,64b} F. Pandolfi,^{64a,64b} R. Paramatti,^{64a} S. Rahatlou,^{64a,64b} N. Amapane,^{65a,65b} R. Arcidiacono,^{65a,65c} S. Argiro,^{65a,65b} M. Arneodo,^{65a,65c} C. Biino,^{65a} C. Botta,^{65a,65b} N. Cartiglia,^{65a} R. Castello,^{65a,65b} M. Costa,^{65a,65b} N. Demaria,^{65a} A. Graziano,^{65a,65b} C. Mariotti,^{65a} M. Marone,^{65a,65b} S. Maselli,^{65a} E. Migliore,^{65a,65b} G. Mila,^{65a,65b} V. Monaco,^{65a,65b} M. Musich,^{65a,65b} M. M. Obertino,^{65a,65c} N. Pastrone,^{65a} M. Pelliccioni,^{65a,65b} A. Romero,^{65a,65b} M. Ruspa,^{65a,65c} R. Sacchi,^{65a,65b} V. Sola,^{65a,65b} A. Solano,^{65a,65b} A. Staiano,^{65a} D. Trocino,^{65a,65b} A. Vilela Pereira,^{65a,65b} F. Ambroglini,^{66a,66b} S. Belforte,^{66a} F. Cossutti,^{66a} G. Della Ricca,^{66a,66b} B. Gobbo,^{66a} D. Montanino,^{66a,66b} A. Penzo,^{66a} S. G. Heo,⁶⁷ S. Chang,⁶⁸ J. Chung,⁶⁸ D. H. Kim,⁶⁸ G. N. Kim,⁶⁸ J. E. Kim,⁶⁸ D. J. Kong,⁶⁸ H. Park,⁶⁸ D. Son,⁶⁸ D. C. Son,⁶⁸ Zero Kim,⁶⁹ J. Y. Kim,⁶⁹ S. Song,⁶⁹ S. Choi,⁷⁰ B. Hong,⁷⁰ M. Jo,⁷⁰ H. Kim,⁷⁰ J. H. Kim,⁷⁰ T. J. Kim,⁷⁰ K. S. Lee,⁷⁰ D. H. Moon,⁷⁰ S. K. Park,⁷⁰ H. B. Rhee,⁷⁰ E. Seo,⁷⁰ S. Shin,⁷⁰ K. S. Sim,⁷⁰ M. Choi,⁷¹ S. Kang,⁷¹ H. Kim,⁷¹ C. Park,⁷¹ I. C. Park,⁷¹ S. Park,⁷¹ G. Ryu,⁷¹ Y. Choi,⁷² Y. K. Choi,⁷² J. Goh,⁷² J. Lee,⁷² S. Lee,⁷² H. Seo,⁷² I. Yu,⁷² M. J. Bilinskas,⁷³ I. Grigelionis,⁷³ M. Janulis,⁷³ D. Martisiute,⁷³ P. Petrov,⁷³ T. Sabonis,⁷³ H. Castilla Valdez,⁷⁴ E. De La Cruz Burelo,⁷⁴ R. Lopez-Fernandez,⁷⁴ A. Sánchez Hernández,⁷⁴ L. M. Villasenor-Cendejas,⁷⁴ S. Carrillo Moreno,⁷⁵ F. Vazquez Valencia,⁷⁵ H. A. Salazar Ibarguen,⁷⁶ E. Casimiro Linares,⁷⁷ A. Morelos Pineda,⁷⁷ M. A. Reyes-Santos,⁷⁷ P. Allfrey,⁷⁸ D. Krofcheck,⁷⁸ J. Tam,⁷⁸ P. H. Butler,⁷⁹ R. Doesburg,⁷⁹ H. Silverwood,⁷⁹ M. Ahmad,⁸⁰ I. Ahmed,⁸⁰ M. I. Asghar,⁸⁰ H. R. Hoorani,⁸⁰ W. A. Khan,⁸⁰ T. Khurshid,⁸⁰ S. Qazi,⁸⁰ M. Cwiok,⁸¹ W. Dominik,⁸¹ K. Doroba,⁸¹ A. Kalinowski,⁸¹ M. Konecki,⁸¹ J. Krolikowski,⁸¹ T. Frueboes,⁸² R. Gokieli,⁸² M. Górski,⁸² M. Kazana,⁸² K. Nawrocki,⁸² K. Romanowska-Rybinska,⁸² M. Szleper,⁸² G. Wrochna,⁸² P. Zalewski,⁸² N. Almeida,⁸³ A. David,⁸³ P. Faccioli,⁸³ P. G. Ferreira Parracho,⁸³ M. Gallinaro,⁸³ P. Martins,⁸³ P. Musella,⁸³ A. Nayak,⁸³ P. Q. Ribeiro,⁸³ J. Seixas,⁸³ P. Silva,⁸³ J. Varela,^{83,b} H. K. Wöhri,⁸³ I. Belotelov,⁸⁴ P. Bunin,⁸⁴ M. Finger,⁸⁴ M. Finger, Jr.,⁸⁴ I. Golutvin,⁸⁴ A. Kamenev,⁸⁴ V. Karjavin,⁸⁴ G. Kozlov,⁸⁴ A. Lanev,⁸⁴ P. Moisezenz,⁸⁴ V. Palichik,⁸⁴ V. Perelygin,⁸⁴ S. Shmatov,⁸⁴ V. Smirnov,⁸⁴ A. Volodko,⁸⁴ A. Zarubin,⁸⁴ N. Bondar,⁸⁵ V. Golovtsov,⁸⁵ Y. Ivanov,⁸⁵ V. Kim,⁸⁵ P. Levchenko,⁸⁵ V. Murzin,⁸⁵ V. Oreshkin,⁸⁵ I. Smirnov,⁸⁵ V. Sulimov,⁸⁵ L. Uvarov,⁸⁵ S. Vavilov,⁸⁵ A. Vorobyev,⁸⁵ Yu. Andreev,⁸⁶ S. Gninenko,⁸⁶ N. Golubev,⁸⁶ M. Kirsanov,⁸⁶ N. Krasnikov,⁸⁶ V. Matveev,⁸⁶ A. Pashenkov,⁸⁶ A. Toropin,⁸⁶ S. Troitsky,⁸⁶ V. Epshteyn,⁸⁷ V. Gavrilov,⁸⁷ V. Kaftanov,^{87,a} M. Kossov,^{87,b} A. Krokhotin,⁸⁷ N. Lychkovskaya,⁸⁷ G. Safronov,⁸⁷ S. Semenov,⁸⁷ V. Stolin,⁸⁷ E. Vlasov,⁸⁷ A. Zhokin,⁸⁷ E. Boos,⁸⁸ M. Dubinin,^{88,s} L. Dudko,⁸⁸ A. Ershov,⁸⁸ A. Gribushin,⁸⁸ O. Kodolova,⁸⁸ I. Lokhtin,⁸⁸ S. Obraztsov,⁸⁸ S. Petrushanko,⁸⁸ L. Sarycheva,⁸⁸ V. Savrin,⁸⁸ A. Snigirev,⁸⁸ V. Andreev,⁸⁹ M. Azarkin,⁸⁹ I. Dremin,⁸⁹ M. Kirakosyan,⁸⁹ S. V. Rusakov,⁸⁹ A. Vinogradov,⁸⁹ I. Azhgirey,⁹⁰ S. Bitioukov,⁹⁰ V. Grishin,^{90,b} V. Kachanov,⁹⁰ D. Konstantinov,⁹⁰ A. Korablev,⁹⁰ V. Krychkin,⁹⁰ V. Petrov,⁹⁰ R. Ryutin,⁹⁰ S. Slabospitsky,⁹⁰ A. Sobol,⁹⁰ L. Tourtchanovitch,⁹⁰ S. Troshin,⁹⁰ N. Tyurin,⁹⁰ A. Uzunian,⁹⁰ A. Volkov,⁹⁰ P. Adzic,^{91,t} M. Djordjevic,⁹¹ D. Krpic,^{91,t} J. Milosevic,⁹¹ M. Aguilar-Benitez,⁹² J. Alcaraz Maestre,⁹² P. Arce,⁹² C. Battilana,⁹² E. Calvo,⁹² M. Cepeda,⁹² M. Cerrada,⁹² N. Colino,⁹² B. De La Cruz,⁹² C. Diez Pardos,⁹² C. Fernandez Bedoya,⁹² J. P. Fernández Ramos,⁹² A. Ferrando,⁹² J. Flix,⁹² M. C. Fouz,⁹² P. Garcia-Abia,⁹² O. Gonzalez Lopez,⁹² S. Goy Lopez,⁹² J. M. Hernandez,⁹² M. I. Josa,⁹² G. Merino,⁹² J. Puerta Pelayo,⁹² I. Redondo,⁹² L. Romero,⁹² J. Santaolalla,⁹² C. Willmott,⁹² C. Albajar,⁹³ G. Codispoti,⁹³ J. F. de Trocóniz,⁹³ J. Cuevas,⁹⁴ J. Fernandez Menendez,⁹⁴ S. Folgueras,⁹⁴ I. Gonzalez Caballero,⁹⁴ L. Lloret Iglesias,⁹⁴ J. M. Vizán García,⁹⁴ J. A. Brochero Cifuentes,⁹⁵ I. J. Cabrillo,⁹⁵ A. Calderon,⁹⁵ M. Chamizo Llatas,⁹⁵ S. H. Chuang,⁹⁵ J. Duarte Campderros,⁹⁵ M. Felcini,^{95,u} M. Fernandez,⁹⁵ G. Gomez,⁹⁵ J. Gonzalez Sanchez,⁹⁵ R. Gonzalez Suarez,⁹⁵ C. Jorda,⁹⁵ P. Lobelle Pardo,⁹⁵ A. Lopez Virto,⁹⁵ J. Marco,⁹⁵ R. Marco,⁹⁵ C. Martinez Rivero,⁹⁵ F. Matorras,⁹⁵ F. J. Muñoz Sanchez,⁹⁵ J. Piedra Gomez,^{95,v} T. Rodrigo,⁹⁵ A. Ruiz Jimeno,⁹⁵ L. Scodellaro,⁹⁵ M. Sobron Sanudo,⁹⁵ I. Vila,⁹⁵ R. Vilar Cortabitarte,⁹⁵ D. Abbaneo,⁹⁶ E. Auffray,⁹⁶ G. Auzinger,⁹⁶ P. Baillon,⁹⁶ A. H. Ball,⁹⁶ D. Barney,⁹⁶ A. J. Bell,^{96,w} D. Benedetti,⁹⁶ C. Bernet,^{96,d} W. Bialas,⁹⁶ P. Bloch,⁹⁶ A. Bocci,⁹⁶ S. Bolognesi,⁹⁶ H. Breuker,⁹⁶ G. Brona,⁹⁶ K. Bunkowski,⁹⁶ T. Camporesi,⁹⁶ E. Cano,⁹⁶ G. Cerminara,⁹⁶ T. Christiansen,⁹⁶ J. A. Coarasa Perez,⁹⁶ R. Covarelli,⁹⁶ B. Curé,⁹⁶ D. D'Enterria,⁹⁶ T. Dahms,⁹⁶ A. De Roeck,⁹⁶ F. Duarte Ramos,⁹⁶ A. Elliott-Peisert,⁹⁶ W. Funk,⁹⁶ A. Gaddi,⁹⁶ S. Gennai,⁹⁶ G. Georgiou,⁹⁶ H. Gerwig,⁹⁶ D. Gigi,⁹⁶ K. Gill,⁹⁶ D. Giordano,⁹⁶ F. Glege,⁹⁶ R. Gomez-Reino Garrido,⁹⁶ M. Gouzevitch,⁹⁶ P. Govoni,⁹⁶ S. Gowdy,⁹⁶ L. Guiducci,⁹⁶ M. Hansen,⁹⁶ J. Harvey,⁹⁶ J. Hegeman,⁹⁶ B. Hegner,⁹⁶

C. Henderson,⁹⁶ H. F. Hoffmann,⁹⁶ A. Honma,⁹⁶ V. Innocente,⁹⁶ P. Janot,⁹⁶ E. Karavakis,⁹⁶ P. Lecoq,⁹⁶ C. Leonidopoulos,⁹⁶ C. Lourenço,⁹⁶ A. Macpherson,⁹⁶ T. Mäki,⁹⁶ L. Malgeri,⁹⁶ M. Mannelli,⁹⁶ L. Masetti,⁹⁶ F. Meijers,⁹⁶ S. Mersi,⁹⁶ E. Meschi,⁹⁶ R. Moser,⁹⁶ M. U. Mozer,⁹⁶ M. Mulders,⁹⁶ E. Nesvold,^{96,b} M. Nguyen,⁹⁶ T. Orimoto,⁹⁶ L. Orsini,⁹⁶ E. Perez,⁹⁶ A. Petrilli,⁹⁶ A. Pfeiffer,⁹⁶ M. Pierini,⁹⁶ M. Pimiä,⁹⁶ G. Polese,⁹⁶ A. Racz,⁹⁶ G. Rolandi,^{96,x} T. Rommerskirchen,⁹⁶ C. Rovelli,^{96,y} M. Rovere,⁹⁶ H. Sakulin,⁹⁶ C. Schäfer,⁹⁶ C. Schwick,⁹⁶ I. Segoni,⁹⁶ A. Sharma,⁹⁶ P. Siegrist,⁹⁶ M. Simon,⁹⁶ P. Sphicas,^{96,z} D. Spiga,⁹⁶ M. Spiropulu,^{96,s} F. Stöckli,⁹⁶ M. Stoye,⁹⁶ P. Tropea,⁹⁶ A. Tsirou,⁹⁶ A. Tsyganov,⁹⁶ G. I. Veres,^{96,m} P. Vichoudis,⁹⁶ M. Voutilainen,⁹⁶ W. D. Zeuner,⁹⁶ W. Bertl,⁹⁷ K. Deiters,⁹⁷ W. Erdmann,⁹⁷ K. Gabathuler,⁹⁷ R. Horisberger,⁹⁷ Q. Ingram,⁹⁷ H. C. Kaestli,⁹⁷ S. König,⁹⁷ D. Kotlinski,⁹⁷ U. Langenegger,⁹⁷ F. Meier,⁹⁷ D. Renker,⁹⁷ T. Rohe,⁹⁷ J. Sibille,^{97,aa} A. Starodumov,^{97,bb} P. Bortignon,⁹⁸ L. Caminada,^{98,cc} Z. Chen,⁹⁸ S. Cittolin,⁹⁸ G. Dissertori,⁹⁸ M. Dittmar,⁹⁸ J. Eugster,⁹⁸ K. Freudenreich,⁹⁸ C. Grab,⁹⁸ A. Hervé,⁹⁸ W. Hintz,⁹⁸ P. Lecomte,⁹⁸ W. Lustermann,⁹⁸ C. Marchica,^{98,cc} P. Martinez Ruiz del Arbol,⁹⁸ P. Meridiani,⁹⁸ P. Milenovic,^{98,dd} F. Moortgat,⁹⁸ P. Nef,⁹⁸ F. Nessi-Tedaldi,⁹⁸ L. Pape,⁹⁸ F. Pauss,⁹⁸ T. Punz,⁹⁸ A. Rizzi,⁹⁸ F. J. Ronga,⁹⁸ L. Sala,⁹⁸ A. K. Sanchez,⁹⁸ M.-C. Sawley,⁹⁸ B. Stieger,⁹⁸ L. Tauscher,^{98,a} A. Thea,⁹⁸ K. Theofilatos,⁹⁸ D. Treille,⁹⁸ C. Urscheler,⁹⁸ R. Wallny,^{98,u} M. Weber,⁹⁸ L. Wehrli,⁹⁸ J. Weng,⁹⁸ E. Aguiló,⁹⁹ C. Amsler,⁹⁹ V. Chiochia,⁹⁹ S. De Visscher,⁹⁹ C. Favaro,⁹⁹ M. Ivova Rikova,⁹⁹ B. Millan Mejias,⁹⁹ C. Regenfus,⁹⁹ P. Robmann,⁹⁹ A. Schmidt,⁹⁹ H. Snoek,⁹⁹ L. Wilke,⁹⁹ Y. H. Chang,¹⁰⁰ K. H. Chen,¹⁰⁰ W. T. Chen,¹⁰⁰ S. Dutta,¹⁰⁰ A. Go,¹⁰⁰ C. M. Kuo,¹⁰⁰ S. W. Li,¹⁰⁰ W. Lin,¹⁰⁰ M. H. Liu,¹⁰⁰ Z. K. Liu,¹⁰⁰ Y. J. Lu,¹⁰⁰ J. H. Wu,¹⁰⁰ S. S. Yu,¹⁰⁰ P. Bartalini,¹⁰¹ P. Chang,¹⁰¹ Y. H. Chang,¹⁰¹ Y. W. Chang,¹⁰¹ Y. Chao,¹⁰¹ K. F. Chen,¹⁰¹ W.-S. Hou,¹⁰¹ Y. Hsiung,¹⁰¹ K. Y. Kao,¹⁰¹ Y. J. Lei,¹⁰¹ R.-S. Lu,¹⁰¹ J. G. Shiu,¹⁰¹ Y. M. Tzeng,¹⁰¹ M. Wang,¹⁰¹ A. Adiguzel,¹⁰² M. N. Bakirci,¹⁰² S. Cerci,^{102,ee} C. Dozen,¹⁰² I. Dumanoglu,¹⁰² E. Eskut,¹⁰² S. Girgis,¹⁰² G. Gokbulut,¹⁰² Y. Guler,¹⁰² E. Gurpinar,¹⁰² I. Hos,¹⁰² E. E. Kangal,¹⁰² T. Karaman,¹⁰² A. Kayis Topaksu,¹⁰² A. Nart,¹⁰² G. Onengut,¹⁰² K. Ozdemir,¹⁰² S. Ozturk,¹⁰² A. Polatoz,¹⁰² K. Sogut,^{102,ff} B. Tali,¹⁰² H. Topakli,¹⁰² D. Uzun,¹⁰² L. N. Vergili,¹⁰² M. Vergili,¹⁰² C. Zorbilmez,¹⁰² I. V. Akin,¹⁰³ T. Aliev,¹⁰³ S. Bilmis,¹⁰³ M. Deniz,¹⁰³ H. Gamsizkan,¹⁰³ A. M. Guler,¹⁰³ K. Ocalan,¹⁰³ A. Ozpineci,¹⁰³ M. Serin,¹⁰³ R. Sever,¹⁰³ U. E. Surat,¹⁰³ E. Yildirim,¹⁰³ M. Zeyrek,¹⁰³ M. Deliomeroglu,¹⁰⁴ D. Demir,^{104,gg} E. Gülmez,¹⁰⁴ A. Halu,¹⁰⁴ B. Isildak,¹⁰⁴ M. Kaya,^{104,hh} O. Kaya,^{104,hh} M. Özbek,¹⁰⁴ S. Ozkorucuklu,^{104,ii} N. Sonmez,^{104,ji} L. Levchuk,¹⁰⁵ P. Bell,¹⁰⁶ F. Bostock,¹⁰⁶ J. J. Brooke,¹⁰⁶ T. L. Cheng,¹⁰⁶ E. Clement,¹⁰⁶ D. Cussans,¹⁰⁶ R. Frazier,¹⁰⁶ J. Goldstein,¹⁰⁶ M. Grimes,¹⁰⁶ M. Hansen,¹⁰⁶ D. Hartley,¹⁰⁶ G. P. Heath,¹⁰⁶ H. F. Heath,¹⁰⁶ B. Huckvale,¹⁰⁶ J. Jackson,¹⁰⁶ L. Kreczko,¹⁰⁶ S. Metson,¹⁰⁶ D. M. Newbold,^{106,kk} K. Nirunpong,¹⁰⁶ A. Poll,¹⁰⁶ S. Senkin,¹⁰⁶ V. J. Smith,¹⁰⁶ S. Ward,¹⁰⁶ L. Basso,¹⁰⁷ K. W. Bell,¹⁰⁷ A. Belyaev,¹⁰⁷ C. Brew,¹⁰⁷ R. M. Brown,¹⁰⁷ B. Camanzi,¹⁰⁷ D. J. A. Cockerill,¹⁰⁷ J. A. Coughlan,¹⁰⁷ K. Harder,¹⁰⁷ S. Harper,¹⁰⁷ B. W. Kennedy,¹⁰⁷ E. Olaiya,¹⁰⁷ D. Petyt,¹⁰⁷ B. C. Radburn-Smith,¹⁰⁷ C. H. Shepherd-Themistocleous,¹⁰⁷ I. R. Tomalin,¹⁰⁷ W. J. Womersley,¹⁰⁷ S. D. Worm,¹⁰⁷ R. Bainbridge,¹⁰⁸ G. Ball,¹⁰⁸ J. Ballin,¹⁰⁸ R. Beuselinck,¹⁰⁸ O. Buchmuller,¹⁰⁸ D. Colling,¹⁰⁸ N. Cripps,¹⁰⁸ M. Cutajar,¹⁰⁸ G. Davies,¹⁰⁸ M. Della Negra,¹⁰⁸ J. Fulcher,¹⁰⁸ D. Futyan,¹⁰⁸ A. Guneratne Bryer,¹⁰⁸ G. Hall,¹⁰⁸ Z. Hatherell,¹⁰⁸ J. Hays,¹⁰⁸ G. Iles,¹⁰⁸ G. Karapostoli,¹⁰⁸ L. Lyons,¹⁰⁸ A.-M. Magnan,¹⁰⁸ J. Marrouche,¹⁰⁸ R. Nandi,¹⁰⁸ J. Nash,¹⁰⁸ A. Nikitenko,^{108,bb} A. Papageorgiou,¹⁰⁸ M. Pesaresi,¹⁰⁸ K. Petridis,¹⁰⁸ M. Pioppi,^{108,ii} D. M. Raymond,¹⁰⁸ N. Rompotis,¹⁰⁸ A. Rose,¹⁰⁸ M. J. Ryan,¹⁰⁸ C. Seez,¹⁰⁸ P. Sharp,¹⁰⁸ A. Sparrow,¹⁰⁸ A. Tapper,¹⁰⁸ S. Tonneur,¹⁰⁸ M. Vazquez Acosta,¹⁰⁸ T. Virdee,¹⁰⁸ S. Wakefield,¹⁰⁸ D. Wardrope,¹⁰⁸ T. Whyntie,¹⁰⁸ M. Barrett,¹⁰⁹ M. Chadwick,¹⁰⁹ J. E. Cole,¹⁰⁹ P. R. Hobson,¹⁰⁹ A. Khan,¹⁰⁹ P. Kyberd,¹⁰⁹ D. Leslie,¹⁰⁹ W. Martin,¹⁰⁹ I. D. Reid,¹⁰⁹ L. Teodorescu,¹⁰⁹ K. Hatakeyama,¹¹⁰ T. Bose,¹¹¹ E. Carrera Jarrin,¹¹¹ A. Clough,¹¹¹ C. Fantasia,¹¹¹ A. Heister,¹¹¹ J. St. John,¹¹¹ P. Lawson,¹¹¹ D. Lazic,¹¹¹ J. Rohlf,¹¹¹ D. Sperka,¹¹¹ L. Sulak,¹¹¹ A. Avetisyan,¹¹² S. Bhattacharya,¹¹² J. P. Chou,¹¹² D. Cutts,¹¹² S. Esen,¹¹² A. Ferapontov,¹¹² U. Heintz,¹¹² S. Jabeen,¹¹² G. Kukartsev,¹¹² G. Landsberg,¹¹² M. Narain,¹¹² D. Nguyen,¹¹² M. Segala,¹¹² T. Speer,¹¹² K. V. Tsang,¹¹² M. A. Borgia,¹¹³ R. Breedon,¹¹³ M. Calderon De La Barca Sanchez,¹¹³ D. Cebra,¹¹³ S. Chauhan,¹¹³ M. Chertok,¹¹³ J. Conway,¹¹³ P. T. Cox,¹¹³ J. Dolen,¹¹³ R. Erbacher,¹¹³ E. Friis,¹¹³ W. Ko,¹¹³ A. Kopecky,¹¹³ R. Lander,¹¹³ H. Liu,¹¹³ S. Maruyama,¹¹³ T. Miceli,¹¹³ M. Nikolic,¹¹³ D. Pellett,¹¹³ J. Robles,¹¹³ T. Schwarz,¹¹³ M. Searle,¹¹³ J. Smith,¹¹³ M. Squires,¹¹³ M. Tripathi,¹¹³ R. Vasquez Sierra,¹¹³ C. Veelken,¹¹³ V. Andreev,¹¹⁴ K. Arisaka,¹¹⁴ D. Cline,¹¹⁴ R. Cousins,¹¹⁴ A. Deisher,¹¹⁴ J. Duris,¹¹⁴ S. Erhan,^{114,b} C. Farrell,¹¹⁴ J. Hauser,¹¹⁴ M. Ignatenko,¹¹⁴ C. Jarvis,¹¹⁴ C. Plager,¹¹⁴ G. Rakness,¹¹⁴ P. Schlein,^{114,a} J. Tucker,¹¹⁴ V. Valuev,¹¹⁴ J. Babb,¹¹⁵ R. Clare,¹¹⁵ J. Ellison,¹¹⁵ J. W. Gary,¹¹⁵ F. Giordano,¹¹⁵ G. Hanson,¹¹⁵ G. Y. Jeng,¹¹⁵ S. C. Kao,¹¹⁵ F. Liu,¹¹⁵ H. Liu,¹¹⁵ A. Luthra,¹¹⁵ H. Nguyen,¹¹⁵ G. Pasztor,^{115,mm} A. Satpathy,¹¹⁵ B. C. Shen,^{115,a} R. Stringer,¹¹⁵ J. Sturdy,¹¹⁵ S. Sumowidagdo,¹¹⁵ R. Wilken,¹¹⁵

S. Wimpenny,¹¹⁵ W. Andrews,¹¹⁶ J. G. Branson,¹¹⁶ E. Dusinger,¹¹⁶ D. Evans,¹¹⁶ F. Golf,¹¹⁶ A. Holzner,¹¹⁶ R. Kelley,¹¹⁶ M. Lebourgeois,¹¹⁶ J. Letts,¹¹⁶ B. Mangano,¹¹⁶ J. Muellenstaedt,¹¹⁶ S. Padhi,¹¹⁶ C. Palmer,¹¹⁶ G. Petrucciani,¹¹⁶ H. Pi,¹¹⁶ M. Pieri,¹¹⁶ R. Ranieri,¹¹⁶ M. Sani,¹¹⁶ V. Sharma,^{116,b} S. Simon,¹¹⁶ Y. Tu,¹¹⁶ A. Vartak,¹¹⁶ F. Würthwein,¹¹⁶ A. Yagil,¹¹⁶ D. Barge,¹¹⁷ R. Bellan,¹¹⁷ C. Campagnari,¹¹⁷ M. D'Alfonso,¹¹⁷ T. Danielson,¹¹⁷ P. Geffert,¹¹⁷ J. Incandela,¹¹⁷ C. Justus,¹¹⁷ P. Kalavase,¹¹⁷ S. A. Koay,¹¹⁷ D. Kovalskyi,¹¹⁷ V. Krutelyov,¹¹⁷ S. Lowette,¹¹⁷ N. Mccoll,¹¹⁷ V. Pavlunin,¹¹⁷ F. Rebassoo,¹¹⁷ J. Ribnik,¹¹⁷ J. Richman,¹¹⁷ R. Rossin,¹¹⁷ D. Stuart,¹¹⁷ W. To,¹¹⁷ J. R. Vlimant,¹¹⁷ A. Bornheim,¹¹⁸ J. Bunn,¹¹⁸ Y. Chen,¹¹⁸ M. Gataullin,¹¹⁸ D. Kcira,¹¹⁸ V. Litvine,¹¹⁸ Y. Ma,¹¹⁸ A. Mott,¹¹⁸ H. B. Newman,¹¹⁸ C. Rogan,¹¹⁸ V. Timciuc,¹¹⁸ P. Traczyk,¹¹⁸ J. Veverka,¹¹⁸ R. Wilkinson,¹¹⁸ Y. Yang,¹¹⁸ R. Y. Zhu,¹¹⁸ B. Akgun,¹¹⁹ R. Carroll,¹¹⁹ T. Ferguson,¹¹⁹ Y. Iiyama,¹¹⁹ D. W. Jang,¹¹⁹ S. Y. Jun,¹¹⁹ Y. F. Liu,¹¹⁹ M. Paulini,¹¹⁹ J. Russ,¹¹⁹ N. Terentyev,¹¹⁹ H. Vogel,¹¹⁹ I. Vorobiev,¹¹⁹ J. P. Cumalat,¹²⁰ M. E. Dinardo,¹²⁰ B. R. Drell,¹²⁰ C. J. Edelmaier,¹²⁰ W. T. Ford,¹²⁰ B. Heyburn,¹²⁰ E. Luiggi Lopez,¹²⁰ U. Nauenberg,¹²⁰ J. G. Smith,¹²⁰ K. Stenson,¹²⁰ K. A. Ulmer,¹²⁰ S. R. Wagner,¹²⁰ S. L. Zang,¹²⁰ L. Agostino,¹²¹ J. Alexander,¹²¹ A. Chatterjee,¹²¹ S. Das,¹²¹ N. Eggert,¹²¹ L. J. Fields,¹²¹ L. K. Gibbons,¹²¹ B. Heltsley,¹²¹ W. Hopkins,¹²¹ A. Khukhunaishvili,¹²¹ B. Kreis,¹²¹ V. Kuznetsov,¹²¹ G. Nicolas Kaufman,¹²¹ J. R. Patterson,¹²¹ D. Puigh,¹²¹ D. Riley,¹²¹ A. Ryd,¹²¹ X. Shi,¹²¹ W. Sun,¹²¹ W. D. Teo,¹²¹ J. Thom,¹²¹ J. Thompson,¹²¹ J. Vaughan,¹²¹ Y. Weng,¹²¹ L. Winstrom,¹²¹ P. Wittich,¹²¹ A. Biselli,¹²² G. Cirino,¹²² D. Winn,¹²² S. Abdullin,¹²³ M. Albrow,¹²³ J. Anderson,¹²³ G. Apollinari,¹²³ M. Atac,¹²³ J. A. Bakken,¹²³ S. Banerjee,¹²³ L. A. T. Bauerdick,¹²³ A. Beretvas,¹²³ J. Berryhill,¹²³ P. C. Bhat,¹²³ I. Bloch,¹²³ F. Borchering,¹²³ K. Burkett,¹²³ J. N. Butler,¹²³ V. Chetluru,¹²³ H. W. K. Cheung,¹²³ F. Chlebana,¹²³ S. Cihangir,¹²³ M. Demarteau,¹²³ D. P. Eartly,¹²³ V. D. Elvira,¹²³ I. Fisk,¹²³ J. Freeman,¹²³ Y. Gao,¹²³ E. Gottschalk,¹²³ D. Green,¹²³ K. Gunthoti,¹²³ O. Gutsche,¹²³ A. Hahn,¹²³ J. Hanlon,¹²³ R. M. Harris,¹²³ J. Hirschauer,¹²³ B. Hooberman,¹²³ E. James,¹²³ H. Jensen,¹²³ M. Johnson,¹²³ U. Joshi,¹²³ R. Khatiwada,¹²³ B. Kilminster,¹²³ B. Klima,¹²³ K. Kousouris,¹²³ S. Kunori,¹²³ S. Kwan,¹²³ P. Limon,¹²³ R. Lipton,¹²³ J. Lykken,¹²³ K. Maeshima,¹²³ J. M. Marraffino,¹²³ D. Mason,¹²³ P. McBride,¹²³ T. McCauley,¹²³ T. Miao,¹²³ K. Mishra,¹²³ S. Mrenna,¹²³ Y. Musienko,^{123,nn} C. Newman-Holmes,¹²³ V. O'Dell,¹²³ S. Popescu,^{123,oo} R. Pordes,¹²³ O. Prokofyev,¹²³ N. Saoulidou,¹²³ E. Sexton-Kennedy,¹²³ S. Sharma,¹²³ A. Soha,¹²³ W. J. Spalding,¹²³ L. Spiegel,¹²³ P. Tan,¹²³ L. Taylor,¹²³ S. Tkaczyk,¹²³ L. Uplegger,¹²³ E. W. Vaandering,¹²³ R. Vidal,¹²³ J. Whitmore,¹²³ W. Wu,¹²³ F. Yang,¹²³ F. Yumiceva,¹²³ J. C. Yun,¹²³ D. Acosta,¹²⁴ P. Avery,¹²⁴ D. Bourilkov,¹²⁴ M. Chen,¹²⁴ G. P. Di Giovanni,¹²⁴ D. Dobur,¹²⁴ A. Drozdetskiy,¹²⁴ R. D. Field,¹²⁴ M. Fisher,¹²⁴ Y. Fu,¹²⁴ I. K. Furic,¹²⁴ J. Gartner,¹²⁴ S. Goldberg,¹²⁴ B. Kim,¹²⁴ S. Klimentko,¹²⁴ J. Konigsberg,¹²⁴ A. Korytov,¹²⁴ A. Kropivnitskaya,¹²⁴ T. Kypreos,¹²⁴ K. Matchev,¹²⁴ G. Mitselmakher,¹²⁴ L. Muniz,¹²⁴ Y. Pakhotin,¹²⁴ C. Prescott,¹²⁴ R. Remington,¹²⁴ M. Schmitt,¹²⁴ B. Scurlock,¹²⁴ P. Sellers,¹²⁴ N. Skhirtladze,¹²⁴ D. Wang,¹²⁴ J. Yelton,¹²⁴ M. Zakaria,¹²⁴ C. Ceron,¹²⁵ V. Gaultney,¹²⁵ L. Kramer,¹²⁵ L. M. Lebolo,¹²⁵ S. Linn,¹²⁵ P. Markowitz,¹²⁵ G. Martinez,¹²⁵ J. L. Rodriguez,¹²⁵ T. Adams,¹²⁶ A. Askew,¹²⁶ D. Bandurin,¹²⁶ J. Bochenek,¹²⁶ J. Chen,¹²⁶ B. Diamond,¹²⁶ S. V. Gleyzer,¹²⁶ J. Haas,¹²⁶ S. Hagopian,¹²⁶ V. Hagopian,¹²⁶ M. Jenkins,¹²⁶ K. F. Johnson,¹²⁶ H. Prosper,¹²⁶ S. Sekmen,¹²⁶ V. Veeraraghavan,¹²⁶ M. M. Baarmand,¹²⁷ B. Dorney,¹²⁷ S. Guragain,¹²⁷ M. Hohlmann,¹²⁷ H. Kalakhety,¹²⁷ R. Ralich,¹²⁷ I. Vodopyanov,¹²⁷ M. R. Adams,¹²⁸ I. M. Anghel,¹²⁸ L. Apanasevich,¹²⁸ Y. Bai,¹²⁸ V. E. Bazterra,¹²⁸ R. R. Betts,¹²⁸ J. Callner,¹²⁸ R. Cavanaugh,¹²⁸ C. Dragoiu,¹²⁸ E. J. Garcia-Solis,¹²⁸ C. E. Gerber,¹²⁸ D. J. Hofman,¹²⁸ S. Khalatyan,¹²⁸ F. Lacroix,¹²⁸ C. O'Brien,¹²⁸ C. Silvestre,¹²⁸ A. Smoron,¹²⁸ D. Strom,¹²⁸ N. Varelas,¹²⁸ U. Akgun,¹²⁹ E. A. Albayrak,¹²⁹ B. Bilki,¹²⁹ K. Cankocak,^{129,pp} W. Clarida,¹²⁹ F. Duru,¹²⁹ C. K. Lae,¹²⁹ E. McCliment,¹²⁹ J.-P. Merlo,¹²⁹ H. Mermerkaya,¹²⁹ A. Mestvirishvili,¹²⁹ A. Moeller,¹²⁹ J. Nachtman,¹²⁹ C. R. Newsom,¹²⁹ E. Norbeck,¹²⁹ J. Olson,¹²⁹ Y. Onel,¹²⁹ F. Ozok,¹²⁹ S. Sen,¹²⁹ J. Wetzel,¹²⁹ T. Yetkin,¹²⁹ K. Yi,¹²⁹ B. A. Barnett,¹³⁰ B. Blumenfeld,¹³⁰ A. Bonato,¹³⁰ C. Eskew,¹³⁰ D. Fehling,¹³⁰ G. Giurgiu,¹³⁰ A. V. Gritsan,¹³⁰ Z. J. Guo,¹³⁰ G. Hu,¹³⁰ P. Maksimovic,¹³⁰ S. Rappoccio,¹³⁰ M. Swartz,¹³⁰ N. V. Tran,¹³⁰ A. Whitbeck,¹³⁰ P. Baringer,¹³¹ A. Bean,¹³¹ G. Benelli,¹³¹ O. Grachov,¹³¹ M. Murray,¹³¹ D. Noonan,¹³¹ V. Radicci,¹³¹ S. Sanders,¹³¹ J. S. Wood,¹³¹ V. Zhukova,¹³¹ T. Bolton,¹³² I. Chakaberia,¹³² A. Ivanov,¹³² M. Makouski,¹³² Y. Maravin,¹³² S. Shrestha,¹³² I. Svintradze,¹³² Z. Wan,¹³² J. Gronberg,¹³³ D. Lange,¹³³ D. Wright,¹³³ A. Baden,¹³⁴ M. Boutemur,¹³⁴ S. C. Eno,¹³⁴ D. Ferencek,¹³⁴ J. A. Gomez,¹³⁴ N. J. Hadley,¹³⁴ R. G. Kellogg,¹³⁴ M. Kirn,¹³⁴ Y. Lu,¹³⁴ A. C. Mignerey,¹³⁴ K. Rossato,¹³⁴ P. Rumerio,¹³⁴ F. Santanastasio,¹³⁴ A. Skuja,¹³⁴ J. Temple,¹³⁴ M. B. Tonjes,¹³⁴ S. C. Tonwar,¹³⁴ E. Twedt,¹³⁴ B. Alver,¹³⁵ G. Bauer,¹³⁵ J. Bendavid,¹³⁵ W. Busza,¹³⁵ E. Butz,¹³⁵ I. A. Cali,¹³⁵ M. Chan,¹³⁵ V. Dutta,¹³⁵ P. Everaerts,¹³⁵ G. Gomez Ceballos,¹³⁵ M. Goncharov,¹³⁵ K. A. Hahn,¹³⁵ P. Harris,¹³⁵ Y. Kim,¹³⁵ M. Klute,¹³⁵ Y.-J. Lee,¹³⁵ W. Li,¹³⁵ C. Loizides,¹³⁵ P. D. Luckey,¹³⁵ T. Ma,¹³⁵ S. Nahn,¹³⁵

C. Paus,¹³⁵ C. Roland,¹³⁵ G. Roland,¹³⁵ M. Rudolph,¹³⁵ G. S. F. Stephans,¹³⁵ K. Sumorok,¹³⁵ K. Sung,¹³⁵
 E. A. Wenger,¹³⁵ S. Xie,¹³⁵ M. Yang,¹³⁵ Y. Yilmaz,¹³⁵ A. S. Yoon,¹³⁵ M. Zanetti,¹³⁵ P. Cole,¹³⁶ S. I. Cooper,¹³⁶
 P. Cushman,¹³⁶ B. Dahmes,¹³⁶ A. De Benedetti,¹³⁶ P. R. Duderø,¹³⁶ G. Franzoni,¹³⁶ J. Haupt,¹³⁶ K. Klapoetke,¹³⁶
 Y. Kubota,¹³⁶ J. Mans,¹³⁶ V. Rekovic,¹³⁶ R. Rusack,¹³⁶ M. Sasseville,¹³⁶ A. Singovsky,¹³⁶ L. M. Cremaldi,¹³⁷
 R. Godang,¹³⁷ R. Kroeger,¹³⁷ L. Perera,¹³⁷ R. Rahmat,¹³⁷ D. A. Sanders,¹³⁷ D. Summers,¹³⁷ K. Bloom,¹³⁸ S. Bose,¹³⁸
 J. Butt,¹³⁸ D. R. Claes,¹³⁸ A. Dominguez,¹³⁸ M. Eads,¹³⁸ J. Keller,¹³⁸ T. Kelly,¹³⁸ I. Kravchenko,¹³⁸ J. Lazo-Flores,¹³⁸
 C. Lundstedt,¹³⁸ H. Malbouisson,¹³⁸ S. Malik,¹³⁸ G. R. Snow,¹³⁸ U. Baur,¹³⁹ A. Godshalk,¹³⁹ I. Iashvili,¹³⁹
 A. Kharchilava,¹³⁹ A. Kumar,¹³⁹ S. P. Shipkowski,¹³⁹ K. Smith,¹³⁹ G. Alverson,¹⁴⁰ E. Barberis,¹⁴⁰ D. Baumgartel,¹⁴⁰
 O. Boeriu,¹⁴⁰ M. Chasco,¹⁴⁰ K. Kaadze,¹⁴⁰ S. Reucroft,¹⁴⁰ J. Swain,¹⁴⁰ D. Wood,¹⁴⁰ J. Zhang,¹⁴⁰ A. Anastassov,¹⁴¹
 A. Kubik,¹⁴¹ N. Odell,¹⁴¹ R. A. Ofierzynski,¹⁴¹ B. Pollack,¹⁴¹ A. Pozdnyakov,¹⁴¹ M. Schmitt,¹⁴¹ S. Stoynev,¹⁴¹
 M. Velasco,¹⁴¹ S. Won,¹⁴¹ L. Antonelli,¹⁴² D. Berry,¹⁴² M. Hildreth,¹⁴² C. Jessop,¹⁴² D. J. Karmgard,¹⁴² J. Kolb,¹⁴²
 T. Kolberg,¹⁴² K. Lannon,¹⁴² W. Luo,¹⁴² S. Lynch,¹⁴² N. Marinelli,¹⁴² D. M. Morse,¹⁴² T. Pearson,¹⁴² R. Ruchti,¹⁴²
 J. Slaunwhite,¹⁴² N. Valls,¹⁴² J. Warchol,¹⁴² M. Wayne,¹⁴² J. Ziegler,¹⁴² B. Bylsma,¹⁴³ L. S. Durkin,¹⁴³ J. Gu,¹⁴³
 C. Hill,¹⁴³ P. Killewald,¹⁴³ K. Kotov,¹⁴³ T. Y. Ling,¹⁴³ M. Rodenburg,¹⁴³ G. Williams,¹⁴³ N. Adam,¹⁴⁴ E. Berry,¹⁴⁴
 P. Elmer,¹⁴⁴ D. Gerbaudo,¹⁴⁴ V. Halyo,¹⁴⁴ P. Hebda,¹⁴⁴ A. Hunt,¹⁴⁴ J. Jones,¹⁴⁴ E. Laird,¹⁴⁴ D. Lopes Pegna,¹⁴⁴
 D. Marlow,¹⁴⁴ T. Medvedeva,¹⁴⁴ M. Mooney,¹⁴⁴ J. Olsen,¹⁴⁴ P. Piroué,¹⁴⁴ X. Quan,¹⁴⁴ H. Saka,¹⁴⁴ D. Stickland,¹⁴⁴
 C. Tully,¹⁴⁴ J. S. Werner,¹⁴⁴ A. Zuranski,¹⁴⁴ J. G. Acosta,¹⁴⁵ X. T. Huang,¹⁴⁵ A. Lopez,¹⁴⁵ H. Mendez,¹⁴⁵
 S. Oliveros,¹⁴⁵ J. E. Ramirez Vargas,¹⁴⁵ A. Zatserklyaniy,¹⁴⁵ E. Alagoz,¹⁴⁶ V. E. Barnes,¹⁴⁶ G. Bolla,¹⁴⁶
 L. Borrello,¹⁴⁶ D. Bortoletto,¹⁴⁶ A. Everett,¹⁴⁶ A. F. Garfinkel,¹⁴⁶ Z. Gecse,¹⁴⁶ L. Gutay,¹⁴⁶ Z. Hu,¹⁴⁶ M. Jones,¹⁴⁶
 O. Koybasi,¹⁴⁶ A. T. Laasanen,¹⁴⁶ N. Leonardo,¹⁴⁶ C. Liu,¹⁴⁶ V. Maroussov,¹⁴⁶ P. Merkel,¹⁴⁶ D. H. Miller,¹⁴⁶
 N. Neumeister,¹⁴⁶ K. Potamianos,¹⁴⁶ I. Shipsey,¹⁴⁶ D. Silvers,¹⁴⁶ A. Svyatkovskiy,¹⁴⁶ H. D. Yoo,¹⁴⁶ J. Zablocki,¹⁴⁶
 Y. Zheng,¹⁴⁶ P. Jindal,¹⁴⁷ N. Parashar,¹⁴⁷ C. Boulahouache,¹⁴⁸ V. Cuplov,¹⁴⁸ K. M. Ecklund,¹⁴⁸ F. J. M. Geurts,¹⁴⁸
 J. H. Liu,¹⁴⁸ J. Morales,¹⁴⁸ B. P. Padley,¹⁴⁸ R. Redjimi,¹⁴⁸ J. Roberts,¹⁴⁸ J. Zabel,¹⁴⁸ B. Betchart,¹⁴⁹ A. Bodek,¹⁴⁹
 Y. S. Chung,¹⁴⁹ P. de Barbaro,¹⁴⁹ R. Demina,¹⁴⁹ Y. Eshaq,¹⁴⁹ H. Flacher,¹⁴⁹ A. Garcia-Bellido,¹⁴⁹ P. Goldenzweig,¹⁴⁹
 Y. Gotra,¹⁴⁹ J. Han,¹⁴⁹ A. Harel,¹⁴⁹ D. C. Miner,¹⁴⁹ D. Orbaker,¹⁴⁹ G. Petrillo,¹⁴⁹ D. Vishnevskiy,¹⁴⁹ M. Zielinski,¹⁴⁹
 A. Bhatti,¹⁵⁰ L. Demortier,¹⁵⁰ K. Goulios,¹⁵⁰ G. Lungu,¹⁵⁰ C. Mesropian,¹⁵⁰ M. Yan,¹⁵⁰ O. Atramentov,¹⁵¹
 A. Barker,¹⁵¹ D. Duggan,¹⁵¹ Y. Gershtein,¹⁵¹ R. Gray,¹⁵¹ E. Halkiadakis,¹⁵¹ D. Hidas,¹⁵¹ D. Hits,¹⁵¹ A. Lath,¹⁵¹
 S. Panwalkar,¹⁵¹ R. Patel,¹⁵¹ A. Richards,¹⁵¹ K. Rose,¹⁵¹ S. Schnetzer,¹⁵¹ S. Somalwar,¹⁵¹ R. Stone,¹⁵¹ S. Thomas,¹⁵¹
 G. Cerizza,¹⁵² M. Hollingsworth,¹⁵² S. Spanier,¹⁵² Z. C. Yang,¹⁵² A. York,¹⁵² J. Asaadi,¹⁵³ R. Eusebi,¹⁵³
 J. Gilmore,¹⁵³ A. Gurrola,¹⁵³ T. Kamon,¹⁵³ V. Khotilovich,¹⁵³ R. Montalvo,¹⁵³ C. N. Nguyen,¹⁵³ J. Pivarski,¹⁵³
 A. Safonov,¹⁵³ S. Sengupta,¹⁵³ A. Tatarinov,¹⁵³ D. Toback,¹⁵³ M. Weinberger,¹⁵³ N. Akchurin,¹⁵⁴ C. Bardak,¹⁵⁴
 J. Damgov,¹⁵⁴ C. Jeong,¹⁵⁴ K. Kovitanggoon,¹⁵⁴ S. W. Lee,¹⁵⁴ P. Mane,¹⁵⁴ Y. Roh,¹⁵⁴ A. Sill,¹⁵⁴ I. Volobouev,¹⁵⁴
 R. Wigmans,¹⁵⁴ E. Yazgan,¹⁵⁴ E. Appelt,¹⁵⁵ E. Brownson,¹⁵⁵ D. Engh,¹⁵⁵ C. Florez,¹⁵⁵ W. Gabella,¹⁵⁵ W. Johns,¹⁵⁵
 P. Kurt,¹⁵⁵ C. Maguire,¹⁵⁵ A. Melo,¹⁵⁵ P. Sheldon,¹⁵⁵ J. Velkovska,¹⁵⁵ M. W. Arenton,¹⁵⁶ M. Balazs,¹⁵⁶ S. Boutle,¹⁵⁶
 M. Buehler,¹⁵⁶ S. Conetti,¹⁵⁶ B. Cox,¹⁵⁶ B. Francis,¹⁵⁶ R. Hirosky,¹⁵⁶ A. Ledovskoy,¹⁵⁶ C. Lin,¹⁵⁶ C. Neu,¹⁵⁶
 R. Yohay,¹⁵⁶ S. Gollapinni,¹⁵⁷ R. Harr,¹⁵⁷ P. E. Karchin,¹⁵⁷ M. Mattson,¹⁵⁷ C. Milstène,¹⁵⁷ A. Sakharov,¹⁵⁷
 M. Anderson,¹⁵⁸ M. Bachtis,¹⁵⁸ J. N. Bellinger,¹⁵⁸ D. Carlsmith,¹⁵⁸ S. Dasu,¹⁵⁸ J. Efron,¹⁵⁸ L. Gray,¹⁵⁸
 K. S. Grogg,¹⁵⁸ M. Grothe,¹⁵⁸ R. Hall-Wilton,^{158,b} M. Herndon,¹⁵⁸ P. Klabbbers,¹⁵⁸ J. Klukas,¹⁵⁸ A. Lanaro,¹⁵⁸
 C. Lazaridis,¹⁵⁸ J. Leonard,¹⁵⁸ D. Lomidze,¹⁵⁸ R. Loveless,¹⁵⁸ A. Mohapatra,¹⁵⁸ W. Parker,¹⁵⁸ D. Reeder,¹⁵⁸
 I. Ross,¹⁵⁸ A. Savin,¹⁵⁸ W. H. Smith,¹⁵⁸ J. Swanson,¹⁵⁸ and M. Weinberg¹⁵⁸

(CMS Collaboration)

¹Yerevan Physics Institute, Yerevan, Armenia²Institut für Hochenergiephysik der OeAW, Wien, Austria³National Centre for Particle and High Energy Physics, Minsk, Belarus⁴Universiteit Antwerpen, Antwerpen, Belgium⁵Vrije Universiteit Brussel, Brussel, Belgium⁶Université Libre de Bruxelles, Bruxelles, Belgium⁷Ghent University, Ghent, Belgium⁸Université Catholique de Louvain, Louvain-la-Neuve, Belgium⁹Université de Mons, Mons, Belgium¹⁰Centro Brasileiro de Pesquisas Fisicas, Rio de Janeiro, Brazil

- ¹¹*Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brazil*
- ¹²*Instituto de Fisica Teorica, Universidade Estadual Paulista, Sao Paulo, Brazil*
- ¹³*Institute for Nuclear Research and Nuclear Energy, Sofia, Bulgaria*
- ¹⁴*University of Sofia, Sofia, Bulgaria*
- ¹⁵*Institute of High Energy Physics, Beijing, China*
- ¹⁶*State Key Lab. of Nucl. Phys. and Tech., Peking University, Beijing, China*
- ¹⁷*Universidad de Los Andes, Bogota, Colombia*
- ¹⁸*Technical University of Split, Split, Croatia*
- ¹⁹*University of Split, Split, Croatia*
- ²⁰*Institute Rudjer Boskovic, Zagreb, Croatia*
- ²¹*University of Cyprus, Nicosia, Cyprus*
- ²²*Academy of Scientific Research and Technology of the Arab Republic of Egypt, Egyptian Network of High Energy Physics, Cairo, Egypt*
- ²³*National Institute of Chemical Physics and Biophysics, Tallinn, Estonia*
- ²⁴*Department of Physics, University of Helsinki, Helsinki, Finland*
- ²⁵*Helsinki Institute of Physics, Helsinki, Finland*
- ²⁶*Lappeenranta University of Technology, Lappeenranta, Finland*
- ²⁷*Laboratoire d'Annecy-le-Vieux de Physique des Particules, IN2P3-CNRS, Annecy-le-Vieux, France*
- ²⁸*DSM/IRFU, CEA/Saclay, Gif-sur-Yvette, France*
- ²⁹*Laboratoire Leprince-Ringuet, Ecole Polytechnique, IN2P3-CNRS, Palaiseau, France*
- ³⁰*Institut Pluridisciplinaire Hubert Curien, Université de Strasbourg, Université de Haute Alsace Mulhouse, CNRS/IN2P3, Strasbourg, France*
- ³¹*Centre de Calcul de l'Institut National de Physique Nucleaire et de Physique des Particules (IN2P3), Villeurbanne, France*
- ³²*Université de Lyon, Université Claude Bernard Lyon 1, CNRS-IN2P3, Institut de Physique Nucléaire de Lyon, Villeurbanne, France*
- ³³*E. Andronikashvili Institute of Physics, Academy of Science, Tbilisi, Georgia*
- ³⁴*RWTH Aachen University, I. Physikalisches Institut, Aachen, Germany*
- ³⁵*RWTH Aachen University, III. Physikalisches Institut A, Aachen, Germany*
- ³⁶*RWTH Aachen University, III. Physikalisches Institut B, Aachen, Germany*
- ³⁷*Deutsches Elektronen-Synchrotron, Hamburg, Germany*
- ³⁸*University of Hamburg, Hamburg, Germany*
- ³⁹*Institut für Experimentelle Kernphysik, Karlsruhe, Germany*
- ⁴⁰*Institute of Nuclear Physics "Demokritos", Aghia Paraskevi, Greece*
- ⁴¹*University of Athens, Athens, Greece*
- ⁴²*University of Ioánnina, Ioánnina, Greece*
- ⁴³*KFKI Research Institute for Particle and Nuclear Physics, Budapest, Hungary*
- ⁴⁴*Institute of Nuclear Research ATOMKI, Debrecen, Hungary*
- ⁴⁵*University of Debrecen, Debrecen, Hungary*
- ⁴⁶*Panjab University, Chandigarh, India*
- ⁴⁷*University of Delhi, Delhi, India*
- ⁴⁸*Bhabha Atomic Research Centre, Mumbai, India*
- ⁴⁹*Tata Institute of Fundamental Research - EHEP, Mumbai, India*
- ⁵⁰*Tata Institute of Fundamental Research - HECR, Mumbai, India*
- ⁵¹*Institute for Studies in Theoretical Physics & Mathematics (IPM), Tehran, Iran*
- ^{52a}*INFN Sezione di Bari, Bari, Italy*
- ^{52b}*Università di Bari, Bari, Italy*
- ^{52c}*Politecnico di Bari, Bari, Italy*
- ^{53a}*INFN Sezione di Bologna, Bologna, Italy*
- ^{53b}*Università di Bologna, Bologna, Italy*
- ^{54a}*INFN Sezione di Catania, Catania, Italy*
- ^{54b}*Università di Catania, Catania, Italy*
- ^{55a}*INFN Sezione di Firenze, Firenze, Italy*
- ^{55b}*Università di Firenze, Firenze, Italy*
- ⁵⁶*INFN Laboratori Nazionali di Frascati, Frascati, Italy*
- ⁵⁷*INFN Sezione di Genova, Genova, Italy*
- ^{58a}*INFN Sezione di Milano-Bicocca, Milano, Italy*
- ^{58b}*Università di Milano-Bicocca, Milano, Italy*
- ^{59a}*INFN Sezione di Napoli, Napoli, Italy*
- ^{59b}*Università di Napoli "Federico II", Napoli, Italy*
- ^{60a}*INFN Sezione di Padova, Padova, Italy*
- ^{60b}*Università di Padova, Padova, Italy*
- ^{60c}*Università di Trento (Trento), Padova, Italy*

- ^{61a}*INFN Sezione di Pavia, Pavia, Italy*
^{61b}*Università di Pavia, Pavia, Italy*
^{62a}*INFN Sezione di Perugia, Perugia, Italy*
^{62b}*Università di Perugia, Perugia, Italy*
^{63a}*INFN Sezione di Pisa, Pisa, Italy*
^{63b}*Università di Pisa, Pisa, Italy*
^{63c}*Scuola Normale Superiore di Pisa, Pisa, Italy*
^{64a}*INFN Sezione di Roma, Roma, Italy*
^{64b}*Università di Roma "La Sapienza", Roma, Italy*
^{65a}*INFN Sezione di Torino, Torino, Italy*
^{65b}*Università di Torino, Torino, Italy*
^{65c}*Università del Piemonte Orientale (Novara), Torino, Italy*
^{66a}*INFN Sezione di Trieste, Trieste, Italy*
^{66b}*Università di Trieste, Trieste, Italy*
⁶⁷*Kangwon National University, Chunchon, Korea*
⁶⁸*Kyungpook National University, Daegu, Korea*
⁶⁹*Chonnam National University, Institute for Universe and Elementary Particles, Kwangju, Korea*
⁷⁰*Korea University, Seoul, Korea*
⁷¹*University of Seoul, Seoul, Korea*
⁷²*Sungkyunkwan University, Suwon, Korea*
⁷³*Vilnius University, Vilnius, Lithuania*
⁷⁴*Centro de Investigacion y de Estudios Avanzados del IPN, Mexico City, Mexico*
⁷⁵*Universidad Iberoamericana, Mexico City, Mexico*
⁷⁶*Benemerita Universidad Autonoma de Puebla, Puebla, Mexico*
⁷⁷*Universidad Autónoma de San Luis Potosí, San Luis Potosí, Mexico*
⁷⁸*University of Auckland, Auckland, New Zealand*
⁷⁹*University of Canterbury, Christchurch, New Zealand*
⁸⁰*National Centre for Physics, Quaid-I-Azam University, Islamabad, Pakistan*
⁸¹*Institute of Experimental Physics, Faculty of Physics, University of Warsaw, Warsaw, Poland*
⁸²*Soltan Institute for Nuclear Studies, Warsaw, Poland*
⁸³*Laboratório de Instrumentação e Física Experimental de Partículas, Lisboa, Portugal*
⁸⁴*Joint Institute for Nuclear Research, Dubna, Russia*
⁸⁵*Petersburg Nuclear Physics Institute, Gatchina (St Petersburg), Russia*
⁸⁶*Institute for Nuclear Research, Moscow, Russia*
⁸⁷*Institute for Theoretical and Experimental Physics, Moscow, Russia*
⁸⁸*Moscow State University, Moscow, Russia*
⁸⁹*P.N. Lebedev Physical Institute, Moscow, Russia*
⁹⁰*State Research Center of Russian Federation, Institute for High Energy Physics, Protvino, Russia*
⁹¹*University of Belgrade, Faculty of Physics and Vinca Institute of Nuclear Sciences, Belgrade, Serbia*
⁹²*Centro de Investigaciones Energéticas Medioambientales y Tecnológicas (CIEMAT), Madrid, Spain*
⁹³*Universidad Autónoma de Madrid, Madrid, Spain*
⁹⁴*Universidad de Oviedo, Oviedo, Spain*
⁹⁵*Instituto de Física de Cantabria (IFCA), CSIC-Universidad de Cantabria, Santander, Spain*
⁹⁶*CERN, European Organization for Nuclear Research, Geneva, Switzerland*
⁹⁷*Paul Scherrer Institut, Villigen, Switzerland*
⁹⁸*Institute for Particle Physics, ETH Zurich, Zurich, Switzerland*
⁹⁹*Universität Zürich, Zurich, Switzerland*
¹⁰⁰*National Central University, Chung-Li, Taiwan*
¹⁰¹*National Taiwan University (NTU), Taipei, Taiwan*
¹⁰²*Cukurova University, Adana, Turkey*
¹⁰³*Middle East Technical University, Physics Department, Ankara, Turkey*
¹⁰⁴*Bogazici University, Istanbul, Turkey*
¹⁰⁵*National Scientific Center, Kharkov Institute of Physics and Technology, Kharkov, Ukraine*
¹⁰⁶*University of Bristol, Bristol, United Kingdom*
¹⁰⁷*Rutherford Appleton Laboratory, Didcot, United Kingdom*
¹⁰⁸*Imperial College, London, United Kingdom*
¹⁰⁹*Brunel University, Uxbridge, United Kingdom*
¹¹⁰*Baylor University, Waco, Texas 76706, USA*
¹¹¹*Boston University, Boston, Massachusetts 02215, USA*
¹¹²*Brown University, Providence, Rhode Island 02912, USA*
¹¹³*University of California, Davis, Davis, California 95616, USA*

- ¹¹⁴University of California, Los Angeles, Los Angeles, California 90095, USA
¹¹⁵University of California, Riverside, Riverside, California 92521, USA
¹¹⁶University of California, San Diego, La Jolla, California 92093, USA
¹¹⁷University of California, Santa Barbara, Santa Barbara, California 93106, USA
¹¹⁸California Institute of Technology, Pasadena, California 91125, USA
¹¹⁹Carnegie Mellon University, Pittsburgh, Pennsylvania 15213, USA
¹²⁰University of Colorado at Boulder, Boulder, Colorado 80309, USA
¹²¹Cornell University, Ithaca, New York 14853-5001, USA
¹²²Fairfield University, Fairfield, Connecticut 06824, USA
¹²³Fermi National Accelerator Laboratory, Batavia, Illinois 60510-0500, USA
¹²⁴University of Florida, Gainesville, Florida 32611-8440, USA
¹²⁵Florida International University, Miami, Florida 33199, USA
¹²⁶Florida State University, Tallahassee, Florida 32306-4350, USA
¹²⁷Florida Institute of Technology, Melbourne, Florida 32901, USA
¹²⁸University of Illinois at Chicago (UIC), Chicago, Illinois 60607-7059, USA
¹²⁹The University of Iowa, Iowa City, Iowa 52242-1479, USA
¹³⁰Johns Hopkins University, Baltimore, Maryland 21218, USA
¹³¹The University of Kansas, Lawrence, Kansas 66045, USA
¹³²Kansas State University, Manhattan, Kansas 66506, USA
¹³³Lawrence Livermore National Laboratory, Livermore, California 94720, USA
¹³⁴University of Maryland, College Park, Maryland 20742, USA
¹³⁵Massachusetts Institute of Technology, Cambridge, Massachusetts 02139, USA
¹³⁶University of Minnesota, Minneapolis, Minnesota 55455, USA
¹³⁷University of Mississippi, University, Mississippi 38677, USA
¹³⁸University of Nebraska-Lincoln, Lincoln, Nebraska 68588-0111, USA
¹³⁹State University of New York at Buffalo, Buffalo, New York 14260-1500, USA
¹⁴⁰Northeastern University, Boston, Massachusetts 02115, USA
¹⁴¹Northwestern University, Evanston, Illinois 60208-3112, USA
¹⁴²University of Notre Dame, Notre Dame, Indiana 46556, USA
¹⁴³The Ohio State University, Columbus, Ohio 43210, USA
¹⁴⁴Princeton University, Princeton, New Jersey 08544-0708, USA
¹⁴⁵University of Puerto Rico, Mayaguez, Puerto Rico 00680
¹⁴⁶Purdue University, West Lafayette, Indiana 47907-1396, USA
¹⁴⁷Purdue University Calumet, Hammond, Indiana 46323, USA
¹⁴⁸Rice University, Houston, Texas 77251-1892, USA
¹⁴⁹University of Rochester, Rochester, New York 14627-0171, USA
¹⁵⁰The Rockefeller University, New York, New York, USA
¹⁵¹Rutgers, the State University of New Jersey, Piscataway, New York 10021-6399, USA
¹⁵²University of Tennessee, Knoxville, Tennessee 37996-1200, USA
¹⁵³Texas A&M University, College Station, Texas 77843-4242, USA
¹⁵⁴Texas Tech University, Lubbock, Texas 79409-1051, USA
¹⁵⁵Vanderbilt University, Nashville, Tennessee 37235, USA
¹⁵⁶University of Virginia, Charlottesville, Virginia 22901, USA
¹⁵⁷Wayne State University, Detroit, Michigan 48202, USA
¹⁵⁸University of Wisconsin, Madison, Wisconsin 53706, USA

^aDeceased.

^bAlso at CERN, European Organization for Nuclear Research, Geneva, Switzerland.

^cAlso at Universidade Federal do ABC, Santo Andre, Brazil.

^dAlso at Laboratoire Leprince-Ringuet, Ecole Polytechnique, IN2P3-CNRS, Palaiseau, France.

^eAlso at Suez Canal University, Suez, Egypt.

^fAlso at Fayoum University, El-Fayoum, Egypt.

^gAlso at Soltan Institute for Nuclear Studies, Warsaw, Poland.

^hAlso at Massachusetts Institute of Technology, Cambridge, MA, USA.

ⁱAlso at Université de Haute-Alsace, Mulhouse, France.

^jAlso at Brandenburg University of Technology, Cottbus, Germany.

^kAlso at Moscow State University, Moscow, Russia.

^lAlso at Institute of Nuclear Research ATOMKI, Debrecen, Hungary.

^mAlso at Eötvös Loránd University, Budapest, Hungary.

- ⁿAlso at Tata Institute of Fundamental Research—HECR, Mumbai, India.
- ^oAlso at University of Visva-Bharati, Santiniketan, India.
- ^pAlso at Facoltà Ingegneria Università di Roma "La Sapienza", Roma, Italy.
- ^qAlso at Università della Basilicata, Potenza, Italy.
- ^rAlso at Laboratori Nazionali di Legnaro dell' INFN, Legnaro, Italy.
- ^sAlso at California Institute of Technology, Pasadena, CA, USA.
- ^tAlso at Faculty of Physics of University of Belgrade, Belgrade, Serbia.
- ^uAlso at University of California, Los Angeles, Los Angeles, CA, USA.
- ^vAlso at University of Florida, Gainesville, FL, USA.
- ^wAlso at Université de Genève, Geneva, Switzerland.
- ^xAlso at Scuola Normale e Sezione dell' INFN, Pisa, Italy.
- ^yAlso at INFN Sezione di Roma; Università di Roma "La Sapienza", Roma, Italy.
- ^zAlso at University of Athens, Athens, Greece.
- ^{aa}Also at The University of Kansas, Lawrence, KS, USA.
- ^{bb}Also at Institute for Theoretical and Experimental Physics, Moscow, Russia.
- ^{cc}Also at Paul Scherrer Institut, Villigen, Switzerland.
- ^{dd}Also at University of Belgrade, Faculty of Physics and Vinca Institute of Nuclear Sciences, Belgrade, Serbia.
- ^{ee}Also at Adiyaman University, Adiyaman, Turkey.
- ^{ff}Also at Mersin University, Mersin, Turkey.
- ^{gg}Also at Izmir Institute of Technology, Izmir, Turkey.
- ^{hh}Also at Kafkas University, Kars, Turkey.
- ⁱⁱAlso at Suleyman Demirel University, Isparta, Turkey.
- ^{jj}Also at Ege University, Izmir, Turkey.
- ^{kk}Also at Rutherford Appleton Laboratory, Didcot, United Kingdom.
- ^{ll}Also at INFN Sezione di Perugia; Università di Perugia, Perugia, Italy.
- ^{mm}Also at KFKI Research Institute for Particle and Nuclear Physics, Budapest, Hungary.
- ⁿⁿAlso at Institute for Nuclear Research, Moscow, Russia.
- ^{oo}Also at Horia Hulubei National Institute of Physics and Nuclear Engineering (IFIN-HH), Bucharest, Romania.
- ^{pp}Also at Istanbul Technical University, Istanbul, Turkey.