## Recitation 3: Regular Expressions and Non-regular Languages

February 17, 2005

**Problem 1**: **Key terms.** Regular expression, generalized NFA, pigeon-hole principle, pumping lemma, pumping length, pumping up, pumping down.

## **Problem 2: True or False?**

- 1. If  $L_1$  and  $L_2$  are regular, then  $L_1 \cup L_2$  is regular.
- 2. If  $L_1$  and  $L_2$  are non-regular, then  $L_1 \cap L_2$  is non-regular.
- 3. If  $L_1$  is regular and  $L_2$  is non-regular, then  $L_1 \cup L_2$  is non-regular.
- 4. If  $L_1$  is regular,  $L_2$  is non-regular, and  $L_1 \cap L_2$  is regular, than  $L_1 \cup L_2$  is non-regular.
- 5. The following language is regular: The set of strings in  $\{0,1\}^*$  having the property that the number of 0's and the number of 1's differ by no more than 2.
- 6. The following language is regular: The set of strings in  $\{0,1\}^*$  having the property that in every prefix, the number of 0's and the number of 1's differ by no more than 2.

**Problem 3**: **Regular Expressions.** Write regular expressions for the following languages. The alphabet is  $\{0,1\}^*$ .

- 1.  $A_1 = \{w | w \text{ contains at least two 0's} \}.$
- 2.  $A_2 = \{w | w \text{ contains an even number of 0's} \}.$
- 3. (from Fake HW 2.5)  $A_3 = \{w | w \text{ does not contain } 100 \text{ as a substring}\}.$

**Problem 4**: **Proving non-regularity: the Pumping Lemma.** Prove that the following languages are not regular.

- 1.  $L_1 = \{0^i 1^j 0^k | k > i + j\}.$
- 2.  $L_2 = \{0^i 1^j | j \text{ is a multiple of } i\}.$
- 3.  $L_3 = \{0^i 1^j \mid i > j\}.$
- 4.  $L_4 = \{0^i 1^j 2^k \mid i, j, k \ge 0 \text{ and if } i = 1 \text{ then } j = k\}.$

**Problem 5**: The size of the minimal DFA for a regular language L. Consider the regular language  $L = \{w \mid w \text{ contains at least three } 1's\}$ . Prove that any DFA for this language has at least 4 states.