

MIT Open Access Articles

Search for a Light Pseudoscalar Higgs Boson in the Dimuon Decay Channel in pp Collisions at √s=7 TeV

The MIT Faculty has made this article openly available. *Please share* how this access benefits you. Your story matters.

Citation: Chatrchyan, S. et al. "Search for a Light Pseudoscalar Higgs Boson in the Dimuon Decay Channel in Pp Collisions at Sqrt[s]=7 TeV." Physical Review Letters 109.12 (2012). © 2012 CERN, for the CMS Collaboration

As Published: http://dx.doi.org/10.1103/PhysRevLett.109.121801

Publisher: American Physical Society

Persistent URL: http://hdl.handle.net/1721.1/76304

Version: Final published version: final published article, as it appeared in a journal, conference proceedings, or other formally published context

Terms of Use: Article is made available in accordance with the publisher's policy and may be subject to US copyright law. Please refer to the publisher's site for terms of use.



Search for a Light Pseudoscalar Higgs Boson in the Dimuon Decay Channel in *pp* Collisions at $\sqrt{s} = 7$ TeV

S. Chatrchyan *et al.** (CMS Collaboration) (Received 27 June 2012; published 20 September 2012)

The dimuon invariant mass spectrum is searched in the range between 5.5 and 14 GeV for a light pseudoscalar Higgs boson *a*, predicted in a number of new physics models, including the next-to-minimal supersymmetric standard model. The data sample used in the search corresponds to an integrated luminosity of 1.3 fb⁻¹ collected in *pp* collisions at $\sqrt{s} = 7$ TeV with the CMS detector at the LHC. No excess is observed above the background predictions and upper limits are set on the cross section times branching fraction $\sigma \times \mathcal{B}(pp \rightarrow a \rightarrow \mu^+ \mu^-)$ in the range of 1.5–7.5 pb. These results improve on existing bounds on the *abb* coupling for $m_a < m_{Y(1S)}$ and are the first significant limits for $m_a > m_{Y(3S)}$. Constraints on the supersymmetric parameter space are presented in the context of the next-to-minimal model.

DOI: 10.1103/PhysRevLett.109.121801

Low energy supersymmetry is an elegant solution to the hierarchy problem that arises in the standard model, provides a candidate for dark matter, and allows for the unification of gauge couplings at the grand-unified-theory scale [1-5]. However, the minimal supersymmetric model (MSSM) has an *ad hoc* Higgs superfield mixing parameter (μ) and requires very large masses for the supersymmetric partner of the top quark (stop) in order for the lightest CP-even Higgs boson to be heavier than 122 GeV without large stop mixing [6]. Both problems are solved in the next-to MSSM (NMSSM) (a review can be found in Ref. [7]), which extends the MSSM by introducing a complex singlet superfield which necessarily contains a scalar field component. Associated super- and scalarpotential terms generate an effective μ parameter and easily raise the mass of the light Higgs boson without requiring a heavy stop [8,9]. The added scalar field expands the Higgs sector to three *CP*-even scalars (h_1, h_2, h_3) , two CP-odd scalars (a_1, a_2) , and two charged scalars (H^+, H^-) . The a_1 is a superposition of the MSSM doublet pseudoscalar (a_{MSSM}) and the additional singlet pseudoscalar of the NMSSM (a_s) : $a_1 = \cos\theta_A a_{\text{MSSM}} + \sin\theta_A a_s$, where θ_A is the mixing angle. The NMSSM has two symmetries that, if imposed (e.g., at the grand-unifiedtheory scale), imply that small m_{a_1} , even $m_{a_1} < 2m_B$ (where m_B is the *B* meson mass), and $|\cos\theta_A| \ll 1$ are very natural possibilities [10]. However, the reduced couplings $C_{a_1b\bar{b}} =$ $C_{a_1\mu^+\mu^-} = C_{a_1\tau^+\tau^-} = \tan\beta\cos\theta_A$ can be sizeable for large values of $\tan\beta$, the ratio of neutral Higgs field vacuum

PACS numbers: 14.80.Da, 13.85.Qk

expectation values, even if $\cos\theta_A$ is small. More generally, superstring modeling suggests the possibility of many light *a* particles, at least some of which couple to $\mu^+\mu^-$, $\tau^+\tau^-$, and $b\bar{b}$ [11]. In the following, *a* (*a*₁) denotes a general (NMSSM) light pseudoscalar Higgs boson.

Searches for a light *a* are mainly sensitive to $C_{ab\bar{b}}$ [12,13]. For $m_a < m_{Y(3S)}$, the strongest constraints on $C_{ab\bar{b}}$ are those from *BABAR* [14,15]. For $m_a > m_{Y(3S)}$, only the Tevatron and Large Hadron Collider (LHC) have sensitivity [16], using production via $gg \rightarrow a$, where the coupling $C_{ab\bar{b}}$ derives from quark (especially bottom and top) triangle loops. This process, plus higher-order corrections, leads to a large cross section due to the large gg parton luminosity at small gluon momentum fractions, provided the $C_{ab\bar{b}}$ (q = t, b in particular) couplings are not too suppressed. This large cross section will typically lead to a significant number of $gg \rightarrow a \rightarrow \mu^+\mu^-$ events even though $\mathcal{B}(a \rightarrow \mu^+\mu^-)$ is small.

In the NMSSM context, where $C_{a_1b\bar{b}} = tan\beta \cos\theta_A$, the existing limits [17,18] translate to rather modest limits on $|\cos\theta_A|$. Such bounds do not strongly constrain NMSSM models of interest for possibly hiding a light Higgs boson because of $h \rightarrow aa$ decays (with $a \rightarrow 2\tau, 2g, 2c, 2s$ decays being dominant [19]) that are not excluded by large electron-positron (LEP) collider experiments [20,21].

At tree level, the branching fraction for $a \rightarrow \mu^+ \mu^$ depends on m_a and on $\tan\beta$, but not on $\cos\theta_A$ [16]. It is nearly constant for $m_a > 5$ GeV and ranges from 10^{-3} to 4×10^{-3} for $\tan\beta = 1$ to $\tan\beta = 50$, changing very little once $\tan\beta > 2$. In contrast, $\sigma(gg \rightarrow a)$ increases rapidly with $\tan\beta$ due to the fact that $C_{ab\bar{b}} \propto \tan\beta$. However, topquark loop contributions and higher-order corrections imply a slower $\sigma(gg \rightarrow a)$ increase than $\tan^2\beta$. In the context of the NMSSM, all $q\bar{q}$ couplings of the a_1 are proportional to $\cos\theta_A$, implying that $\sigma(gg \rightarrow a_1) \propto \cos^2\theta_A$.

^{*}Full author list given at the end of the article.

Published by the American Physical Society under the terms of the Creative Commons Attribution 3.0 License. Further distribution of this work must maintain attribution to the author(s) and the published article's title, journal citation, and DOI.

This Letter presents the results of a search in pp collisions for a light a with a mass near the Y resonances decaying into two oppositely charged muons. Data used for this analysis were recorded by the Compact Muon Solenoid (CMS) detector in pp collisions at a center-of-mass energy of 7 TeV, between August and November 2011. The sample corresponds to a total integrated luminosity of 1.3 fb⁻¹, collected with a dedicated trigger. As estimated in Ref. [16] and explicitly demonstrated here, CMS has sensitivity beyond the *BABAR* and CDF limits, for the latter due to the higher production yield $[\sigma_{LHC}(pp \rightarrow a) \sim 4.5\sigma_{Tevatron}(p\bar{p} \rightarrow a)]$ and the higher acceptance and efficiency of the muon detector. Furthermore, the CMS analysis can extend the limits into the $m_a > m_{\Upsilon(3S)}$ mass range.

The central feature of the CMS detector is a superconducting solenoid, of 6 m internal diameter, providing a magnetic field of 3.8 T. Within the field volume are the silicon pixel and strip tracker, the crystal electromagnetic calorimeter, and the brass-scintillator hadron calorimeter. Muons are measured by gas-ionization detectors embedded in the steel return voke in the pseudorapidity range $|\eta| < 2.4$, $(\eta \equiv -\ln[\tan(\theta/2)]$, where θ is the polar angle of the trajectory of a particle with respect to the direction of the counterclockwise proton beam) using three detector technologies: drift tubes (DT) (for the range $|\eta| < 1.2$), resistive plate chambers (RPC) (for $|\eta| < 1.6$) and cathode strip chambers (CSC) (for $0.9 < |\eta| < 2.4$). The DT and RPC are indicated as the central "barrel" while the CSC comprises the "end caps." A more detailed description of the CMS detector can be found in [22].

We search the dimuon invariant mass distribution between 5.5 and 8.8 GeV (defined as "mass range 1") and between 11.5 and 14 GeV ("mass range 2") for a narrow resonance *a*, with a decay width \sim MeV, which is natural in the NMSSM context. We avoid the range between 9 and 11 GeV because the abundant contributions of the bottomonium resonances to the mass spectrum makes this search unfeasible. Selection criteria are applied to reduce backgrounds from the QCD continuum, and we perform a mass scan in mass ranges 1 and 2 to determine a potential contribution from an *a* signal. Given the better mass resolution in the barrel part of the detector than in the end caps, we also separate the mass scan into two acceptance regions, based on the dimuon η , in order to improve the sensitivity.

We analyze events collected with an online selection that requires the detection of two opposite-sign muons with transverse momenta $p_T > 3.5$ GeV and additional requirements imposed at the high level trigger (HLT). All three muon systems, DT, CSC, and RPC, take part in the trigger decision. A good primary vertex is also required, as defined in Ref. [23]. The additional HLT requirements include $p_T(\mu^+\mu^-) > 6$ GeV, $5.5 < m_{\mu^+\mu^-} < 14$ GeV, and a distance of the closest approach of the muon tracks to the beam axis compatible with that expected for prompt decays. A prescale factor of 2 was imposed on the trigger to maintain a reasonable trigger rate.

The main backgrounds arise from QCD processes and, in the lower invariant mass range, from a residual tail of the Y(1*S*) resonance. We determine the background shape in the invariant mass directly from data, and use simulated events as a cross check. Signal samples, QCD, and Y resonances are simulated with PYTHIA 6.4.24, Tune D6T [24], and CTEQ6 parton distribution functions [25]. Tune Z2 gives compatible results. As the NMSSM is not fully implemented in PYTHIA, we generate the MSSM pseudoscalar *A* boson in the mass range of 5.5 to 14 GeV and require dimuon decays. These samples also contain a simulation of the effects on the number of primary vertices from overlapping *pp* interactions in the same bunch crossing.

To select the best dimuon candidate in each event, quality criteria are applied to the tracks which reject misidentified muons and muons from kaon and pion decays. Muons are required to be within the geometrical acceptance ($|\eta| \le 2.4$) and to be in the plateau of the trigger efficiency, with $p_T > 5.5$ GeV. Muon tracks are required to have at least 11 hits in the silicon tracker, at least one of which must be in the pixel detector, and a track fit $\chi^2/dof < 1.8$. This value is chosen to maximize the signal significance with respect to the QCD continuum, which is extracted directly from data.

Isolation requirements suppress misidentified leptons from jets and nonprompt muons from hadron decays. Muons are required to be isolated within a cone of radius $\Delta R = \sqrt{(\Delta \eta)^2 + (\Delta \phi)^2} = 0.3$ around the muon direction, where ϕ is the azimuthal angle. The muon isolation, I_{rel} , is defined as the sum of the p_T (as measured in the silicon tracker) and transverse energy (as measured in the calorimeters) of all objects within this cone (excluding the muon itself), divided by the muon as measured by the tracker. We require $I_{rel} < 0.2$. This requirement is optimized by comparing the simulated *a* signal with opposite-sign dimuons from data, and we verify that this value is appropriate for both the barrel and end cap dimuon pairs. This isolation requirement rejects a large fraction of the background arising from the QCD production of jets.

Dimuon candidates consist of two opposite-sign muons [26] with an invariant mass between 5.5 and 14 GeV. If more than one dimuon candidate is present, that with the highest χ^2 probability associated to the kinematic fit of the dimuon vertex is retained.

The invariant mass spectrum in the search range has two main contributions: the QCD continuum and the bottomonium resonances. To characterize these shapes for use in the mass scan, we perform a binned maximum likelihood fit to the total invariant mass distribution. For the QCD continuum, we use a first-order polynomial probability density function (PDF). Each Y resonance is parametrized



FIG. 1 (color online). Dimuon invariant mass distribution for the barrel (upper) and end caps (lower) after the event selection. The invariant mass distributions are fitted accounting for the three Y resonances and QCD continuum. Hypothetical signals from pseudoscalar Higgs bosons a at 7 and 12 GeV are shown.

via a double Crystal Ball (CB) function [27,28]. The resolution of one of the CB functions is left free in the fit but is constrained to be the same for all the three resonances. The resolution of the second CB function is determined from the fit of the Y(1S) peak, and forced to scale with the mass of the other two resonances. As the resonances overlap, we fit for the presence of all three Y states simultaneously using three double CB functions. The mean of the CB of the Y(1S) is left free in the fit to accommodate a possible bias in the momentum scale calibration. The number of free parameters is reduced by fixing the Y(2S) and Y(3S) mass differences, relative to Y(1S), to their world average values [6].

The fits to the Y shape and continuum background are performed in the barrel and end cap regions separately, and are shown in Fig. 1. The fitted numbers of events are given in Table I; the barrel-end caps ratio for the Y peaks is consistent with Monte Carlo (MC) predictions. Outside the Y peak range, corresponding to the signal search mass ranges, the data are well described by a first-order polynomial. Figure 1 also shows hypothetical signals from pseudoscalar Higgs bosons *a* with masses 7 and 12 GeV, and 2 pb cross sections, scaled by a factor of 10 for visibility. We perform mass scans of the invariant mass spectra, dividing mass range 1 into 110 steps and mass

TABLE I. Fitted numbers of Y and continuum background events in the invariant mass range 5.5-14 GeV. The Y contributions are summed over the three resonances.

Contribution	events (barrel)	events (end caps)
Ŷ	93753 ± 396	95876 ± 454
Continuum	41210 ± 320	45792 ± 385

range 2 into 100 steps of 30 MeV each, and treating the barrel and end cap spectra separately. At each step, we build a signal Gaussian PDF with a mean fixed to the center of the step and a width determined by the mass resolution, use a first-order polynomial to characterize the background, and perform an unbinned maximum likelihood fit to search for a possible contribution from the a. For each signal mass point, we determine the resolution by fitting the *a* invariant mass spectrum with two CB functions (as for the Y, the sum of two CB functions better describes the resolution) and the mass resolution is calculated as the weighted average of the widths of the two functions. The resulting dimuon invariant mass resolution ranges from 50 to 120 MeV (90 to 190 MeV) in the barrel (end caps) for the mass range 5.5 to 14 GeV. These agree well with the resolution obtained from the Y resonances in data and MC simulation. We fit the resolution as a function of mass using the simulated signal samples, and use this to extract the values of the dimuon mass resolution for each mass bin needed in the scan to determine the upper limit.

In mass range 1, we take into account the radiative tail of the $\Upsilon(1S)$ by including its shape determined from the full invariant mass spectrum fit. No significant discrepancy with SM background predictions is observed, and we proceed to set cross section limits, as described below.

The efficiency for the selection is factorized into three contributions, $\boldsymbol{\epsilon} = \boldsymbol{\epsilon}_{\mathrm{acc}} imes \boldsymbol{\epsilon}_{\mathrm{trig}} imes \boldsymbol{\epsilon}_{\mathrm{sel}},$ where $\boldsymbol{\epsilon}_{\mathrm{acc}}$ is the kinematic acceptance for the a, $\epsilon_{\rm trig}$ is the efficiency of the muon trigger, and ϵ_{sel} is the efficiency of the selection applied to the dimuon candidates. We use PYTHIA 6 to simulate the *a* signal and to determine ϵ_{acc} . The trigger and selection efficiencies ($\epsilon_{\rm trig}$ and $\epsilon_{\rm sel}$) are measured with J/ψ events in data using the tag-and-probe technique [28]. We perform this study in bins of η and p_T of the probe muon. The efficiency values extracted from data are compared with those obtained from the simulation of prompt $J/\psi \rightarrow \mu^+ \mu^-$. The difference between the efficiency in data and MC simulation is evaluated in bins of p_T and η and used as a correction to weight the MC events in order to accommodate possible discrepancies. These corrections are typically on the order of a few percent. For each dimuon candidate, the weight is the product of the corrections for the two muons.

The isolation requirement efficiency that contributes to ϵ_{sel} cannot be measured using the J/ψ data set as one of the main production mechanisms for J/ψ is through *B*-meson decays, resulting in nonisolated muons. This is not well accounted for in simulation, and would result in biased data or MC efficiency corrections. In order to estimate this correction, we use $Z \rightarrow \mu^+ \mu^-$ events and consider the lower p_T spectrum of the probe muon.

The total efficiency ϵ is defined for each *a* mass sample as the fraction of generated signal events, weighted by the appropriate data-MC corrections, that satisfy all the selection requirements. This ranges from 1%–3.5% for the *a* mass range of 5.5–14 GeV, and we fit the ϵ distributions with second (third) order polynomial functions in the barrel (end caps) to use in the mass scan. The increase in the efficiency as a function of the invariant mass is mainly due to the p_T requirements on the muons at the HLT level.

Several sources of systematic uncertainty affect these results, including a 2.2% uncertainty on the integrated luminosity [29]. The efficiency corrections are determined using the tag-and-probe results described above. We determine, event-by-event, the uncertainty on the total efficiency corrections by propagating the uncertainties on the single muon corrections. This total event efficiency uncertainty is largely independent of mass, with a maximum value of 12%. We apply this value as a systematic uncertainty for every bin in the scan.

The isolation efficiency is uncertain at the 5% level, corresponding to the largest discrepancy between data and MC simulation in the entire relevant p_T range. We evaluate the systematic uncertainty on the resolution of the a as the quadrature sum of the difference between the mass resolution of the *a* with a mass of 10 GeV and the resolution of the Y(2S) (which has the same mass) in MC simulation, and the difference between the latter and the mass resolution obtained for the Y(2S) from data. Additionally, the finite statistics for the determination of the mass resolution as a function of the dimuon mass contributes a source of uncertainty. We consider the mass ranges separately and include these systematic uncertainties in the calculation of the upper limit on the cross section times branching fraction. Overall, this adds an 11% (4%) effect for the barrel (end caps).

Systematic uncertainties on the background description include the shape uncertainty of the first-order polynomial fit of the background PDF. We fit the background with alternative functions (a second-order polynomial and an exponential function), generate MC pseudoexperiments using these functions, and fit the distributions using the first-order polynomial. The resulting systematic uncertainties, from the distribution of the fitted parameters, is of the order of a few percent.

No significant signal is observed, and we determine 95% confidence level (C.L.) upper limits on $\sigma \times \mathcal{B}(pp \rightarrow a \rightarrow \mu^+\mu^-)$ as a function of the dimuon mass using the CL_s approach [30–32]. A few steps at the edges of the mass scans, where the fitting procedure has no predictive power on the signal shape, are not used. Figure 2 shows the upper limit results for the two mass ranges including the systematic uncertainties discussed above. These limits are significant in the context of the NMSSM, and can be presented in terms of upper limits on $|\cos\theta_A|$. The larger the value of $\tan\beta$, the stronger is the constraint. Figure 3 presents upper limits, $|\cos\theta_A|^{max}$ as a function of m_{a_1} for $\beta = 1, 2, 3, 10, 30, 50$. Our upper limits are compared to an earlier analysis of the *BABAR* Y(1S) and Y(3S) data [33], and are superior for $m_{a_1} \ge 7.5$ GeV for $\tan\beta = 50$,



FIG. 2 (color online). Upper limits at 95% C.L. on $\sigma \times \mathcal{B}(pp \to a \to \mu^+ \mu^-)$ in mass range 1 (upper panel) and mass range 2 (lower panel) including systematic uncertainties. The dotted lines correspond to the expected limits, and the bands correspond to 1- and 2- σ level uncertainties on the expected limits.

decreasing to $m_{a_1} \ge 6$ GeV for $\tan \beta = 2$, and are superior for all masses at $\tan \beta = 1$. Further, these are the first significant limits for $m_a > m_{\Upsilon(3S)}$.

In conclusion, we performed a search for a narrow, low mass pseudoscalar *a*, which is produced by $gg \rightarrow a$ and decays via $a \rightarrow \mu^+ \mu^-$ in the mass ranges 5.5–8.8 GeV and



FIG. 3 (color online). Upper limits on the NMSSM parameter $|\cos\theta_A|$ as a function of m_{a_1} in the two mass ranges. The solid curves correspond to different $\tan\beta$ values: from top to bottom, $\tan\beta = 1$, $\tan\beta = 2$, $\tan\beta = 3$, $\tan\beta = 10$, $\tan\beta = 30$, and $\tan\beta = 50$. For each $\tan\beta$ value in mass range 1, the second, dotted curve shows the limits from the *BABAR* Y analysis. There are no *BABAR* limits for $\tan\beta = 1$ in mass range 1, or for any $\tan\beta$ in mass range 2. The line at $|\cos\theta_A|^{\max} = 1$ is equivalent to no limit. Results from CDF are not shown as they are less stringent than the *BABAR* limits.

11.5-14 GeV, using a data sample corresponding to an integrated luminosity of 1.3 fb⁻¹ collected with the CMS detector. No significant signal is observed, and we set upper limits on $\sigma \times \mathcal{B}(pp \to a \to \mu^+ \mu^-)$. These upper limits are applied in the context of the light pseudoscalar a_1 of the NMSSM to yield upper limits on the NMSSM parameter $|\cos\theta_A|$. These limits are superior to existing constraints for a significant portion of the $m_{a_1} < m_{\Upsilon(1S)}$ mass range, and are the first significant limits available in the $m_{a_1} > m_{\Upsilon(3S)}$ mass range.

We congratulate our colleagues in the CERN accelerator departments for the excellent performance of the LHC machine. We thank the technical and administrative staff at CERN and other CMS institutes, and acknowledge support from: FMSR (Austria); FNRS and FWO (Belgium); CNPq, CAPES, FAPERJ, and FAPESP (Brazil); MES (Bulgaria); CERN; CAS, MoST, and NSFC (China); COLCIENCIAS (Colombia); MSES (Croatia); RPF (Cyprus); MoER, SF0690030s09 and ERDF (Estonia); Academy of Finland, MEC, and HIP (Finland); CEA and CNRS/IN2P3 (France); BMBF, DFG, and HGF (Germany); GSRT (Greece); OTKA and NKTH (Hungary); DAE and DST (India); IPM (Iran); SFI (Ireland); INFN (Italy); NRF and WCU (Korea); LAS (Lithuania); CINVESTAV, CONACYT, SEP, and UASLP-FAI (Mexico); MSI (New Zealand); PAEC (Pakistan); MSHE and NSC (Poland); FCT (Portugal); JINR (Armenia, Belarus, Georgia, Ukraine, Uzbekistan); MON, RosAtom, RAS and RFBR (Russia); MSTD (Serbia); MICINN and CPAN (Spain); Swiss Funding Agencies (Switzerland); NSC (Taipei); TUBITAK and TAEK (Turkey); STFC (U.K.); DOE and NSF (U.S.).

- [1] Y.A. Gol'fand and E.P. Likhtman, JETP Lett. 13, 323 (1971).
- [2] J. Wess and B. Zumino, Nucl. Phys. **B70**, 39 (1974).
- [3] H. P. Nilles, Phys. Rep. 110, 1 (1984).
- [4] H.E. Haber and G.L. Kane, Phys. Rep. 117, 75 (1985).
- [5] R. Barbieri, S. Ferrara, and C.A. Savoy, Phys. Lett. **119B**, 343 (1982).
- [6] K. Nakamura et al. (Particle Data Group), J. Phys. G **37**, 075021 (2010).
- [7] M. Maniatis, Int. J. Mod. Phys. A 25, 3505 (2010).
- [8] J. Ellis, J.F. Gunion, H.E. Haber, L. Roszkowski, and F. Zwirner, Phys. Rev. D 39, 844 (1989).
- [9] U. Ellwanger and M. Rausch de Traubenberg, Z. Phys. C **53**, 521 (1992).

- [10] B.A. Dobrescu and K.T. Matchev, J. High Energy Phys. 09 (2000) 031.
- [11] M. Dine, Supersymmetry and String Theory: Beyond the Standard Model (Cambridge University Press, Cambridge, 2007).
- [12] J.F. Gunion, J. High Energy Phys. 08 (2009) 032.
- [13] M. Lisanti and J.G. Wacker, Phys. Rev. D 79, 115006 (2009).
- [14] B. Aubert et al. (BABAR), Phys. Rev. Lett. 103, 081803 (2009).
- [15] B. Aubert et al. (BABAR), Phys. Rev. Lett. 103, 181801 (2009).
- [16] R. Dermisek and J. F. Gunion, Phys. Rev. D 81, 055001 (2010).
- [17] G. Apollinari et al., Phys. Rev. D 72, 092003 (2005).
- [18] T. Aaltonen et al. (CDF Collaboration), Eur. Phys. J. C **62**, 319 (2009).
- [19] R. Dermisek and J. F. Gunion, Phys. Rev. Lett. 95, 041801 (2005).
- [20] S. Schael et al. (ALEPH, DELPHI, L3, OPAL Collaborations, and LEP Working Group for Higgs Boson Searches), Eur. Phys. J. C 47, 547 (2006).
- [21] S. Schael et al. (ALEPH Collaboration), J. High Energy Phys. 05 (2010) 049.
- [22] S. Chatrchyan et al. (CMS Collaboration), JINST **3**, S08004 (2008).
- [23] CMS Collaboration, Report No. CMS-PAS-TRK-10-005, 2010, http://cdsweb.cern.ch/record/1279383.
- [24] T. Sjöstrand, S. Mrenna, and P.Z. Skands, J. High Energy Phys. 05, (2006) 026.
- [25] J. Pumplin, D.R. Stump, J. Huston, H.-L. Lai, P. Nadolsky, and W.-K. Tung, J. High Energy Phys. 07 (2002) 012.
- [26] CMS Collaboration , Report No. CMS-PAS-MUO-10-002, 2010, http://cdsweb.cern.ch/record/1279140.
- [27] M. Oreglia, Ph.D. thesis, Stanford University [SLAC-R-236, UMI- 81-08973, 1980], http://www.slac.stanford.edu/ pubs/slacreports/slac-r-236.html.
- [28] V. Khachatryan et al. (CMS Collaboration), Phys. Rev. D 83, 112004 (2011).
- [29] CMS Collaboration, CMS Physics Analysis Summary, Report No. CMS-PAS-SMP-12-008, 2012, http://cdsweb .cern.ch/record/1434360.
- [30] T. Junk, Nucl. Instrum. Methods Phys. Res., Sect. A 434, 435 (1999).
- [31] A.L. Read, J. Phys. G 28, 2693 (2002).
- [32] ATLAS and CMS Collaborations, LHC Higgs Combination Group, Report No. ATL-PHYS-PUB 2011-11, No. CMS NOTE-2011/005, 2011, http://cdsweb .cern.ch/record/1379837.
- [33] R. Dermisek and J. F. Gunion, Phys. Rev. D 81, 075003 (2010).
- S. Chatrchyan,¹ V. Khachatryan,¹ A. M. Sirunyan,¹ A. Tumasyan,¹ W. Adam,² T. Bergauer,² M. Dragicevic,² J. Erö,²
- C. Fabjan, ^{2,b} M. Friedl,² R. Frühwirth,^{2,b} V. M. Ghete,² J. Hammer,² N. Hörmann,² J. Hrubec,² M. Jeitler,^{2,b}
 W. Kiesenhofer,² V. Knünz,² M. Krammer,^{2,b} D. Liko,² I. Mikulec,² M. Pernicka,^{2,a} B. Rahbaran,² C. Rohringer,² H. Rohringer,² R. Schöfbeck,² J. Strauss,² A. Taurok,² P. Wagner,² W. Waltenberger,² G. Walzel,² E. Widl,² C.-E. Wulz,^{2,b} V. Mossolov,³ N. Shumeiko,³ J. Suarez Gonzalez,³ S. Bansal,⁴ T. Cornelis,⁴ E. A. De Wolf,⁴

X. Janssen,⁴ S. Luyckx,⁴ T. Maes,⁴ L. Mucibello,⁴ S. Ochesanu,⁴ B. Roland,⁴ R. Rougny,⁴ M. Selvaggi,⁴ Z. Staykova,⁴ H. Van Haevermaet,⁴ P. Van Mechelen,⁴ N. Van Remortel,⁴ A. Van Spilbeeck,⁴ F. Blekman,⁵ S. Blyweert,⁵ J. D'Hondt,⁵ R. Gonzalez Suarez,⁵ A. Kalogeropoulos,⁵ M. Maes,⁵ A. Olbrechts,⁵ W. Van Doninck,⁵ P. Van Mulders,⁵ G. P. Van Onsem,⁵ I. Villella,⁵ B. Clerbaux,⁶ G. De Lentdecker,⁶ V. Dero,⁶ A. P. R. Gay,⁶ T. Hreus,⁶ A. Léonard,⁶ P. E. Marage,⁶ T. Reis,⁶ L. Thomas,⁶ C. Van der Velde,⁶ P. Vanlaer,⁶ J. Wang,⁶ V. Adler,⁷ K. Beernaert,⁷ A. Cimmino,⁷ S. Costantini,⁷ G. Garcia,⁷ M. Grunewald,⁷ B. Klein,⁷ J. Lellouch,⁷ A. Marinov,⁷ J. Mccartin,⁷ A. A. Ocampo Rios,⁷ D. Ryckbosch,⁷ N. Strobbe,⁷ F. Thyssen,⁷ M. Tytgat,⁷ L. Vanelderen,⁷ P. Verwilligen,⁷ S. Walsh,⁷ E. Yazgan,⁷ N. Zaganidis,⁷ S. Basegmez,⁸ G. Bruno,⁸ R. Castello,⁸ A. Caudron,⁸ L. Ceard,⁸ C. Delaere,⁸ T. du Pree,⁸ D. Favart,⁸ L. Forthomme,⁸ A. Giammanco,^{8,c} J. Hollar,⁸ V. Lemaitre,⁸ J. Liao,⁸ O. Militaru,⁸ C. Nuttens,⁸ D. Pagano,⁸ L. Perrini,⁸ A. Pin,⁸ K. Piotrzkowski,⁸ N. Schul,⁸ J. M. Vizan Garcia,⁸ N. Beliy,⁹ T. Caebergs,⁹ E. Daubie,⁹ G. H. Hammad,⁹ G. A. Alves,¹⁰ M. Correa Martins Junior,¹⁰ D. De Jesus Damiao,¹⁰ T. Martins,¹⁰ M. E. Pol,¹⁰ M. H. G. Souza,¹⁰ W. L. Aldá Júnior,¹¹ W. Carvalho,¹¹ A. Custódio,¹¹ E. M. Da Costa,¹¹ C. De Oliveira Martins,¹¹ S. Fonseca De Souza,¹¹ D. Matos Figueiredo,¹¹ L. Mundim,¹¹ H. Nogima,¹¹ V. Oguri,¹¹ W. L. Prado Da Silva,¹¹ A. Santoro,¹¹ L. Soares Jorge,¹¹ A. Sznajder,¹¹ C. A. Bernardes,^{12,d} F. A. Dias,^{12,e} T. R. Fernandez Perez Tomei,¹² E. M. Gregores,^{12,d} C. Lagana,¹² F. Marinho,¹² P. G. Mercadante,^{12,d} S. F. Novaes,¹² Sandra S. Padula,¹² V. Genchev,^{13,f} P. Iaydjiev,^{13,f} S. Piperov,¹³ M. Rodozov,¹³ S. Stoykova,¹³ G. Sultanov,¹³ V. Tcholakov,¹³ R. Trayanov,¹³ M. Vutova,¹³ A. Dimitrov,¹⁴ R. Hadjiiska,¹⁴ V. Kozhuharov,¹⁴ L. Litov,¹⁴ B. Pavlov,¹⁴ P. Petkov,¹⁴ J. G. Bian,¹⁵ G. M. Chen,¹⁵ H. S. Chen,¹⁵ C. H. Jiang,¹⁵ D. Liang,¹⁵ S. Liang,¹⁵ X. Meng,¹⁵ J. Tao,¹⁵ J. Wang,¹⁵ X. Wang,¹⁵ Z. Wang,¹⁵ H. Xiao,¹⁵ M. Xu,¹⁵ J. Zang,¹⁵ Z. Zhang,¹⁵ C. Asawatangtrakuldee,¹⁶ Y. Ban,¹⁶ S. Guo, ¹⁶ Y. Guo, ¹⁶ W. Li, ¹⁶ S. Liu, ¹⁶ Y. Mao, ¹⁶ S. J. Qian, ¹⁶ H. Teng, ¹⁶ S. Wang, ¹⁶ B. Zhu, ¹⁶ W. Zou, ¹⁶ C. Avila, ¹⁷ J. P. Gomez, ¹⁷ B. Gomez Moreno, ¹⁷ A. F. Osorio Oliveros, ¹⁷ J. C. Sanabria, ¹⁷ N. Godinovic, ¹⁸ D. Lelas, ¹⁸ R. Plestina,^{18,g} D. Polic,¹⁸ I. Puljak,^{18,f} Z. Antunovic,¹⁹ M. Kovac,¹⁹ V. Brigljevic,²⁰ S. Duric,²⁰ K. Kadija,²⁰ J. Luetic,²⁰ S. Morovic,²⁰ A. Attikis,²¹ M. Galanti,²¹ G. Mavromanolakis,²¹ J. Mousa,²¹ C. Nicolaou,²¹ F. Ptochos,²¹ P. A. Razis,²¹ M. Finger,²² M. Finger, Jr.,²² Y. Assran,^{23,h} S. Elgammal,^{23,i} A. Ellithi Kamel,^{23,j} S. Khalil,^{23,i} M. A. Mahmoud,^{23,k} A. Radi,^{23,1,m} M. Kadastik,²⁴ M. Müntel,²⁴ M. Raidal,²⁴ L. Rebane,²⁴ A. Tiko,²⁴ V. Azzolini,²⁵ P. Eerola,²⁵ G. Fedi,²⁵ M. Voutilainen,²⁵ J. Härkönen,²⁶ A. Heikkinen,²⁶ V. Karimäki,²⁶ R. Kinnunen,²⁶ M. J. Kortelainen,²⁶ T. Lampén,²⁶ K. Lassila-Perini,²⁶ S. Lehti,²⁶ T. Lindén,²⁶ P. Luukka,²⁶ T. Mäenpää,²⁶ T. Peltola, ²⁶ E. Tuominen, ²⁶ J. Tuominiemi, ²⁶ E. Tuovinen, ²⁶ D. Ungaro, ²⁶ L. Wendland, ²⁶ K. Banzuzi, ²⁷ A. Karjalainen, ²⁷ A. Korpela, ²⁷ T. Tuuva, ²⁷ M. Besancon, ²⁸ S. Choudhury, ²⁸ M. Dejardin, ²⁸ D. Denegri, ²⁸ B. Fabbro, ²⁸ J. L. Faure, ²⁸ F. Ferri, ²⁸ S. Ganjour, ²⁸ A. Givernaud, ²⁸ P. Gras, ²⁸ G. Hamel de Monchenault, ²⁸ P. Jarry, ²⁸ E. Locci, ²⁸ J. Malcles, ²⁸ L. Millischer, ²⁸ A. Nayak, ²⁸ J. Rander, ²⁸ A. Rosowsky, ²⁸ I. Shreyber, ²⁹ M. Titov, ²⁸ C. Denegri, ²⁹ D. Denegri, ² E. Locci, J. Malcies, L. Minischer, A. Nayak, J. Kahdel, A. Rosowsky, T. Shreyber, M. Hov,
S. Baffioni,²⁹ F. Beaudette,²⁹ L. Benhabib,²⁹ L. Bianchini,²⁹ M. Bluj,^{29,n} C. Broutin,²⁹ P. Busson,²⁹ C. Charlot,²⁹
N. Daci,²⁹ T. Dahms,²⁹ L. Dobrzynski,²⁹ R. Granier de Cassagnac,²⁹ M. Haguenauer,²⁹ P. Miné,²⁹ C. Mironov,²⁹
M. Nguyen,²⁹ C. Ochando,²⁹ P. Paganini,²⁹ D. Sabes,²⁹ R. Salerno,²⁹ Y. Sirois,²⁹ C. Veelken,²⁹ A. Zabi,²⁹
J.-L. Agram,^{30,o} J. Andrea,³⁰ D. Bloch,³⁰ D. Bodin,³⁰ J.-M. Brom,³⁰ M. Cardaci,³⁰ E. C. Chabert,³⁰ C. Collard,³⁰ J.-L. Agrani, J. Andrea, D. Bloch, D. Bodin, J.-M. Broin, M. Cardaci, E. C. Chabert, C. Conard,
E. Conte,^{30,o} F. Drouhin,^{30,o} C. Ferro,³⁰ J.-C. Fontaine,^{30,o} D. Gelé,³⁰ U. Goerlach,³⁰ P. Juillot,³⁰ A.-C. Le Bihan,³⁰
P. Van Hove,³⁰ F. Fassi,³¹ D. Mercier,³¹ S. Beauceron,³² N. Beaupere,³² O. Bondu,³² G. Boudoul,³² J. Chasserat,³²
R. Chierici,^{32,f} D. Contardo,³² P. Depasse,³² H. El Mamouni,³² J. Fay,³² S. Gascon,³² M. Gouzevitch,³² B. Ille,³²
T. Kurca,³² M. Lethuillier,³² L. Mirabito,³² S. Perries,³² V. Sordini,³² S. Tosi,³² Y. Tschudi,³² P. Verdier,³² S. Viet,³² Kurca,⁵⁴ M. Lethullier,⁵⁴ L. Mirabito,⁵⁵ S. Perries,⁵⁴ V. Sordini,⁵⁴ S. Tosi,⁵⁴ Y. Tschudi,⁵⁴ P. Verdier,⁵⁵ S. Viret,⁵⁴ Z. Tsamalaidze,^{33,p} G. Anagnostou,³⁴ S. Beranek,³⁴ M. Edelhoff,³⁴ L. Feld,³⁴ N. Heracleous,³⁴ O. Hindrichs,³⁴ R. Jussen,³⁴ K. Klein,³⁴ J. Merz,³⁴ A. Ostapchuk,³⁴ A. Perieanu,³⁴ F. Raupach,³⁴ J. Sammet,³⁴ S. Schael,³⁴ D. Sprenger,³⁴ H. Weber,³⁴ B. Wittmer,³⁴ V. Zhukov,^{34,q} M. Ata,³⁵ J. Caudron,³⁵ E. Dietz-Laursonn,³⁵ D. Duchardt,³⁵ M. Erdmann,³⁵ R. Fischer,³⁵ A. Güth,³⁵ T. Hebbeker,³⁵ C. Heidemann,³⁵ K. Hoepfner,³⁵ D. Klingebiel,³⁵ P. Kreuzer,³⁵ J. Lingemann,³⁵ C. Magass,³⁵ M. Merschmeyer,³⁵ A. Meyer,³⁵ M. Olschewski,³⁵ P. Papacz,³⁵ H. Pieta,³⁵ H. Reithler,³⁵ S. A. Schmitz,³⁵ L. Sonnenschein,³⁵ J. Steggemann,³⁵ D. Teyssier,³⁵ M. Weber,³⁵ M. Bertemedele,³⁶ M. Geiden³⁶ M. Heidemann,³⁶ F. Haehle,³⁶ M. Bontenackels,³⁶ V. Cherepanov,³⁶ G. Flügge,³⁶ H. Geenen,³⁶ M. Geisler,³⁶ W. Haj Ahmad,³⁶ F. Hoehle,³⁶ B. Kargoll,³⁶ T. Kress,³⁶ Y. Kuessel,³⁶ A. Nowack,³⁶ L. Perchalla,³⁶ O. Pooth,³⁶ J. Rennefeld,³⁶ P. Sauerland,³⁶ A. Stahl,³⁶ M. Aldaya Martin,³⁷ J. Behr,³⁷ W. Behrenhoff,³⁷ U. Behrens,³⁷ M. Bergholz,^{37,r} A. Bethani,³⁷ K. Borras,³⁷ A. Burgmeier,³⁷ A. Cakir,³⁷ L. Calligaris,³⁷ A. Campbell,³⁷ E. Castro,³⁷ F. Costanza,³⁷ D. Dammann,³⁷ C. Diez Pardos,³⁷ G. Eckerlin,³⁷ D. Eckstein,³⁷ G. Flucke,³⁷ A. Geiser,³⁷ I. Glushkov,³⁷ P. Gunnellini,³⁷ S. Habib,³⁷ J. Hauk,³⁷ G. Hellwig,³⁷ H. Jung,³⁷ M. Kasemann,³⁷ P. Katsas,³⁷ C. Kleinwort,³⁷ H. Kluge,³⁷ A. Knutsson,³⁷

M. Krämer,³⁷ D. Krücker,³⁷ E. Kuznetsova,³⁷ W. Lange,³⁷ W. Lohmann,^{37,r} B. Lutz,³⁷ R. Mankel,³⁷ I. Marfin,³⁷ M. Marienfeld,³⁷ I.-A. Melzer-Pellmann,³⁷ A. B. Meyer,³⁷ J. Mnich,³⁷ A. Mussgiller,³⁷ S. Naumann-Emme,³⁷ J. Olzem,³⁷ H. Perrey,³⁷ A. Petrukhin,³⁷ D. Pitzl,³⁷ A. Raspereza,³⁷ P. M. Ribeiro Cipriano,³⁷ C. Riedl,³⁷ E. Ron,³⁷ M. Rosin,³⁷ J. Salfeld-Nebgen,³⁷ R. Schmidt,^{37,r} T. Schoerner-Sadenius,³⁷ N. Sen,³⁷ A. Spiridonov,³⁷ M. Stein,³⁷ R. Walsh,³⁷ C. Wissing,³⁷ C. Autermann,³⁸ V. Blobel,³⁸ S. Bobrovskyi,³⁸ J. Draeger,³⁸ H. Enderle,³⁸ J. Erfle,³⁸ U. Gebbert,³⁸ M. Görner,³⁸ T. Hermanns,³⁸ R. S. Höing,³⁸ K. Kaschube,³⁸ G. Kaussen,³⁸ H. Kirschenmann,³⁸ R. Klanner,³⁸ J. Lange,³⁸ B. Mura,³⁸ F. Nowak,³⁸ T. Peiffer,³⁸ N. Pietsch,³⁸ D. Rathjens,³⁸ C. Sander,³⁸ H. Schettler,³⁸ P. Schleper,³⁸ E. Schlieckau,³⁸ A. Schmidt,³⁸ M. Schröder,³⁸ T. Schum,³⁸ M. Seidel,³⁸ H. Stadie,³⁸ G. Steinbrück,³⁸ J. Thomsen,³⁸ C. Barth,³⁹ J. Berger,³⁹ C. Böser,³⁹ T. Chwalek,³⁹ W. De Boer,³⁹ A. Descroix,³⁹ A. Dierlamm,³⁹ M. Feindt,³⁹ M. Guthoff,^{39,f} C. Hackstein,³⁹ F. Hartmann,³⁹ T. Hauth,^{39,f} M. Heinrich,³⁹ H. Held,³⁹ K. H. Hoffmann,³⁹ S. Honc,³⁹ I. Katkov,^{39,4} J. R. Komaragiri,³⁹ D. Martschei,³⁹ S. Mueller,³⁹ Th. Müller,³⁹ N. Ratnikova,³⁹ S. Röcker,³⁹ A. Scheurer,³⁹ F.-P. Schilling,³⁹ G. Schott,³⁹ H. J. Simonis,³⁹ F. M. Stober,³⁹ N. Ratnikova,³⁹ S. Röcker,³⁹ A. Scheurer,³⁹ F.-P. Schilling,³⁹ G. Schott,³⁹ H. J. Simonis,⁴⁰ T. Geralis,⁴⁰ S. Kesisoglou,⁴⁰ A. Kyriakis,⁴⁰ D. Loukas,⁴⁰ I. Manolakos,⁴⁰ A. Markou,⁴⁰ C. Markou,⁴⁰ C. Mavrommatis,⁴⁰ E. Ntomari,⁴⁰ L. Gouskos,⁴¹ T. J. Mertzimekis,⁴¹ A. Panagiotou,⁴¹ N. Saoulidou,⁴¹ I. Evangelou,⁴² C. Foudas,^{42,f} P. Kokkas,⁴² N. Manthos,⁴² I. Papadopoulos,⁴² V. Patras,⁴² G. Bencze,⁴³ C. Hajdu,^{43,f} P. Hidas,⁴⁴ D. Horvath,^{43,s} F. Sikler,⁴³ V. Veszpremi,⁴³ G. Vesztergombi,^{43,t} N. Beni,⁴⁴ S. Czellar,⁴⁴ J. Molnar,⁴⁴ J. Palinkas,⁴⁴ Z. Szillasi,⁴⁴ J. Karancsi,⁴⁵ P. Raics,⁴⁵ Z. L. Trocsanyi,⁴⁵ B. Ujvari,⁴⁵ S. B. Beri,⁴⁶ V. Bhatnagar,⁴⁶ N. Dhingra,⁴⁶ R. Gupta,⁴⁶ M. Jindal,⁴⁶ J. Olzem,³⁷ H. Perrey,³⁷ A. Petrukhin,³⁷ D. Pitzl,³⁷ A. Raspereza,³⁷ P. M. Ribeiro Cipriano,³⁷ C. Riedl,³⁷ E. Ron,³⁷ J. Karancsi,⁴⁵ P. Raics,⁴⁵ Z. L. Trocsanyi,⁴⁵ B. Ujvari,⁴⁵ S. B. Beri,⁴⁶ V. Bhatnagar,⁴⁶ N. Dhingra,⁴⁶ R. Gupta,⁴⁶ M. Jindal,⁴⁶ M. Kaur,⁴⁶ M. Z. Mehta,⁴⁶ N. Nishu,⁴⁶ L. K. Saini,⁴⁶ A. Sharma,⁴⁶ J. Singh,⁴⁶ Ashok Kumar,⁴⁷ Arun Kumar,⁴⁷ S. Ahuja,⁴⁷ A. Bhardwaj,⁴⁷ B. C. Choudhary,⁴⁷ S. Malhotra,⁴⁷ M. Naimuddin,⁴⁷ K. Ranjan,⁴⁷ V. Sharma,⁴⁷ R. K. Shivpuri,⁴⁷ S. Banerjee,⁴⁸ S. Bhattacharya,⁴⁸ S. Dutta,⁴⁸ B. Gomber,⁴⁸ Sa. Jain,⁴⁸ Sh. Jain,⁴⁸
R. Khurana,⁴⁸ S. Sarkar,⁴⁸ M. Sharan,⁴⁸ A. Abdulsalam,⁴⁹ R. K. Choudhury,⁴⁹ D. Dutta,⁴⁹ S. Kailas,⁴⁹ V. Kumar,⁴⁹ P. Mehta,⁴⁹ A. K. Mohanty,^{49, f} L. M. Pant,⁴⁹ P. Shukla,⁴⁹ T. Aziz,⁵⁰ S. Ganguly,⁵⁰ M. Guchait,^{50, u} M. Maity,^{50, v} G. Majumder,⁵⁰ K. Mazumdar,⁵⁰ G. B. Mohanty,⁵⁰ B. Parida,⁵⁰ K. Sudhakar,⁵⁰ N. Wickramage,⁵⁰ S. Banerjee,⁵¹ S. Dugad,⁵¹ H. Arfaei,⁵² H. Bakhshiansohi,^{52, w} S. M. Etesami,^{52, x} A. Fahim,^{52, w} M. Hashemi,⁵² A. Jafari,^{52, x} M. Abharsaai,^{52, 33, 53b} L. Bacharge,^{533, 53b} C. Calakria,^{53, 53b, 5} S. Chikira,^{53, 53b, 5} A. Calaka,^{53, 53b} M. Khakzad,⁵² A. Mohammadi,^{52,y} M. Mohammadi Najafabadi,⁵² S. Paktinat Mehdiabadi,⁵² B. Safarzadeh,^{52,z} M. Zeinali,^{52,x} M. Abbrescia,^{53a,53b} L. Barbone,^{53a,53b} C. Calabria,^{53a,53b,f} S. S. Chhibra,^{53a,53b} A. Colaleo,^{53a} D. Creanza,^{53a,53c} N. De Filippis,^{53a,53c,f} M. De Palma,^{53a,53b} L. Fiore,^{53a} G. Iaselli,^{53a,53c} L. Lusito,^{53a,53b} G. Maggi,^{53a,53c} M. Maggi,^{53a} B. Marangelli,^{53a,53b} S. My,^{53a,53c} S. Nuzzo,^{53a,53b} N. Pacifico,^{53a,53b} A. Pompili,^{53a,53b} G. Pugliese,^{53a,53c} G. Selvaggi,^{53a,53b} L. Silvestris,^{53a} G. Singh,^{53a,53b} R. Venditti,^{53a} G. Zito,^{53a} G. Abbiendi,^{54a} A. C. Benvenuti,^{54a} D. Bonacorsi,^{54a,54b} S. Braibant-Giacomelli,^{54a,54b} L. Brigliadori,^{54a,54b} P. Capiluppi,^{54a,54b} A. Castro,^{54a,54b} F. R. Cavallo,^{54a} M. Cuffiani,^{54a,54b} G. M. Dallavalle,^{54a} F. Fabbri,^{54a} A. Fanfani,^{54a,54b} D. Fasanella,^{54a,54b,f} P. Giacomelli,^{54a} C. Grandi,^{54a} L. Guiducci,^{54a,54b} S. Marcellini,^{54a} G. Masetti,^{54a} M. Meneghelli,^{54a,54b,f} A. Montanari,^{54a} F. L. Navarria,^{54a,54b} F. Odorici,^{54a,54b} S. Albergo,^{55a,55b} G. Cappello,^{55a,55b} M. Chiorboli,^{55a,55b} S. Costa,^{55a,55b} R. Potenza,^{55a,55b} A. Tricomi,^{55a,55b} C. Tuve,^{55a,55b} G. Barbagli,^{56a} V. Ciulli,^{56a,56b} C. Civinini,^{56a} R. D'Alessandro,^{56a,56b} E. Focardi,^{56a,56b} S. Frosali,^{56a,56b} E. Gallo,^{56a} S. Gonzi,^{56a,56b} M. Meschini,^{56a} S. Paoletti,^{56a} G. Sguazzoni,^{56a} A. Tropiano,^{56a,f} L. Benussi,⁵⁷ S. Bianco,⁵⁷ S. Colafranceschi,^{57,aa} F. Fabbri,⁵⁷ D. Piccolo,⁵⁷ P. Fabbricatore,⁵⁸ R. Musenich,⁵⁸ A. Benaglia,^{59a,59b} S. Malvezzi,^{59a} R. A. Manzoni,^{59a,59b}
L. Di Matteo,^{59a,59b,f} S. Fiorendi,^{59a,59b} S. Gennai,^{59a,59b} S. Gennai,^{59a,59b} S. Malvezzi,^{59a} R. A. Manzoni,^{59a,59b} F. Fabbri,⁵⁷ D. Piccolo,⁵⁷ P. Fabbricatore,⁵⁸ R. Musenich,⁵⁸ A. Benaglia,^{59a,59b,f} F. De Guio,^{59a,59b}
L. Di Matteo,^{59a,59b,f} S. Fiorendi,^{59a,59b,f} S. Gennai,^{59a,f} A. Ghezzi,^{59a,59b} S. Malvezzi,^{59a} R. A. Manzoni,^{59a,59b}
A. Martelli,^{59a,59b} A. Massironi,^{59a,59b,f} D. Menasce,^{59a} L. Moroni,^{59a} M. Paganoni,^{59a,59b} D. Pedrini,^{59a}
S. Ragazzi,^{59a,59b} N. Redaelli,^{59a} S. Sala,^{59a} T. Tabarelli de Fatis,^{59a,59b} S. Buontempo,^{60a} C. A. Carrillo Montoya,^{60a,f} N. Cavallo,^{60a,60b} A. De Cosa,^{60a,60b,f} O. Dogangun,^{60a,60b} F. Fabozzi,^{60a,bb} A. O. M. Iorio,^{60a} L. Lista,^{60a}
S. Meola,^{60a,ce} M. Merola,^{60a,60b} P. Paolucci,^{60a,f} P. Azzi,^{61a} N. Bacchetta,^{61a,f} D. Bisello,^{61a,61b} A. Branca,^{61a,f} R. Carlin,^{61a,61b} P. Checchia,^{61a} T. Dorigo,^{61a} F. Gasparini,^{61a,61b} U. Gasparini,^{61a,61b} A. Gozzelino,^{61a}
K. Kanishchev,^{61a,61c} S. Lacaprara,^{61a} I. Lazzizzera,^{61a,61c} M. Margoni,^{61a,61b} A. T. Meneguzzo,^{61a,61b} J. Pazzini,^{61a} N. Pozzobon,^{61a,61b} P. Ronchese,^{61a,61b} E. Torassa,^{61a} M. Tosi,^{61a,61b,f} S. Vanini,^{61a,61b} P. Zotto,^{61a,61b} A. Zucchetta,^{61a} G. Zumerle,^{61a,61b} M. Gabusi,^{62a,62b} S. P. Ratti,^{62a,62b} C. Riccardi,^{62a,62b} P. Torre,^{62a,62b} P. Vitulo,^{62a,62b} M. Biasini,^{63a,63b} G. M. Bilei,^{63a} L. Fanò,^{63a,63b} P. Lariccia,^{63a,63b} A. Santocchia,^{63a,63b},

S. Taroni,^{63a,63b,f} P. Azzurri,^{64a,64c} G. Bagliesi,^{64a} T. Boccali,^{64a} G. Broccolo,^{64a,64c} R. Castaldi,^{64a} R. T. D'Agnolo,^{64a,64c} R. Dell'Orso,^{64a} F. Fiori,^{64a,64b,f} L. Foà,^{64a,64c} A. Giassi,^{64a} A. Kraan,^{64a} F. Ligabue,^{64a,64c} T. Lomtadze,^{64a} L. Martini,^{64a,dd} A. Messineo,^{64a,64b} F. Palla,^{64a} A. Rizzi,^{64a,64b} A. T. Serban,^{64a,ee} P. Spagnolo,^{64a} P. Squillacioti,^{64a,f} R. Tenchini,^{64a} G. Tonelli,^{64a,64b,f} A. Venturi,^{64a,f} P. G. Verdini,^{64a} L. Barone,^{65a,65b} F. Cavallari,^{65a} D. Del Re,^{65a,65b,f} M. Diemoz,^{65a} M. Grassi,^{65a,65b,f} E. Longo,^{65a,65b} P. Meridiani,^{65a,f} F. Micheli,^{65a,65b} S. Nourbakhsh,^{65a,65b} G. Organtini,^{65a,65b} R. Paramatti,^{65a} S. Rahatlou,^{65a,65b} M. Sigamani,^{65a} L. Soffi,^{65a,65b} N. Amapane,^{66a,66b} R. Arcidiacono,^{66a,66c} S. Argiro,^{66a,66b} M. Arneodo,^{66a,66c} C. Biino,^{66a} N. Cartiglia,^{66a} M. Antelateolo, M. Michaelo, M. B. Migho, M. Michaelo, M. C. Dino, M. Curugha, M. Costa, ^{66a,66b} N. Demaria, ^{66a} A. Graziano, ^{66a,66b} C. Mariotti, ^{66a,f} S. Maselli, ^{66a} E. Migliore, ^{66a,66b}
 V. Monaco, ^{66a,66b} M. Musich, ^{66a,f} M. M. Obertino, ^{66a,66c} N. Pastrone, ^{66a} M. Pelliccioni, ^{66a} A. Potenza, ^{66a,66b}
 A. Romero, ^{66a,66b} M. Ruspa, ^{66a,66c} R. Sacchi, ^{66a,66b} V. Sola, ^{66a,66b} A. Solano, ^{66a,66b} A. Staiano, ^{66a} A. Vilela Pereira,^{66a} S. Belforte,^{67a} V. Candelise,^{67a,67b} F. Cossutti,^{67a} G. Della Ricca,^{67a,67b} B. Gobbo,^{67a} A. Vilela Pereira, ^{60a} S. Belforte, ^{67a} V. Candelise, ^{67a,07b} F. Cossutti, ^{67a,67b} G. Della Ricca, ^{67a,67b,6} B. Gobbo, ^{67a,67b,f} D. Montanino, ^{67a,67b,f} A. Penzo, ^{67a} A. Schizzi, ^{67a,67b} S. G. Heo, ⁶⁸ T. Y. Kim, ⁶⁸ S. K. Nam, ⁶⁸ S. Chang, ⁶⁹ J. Chung, ⁶⁹ D. H. Kim, ⁶⁹ G. N. Kim, ⁶⁹ D. J. Kong, ⁶⁹ H. Park, ⁶⁹ S. R. Ro, ⁶⁹ D. C. Son, ⁶⁹ T. Son, ⁶⁹ J. Y. Kim, ⁷⁰ Zero J. Kim, ⁷⁰ S. Song, ⁷⁰ S. Choi, ⁷¹ D. Gyun, ⁷¹ B. Hong, ⁷¹ M. Jo, ⁷¹ H. Kim, ⁷¹ T. J. Kim, ⁷¹ K. S. Lee, ⁷¹ D. H. Moon, ⁷¹ S. K. Park, ⁷¹ M. Choi, ⁷² S. Kang, ⁷² J. H. Kim, ⁷² C. Park, ⁷² I. C. Park, ⁷² S. Park, ⁷² G. Ryu, ⁷² Y. Cho, ⁷³ Y. Choi, ⁷³ J. Goh, ⁷³ M. S. Kim, ⁷³ E. Kwon, ⁷³ B. Lee, ⁷³ J. Lee, ⁷³ S. Lee, ⁷³ H. Seo, ⁷³ I. Yu, ⁷³ M. J. Bilinskas, ⁷⁴ I. Grigelionis, ⁷⁴ M. Janulis, ⁷⁴ A. Juodagalvis, ⁷⁴ H. Castilla-Valdez, ⁷⁵ E. De La Cruz-Burelo, ⁷⁵ J. Userdia de La Cruz ⁷⁵ P. Lapag Fernandez, ⁷⁵ P. Magaña Villalba, ⁷⁵ I. Martínez, Ortega, ⁷⁵ I. Heredia-de La Cruz,⁷⁵ R. Lopez-Fernandez,⁷⁵ R. Magaña Villalba,⁷⁵ J. Martínez-Ortega,⁷⁵ A. Sánchez-Hernández,⁷⁵ L. M. Villasenor-Cendejas,⁷⁵ S. Carrillo Moreno,⁷⁶ F. Vazquez Valencia,⁷⁶ H. A. Salazar Ibarguen,⁷⁷ E. Casimiro Linares,⁷⁸ A. Morelos Pineda,⁷⁸ M. A. Reyes-Santos,⁷⁸ D. Krofcheck,⁷⁹ A. J. Bell,⁸⁰ P. H. Butler,⁸⁰ R. Doesburg,⁸⁰ S. Reucroft,⁸⁰ H. Silverwood,⁸⁰ M. Ahmad,⁸¹ M. I. Asghar,⁸¹ A. J. Bell,⁸⁰ P. H. Butler,⁸⁰ R. Doesburg,⁸⁰ S. Reucroft,⁸⁰ H. Silverwood,⁸⁰ M. Ahmad,⁸¹ M. I. Asghar,⁸¹ H. R. Hoorani,⁸¹ S. Khalid,⁸¹ W. A. Khan,⁸¹ T. Khurshid,⁸¹ S. Qazi,⁸¹ M. A. Shah,⁸¹ M. Shoaib,⁸¹ G. Brona,⁸² K. Bunkowski,⁸² M. Cwiok,⁸² W. Dominik,⁸² K. Doroba,⁸² A. Kalinowski,⁸² M. Konecki,⁸² J. Krolikowski,⁸² H. Bialkowska,⁸³ B. Boimska,⁸³ T. Frueboes,⁸³ R. Gokieli,⁸³ M. Górski,⁸³ M. Kazana,⁸³ K. Nawrocki,⁸³ K. Romanowska-Rybinska,⁸³ M. Szleper,⁸³ G. Wrochna,⁸³ P. Zalewski,⁸³ N. Almeida,⁸⁴ P. Bargassa,⁸⁴ A. David,⁸⁴ P. Faccioli,⁸⁴ M. Fernandes,⁸⁴ P. G. Ferreira Parracho,⁸⁴ M. Gallinaro,⁸⁴ J. Seixas,⁸⁴ J. Varela,⁸⁴ P. Vischia,⁸⁴ I. Belotelov,⁸⁵ P. Bunin,⁸⁵ M. Gavrilenko,⁸⁵ I. Golutvin,⁸⁵ I. Gorbunov,⁸⁵ A. Kamenev,⁸⁵ V. Karjavin,⁸⁵ G. Kozlov,⁸⁵ A. Lanev,⁸⁵ A. Malakhov,⁸⁵ P. Moisenz,⁸⁵ V. Palichik,⁸⁵ V. Perelygin,⁸⁵ S. Shmatov,⁸⁵ V. Smirnov,⁸⁵ A. Volodko,⁸⁵ A. Zarubin,⁸⁶ V. Golovtsov,⁸⁶ Y. Ivanov,⁸⁶ V. Kim,⁸⁶ P. Levchenko,⁸⁶ V. Murzin,⁸⁶ V. Oreshkin,⁸⁶ I. Smirnov,⁸⁶ S. Gninenko,⁸⁷ N. Golubev,⁸⁷ M. Kirsanov,⁸⁷ N. Krasnikov,⁸⁷ V. Matveev,⁸⁷ A. Pashenkov,⁸⁷ D. Tlisov,⁸⁷ A. Toronin,⁸⁷ V. Enshtevn,⁸⁸ M. Erofeeva,⁸⁸ V. Gavrilov,⁸⁸ M. Kossov,^{88,f} N. J. vchkovskava,⁸⁸ A. Dermenev,⁸⁷ S. Gninenko,⁸⁷ N. Golubev,⁸⁷ M. Kirsanov,⁸⁷ N. Krasnikov,⁸⁷ V. Matveev,⁸⁷ A. Pashenkov,⁸⁷ D. Tlisov,⁸⁷ A. Toropin,⁸⁷ V. Epshteyn,⁸⁸ M. Erofeeva,⁸⁸ V. Gavrilov,⁸⁸ M. Kossov,^{88,4} N. Lychkovskaya,⁸⁸ V. Popov,⁸⁸ G. Safronov,⁸⁸ S. Semenov,⁸⁸ V. Stolin,⁸⁸ E. Vlasov,⁸⁸ A. Zhokin,⁸⁸ A. Belyaev,⁸⁹ E. Boos,⁸⁹ V. Bunichev,⁸⁹ M. Dubinin,^{89,2} L. Dudko,⁸⁹ A. Ershov,⁸⁹ V. Klyukhin,⁸⁰ O. Kodolova,⁸⁹ I. Lokhtin,⁸⁹ A. Markina,⁸⁹ S. Obraztsov,⁸⁹ M. Perfilov,⁸⁹ S. Petrushanko,⁸⁹ A. Popov,⁸⁹ L. Sarycheva,^{89,4} V. Savrin,⁸⁹ A. Markina,⁸⁹ V. Andreev,⁹⁰ M. Azarkin,⁹⁰ I. Dremin,⁹⁰ M. Kirakosyan,⁹⁰ A. Leonidov,⁹⁰ G. Mesyats,⁹⁰ S. V. Rusakov,⁹⁰ A. Vinogradov,⁹⁰ I. Azhgirev,⁹¹ I. Bayshev,⁹¹ S. Bitioukov,⁹¹ V. Grishin,^{91,4} V. Kachanov,⁹¹ D. Konstantinov,⁹¹ A. Korablev,⁹¹ V. Krychkine,⁹¹ V. Petrov,⁹¹ R. Ryutin,⁹¹ A. Sobol,⁹¹ L. Tourtchanovitch,⁹¹ S. Troshin,⁹¹ N. Tyurin,⁹¹ A. Uzunian,⁹¹ A. Volkov,⁹¹ P. Adzic,^{92,47} M. Djordjevic,⁹² M. Ekmedzic,⁹² D. Krpic,^{92,47} J. Milosevic,⁹² M. Aguilar-Benitez,⁹³ J. Alcaraz Maestre,⁹³ P. Arce,⁹³ C. Battilana,⁹³ E. Calvo,⁹³ M. Cerrada,⁹³ M. Chamizo Llatas,⁹³ N. Colino,⁹³ B. De La Cruz,⁹³ A. Delgado Peris,⁹³ D. Domínguez Vázquez,⁹³ C. Fernandez Bedoya,⁹³ J. P. Fernández Ramos,⁹³ A. Ferrando,⁹³ M. I. Josa,⁹³ G. Merino,⁹³ J. Puerta Pelayo,⁹³ O. Gonzalez Lopez,⁹³ S. Goy Lopez,⁹³ J. M. Hernandez,⁹⁴ M. I. Josa,⁹³ G. Merino,⁹³ J. Puerta Pelayo,⁹⁴ G. Codispoti,⁹⁴ J. F. de Trocóniz,⁹⁴ H. Brun,⁹⁵ J. Cuevas,⁹⁵ J. Fernandez Menendez,⁹⁵ S. Folgueras,⁹⁵ I. Gonzalez Caballero,⁹⁵ L. Lloret Iglesias,⁹⁵ J. Piedra Gomez,^{95,28} J. A. Brochero Cifuentes,⁹⁶ I. J. Cabrillo,⁹⁶ A. Calderon,⁹⁶ S. H. Chuang,⁹⁶ J. Duarte Campderros,⁶⁶ M. Felcini,^{66,h} M. Fernandez,⁹⁶ G. Gomez,⁹⁶ J. Ganczalez Sanchez,⁹⁶ F. Matorras,⁹⁶ F. J. Munoz Sanchez,⁹⁶ T. Rodrigo,⁹⁶ A. Y. Rodríguez-Marrero,⁶⁶ A. Ruizco,⁹⁶ F

A. Bocci,⁹⁷ A. Bonato,⁹⁷ C. Botta,⁹⁷ H. Breuker,⁹⁷ T. Camporesi,⁹⁷ G. Cerminara,⁹⁷ T. Christiansen,⁹⁷ J. A. Coarasa Perez,⁹⁷ D. D'Enterria,⁹⁷ A. Dabrowski,⁹⁷ A. De Roeck,⁹⁷ S. Di Guida,⁹⁷ M. Dobson,⁹⁷ N. Dupont-Sagorin,⁹⁷ A. Elliott-Peisert,⁹⁷ B. Frisch,⁹⁷ W. Funk,⁹⁷ G. Georgiou,⁹⁷ M. Giffels,⁹⁷ D. Gigi,⁹⁷ K. Gill,⁹⁷ Dupont-Sagorin, 'A. Elliott-Peisert, 'B. Frisch, 'W. Funk, 'G. Georgiou, 'M. Giffels, 'D. Gigi, 'K. Giff, D. Giordano, 'P. A. Elliott-Peisert, 'B. Frisch, 'W. Funk, 'G. Georgiou, 'M. Giffels, 'D. Gigi, 'K. Giff, D. Giordano, 'P. M. Giuta, 'P. B. Glege, 'P. R. Gomez-Reino Garrido, 'P. B. Govoni, 'P. S. Gowdy, 'P. R. Guida, 'P. M. Hansen, 'P. Harris, 'P. C. Hartl, 'P. J. Harvey, 'P. B. Hegner, 'P. A. Hinzmann, 'P. V. Innocente, 'P. Janot, 'P. Janot, 'P. K. Kaadze, 'P. E. Karavakis, 'P. K. Kousouris, 'P. Lecoq, 'P. J. Lee, 'P. Lenzi, 'P. C. Lourenço, 'P. Janot, 'P. M. Malberti, 'P. L. Malgeri, 'P. M. Mannelli, 'P. L. Masetti, 'P. F. Meijers, 'P. S. Mersi, 'P. E. Meschi, 'P. R. Moser, 'P. M. U. Mozer, 'P. M. Mulders, 'P. Musella, 'P. E. Nesvold, 'P. T. Orimoto, 'P. L. Orsini, 'P. E. Palencia Cortezon, 'P. E. Perez, 'P. L. Perrozzi, 'P. A. Petrilli, 'P. A. Pfeiffer, 'P. M. Pierini, 'P. M. Pimiä, 'P. D. Piparo, 'P. G. Polese, 'P. L. Cortezo, 'P. C. Poles, 'P. J. Cortezo, 'P. C. Polese, 'P. J. Cortezo, 'P. C. Polese, 'P. J. Cortezo, 'P. C. Polese, 'P. J. Cortezo, 'P. J. D. Piparo, 'P. J. D. Piparo, 'P. J. Lee, 'P. J. Lee, 'P. J. Cortezo, 'P. J. Cortezo, 'P. J. Cortezo, 'P. J. J. Cortezo, ' Malberti, ⁹L. Malgeri, ⁹M. Mamelli, ⁹L. Masetli, ⁹F. E. Meijers, ⁹S. Kersi, ⁹F. E. Mesci, ¹⁰R. Moser, ⁹M. Malberti, ⁹L. Perez, ⁷L. Perrozzi, ⁹A. Perrilli, ⁹A. Preiflier, ⁹A. Pierini, ⁹M. Pimiä, ⁹D. Diparo, ⁹G. Polese, ⁹T. L. Quertenmont, ⁹A. Racz, ⁷W. Recec, ⁹J. Rodrigues Antunes, ⁹G. Roland, ⁹M. T. Rommerskirchen, ⁹G. Rovelli, ⁹M. Mover, ⁹H. Sakulin, ⁹F. E. Satunatassio, ⁹C. Schäfer, ⁷C. Schwick, ⁹J. Stepsin, ⁹S. Skemen, ⁹A. Sharma, ⁹P. Sigrist, ⁹P. Silva, ⁷M. Sinon, ⁹P. Sphicas, ⁹Ak. D. Spiga, ⁹M. Spiropul, ⁹C. Skeiner, ⁹W. Stepsin, ⁹J. Stepsin, ¹J. R. Vilmatri, ⁹H. K. Wahit, ⁹S. D. Worn, ⁹M. W. D. Zeuner, ⁹W. Bertl, ⁸K. Deifers, ⁹W. Erdmann, ⁹K. Gabathuler, ⁹K. R. Horisberger, ⁸G. Q. Ingram, ⁹H. C. Kaestli, ⁹S. König, ⁹D. Kotlinski, ⁹U. Caall, ⁹O. Chanor, ⁹D. Deisher, ⁹G. Dissertori, ¹O. M. Dittmar, ⁹M. D. Disser, ¹J. Engester, ⁹K. Freudenreich, ¹⁰C. Crab, ⁹D. Hits, ⁹P. Lecomte, ⁹W. Lustermann, ¹⁰A. C. Marini, ¹⁰P. Pantolin, ⁹D. Borter, ¹¹C. Kaestli, ¹⁰S. Konig, ¹⁰M. J. Buchler, ¹⁰M. K. Sanchez, ¹⁰A. Standouro, ¹⁰M. Disser, ¹¹J. Engester, ¹⁰K. Freudenreich, ¹⁰C. Grab, ¹⁰D. Hits, ⁹W. D. Ceisher, ¹⁰G. S. Devister, ¹⁰G. Dissertori, ¹⁰M. Disser, ¹¹J. Engester, ¹⁰M. Fakassla, ¹¹M. ¹⁰M. ¹⁰G. S. Ku, ¹⁰M. J. L. Sala, ¹⁰M. J. K. Kuchassla, ¹⁰M. ¹⁰G. S. Kukassla, ¹⁰D. L. Pape, ⁹C. Pauss, ¹⁰M. Kerrati, ¹⁰M. ¹⁰G. ¹⁰ PHYSICAL REVIEW LETTERS 21 SEPTEMBE 2012
 J. Gunion, ¹¹⁶ R. Houtz, ¹¹⁶ W. Ko, ¹¹⁶ A. Kopecky, ¹¹⁶ R. Lander, ¹¹⁶ T. Miceli, ¹¹⁶ D. Pellett, ¹¹⁶ F. Ricci-tam, ¹¹⁶ B. Rutherford, ¹¹⁶ M. Searle, ¹¹⁶ J. Smith, ¹¹⁰ M. Squires, ¹¹⁶ M. Tripathi, ¹¹⁶ R. Vasquez Sierra, ¹¹⁶ V. Andreev, ¹¹⁷ D. Cline, ¹¹⁷ R. Cousins, ¹¹⁷ J. Duris, ¹¹⁷ S. Erhan, ¹¹⁷ P. Everaerts, ¹¹⁷ C. Farrell, ¹¹⁷ J. Hauser, ¹¹⁷ M. Ignatenko, ¹¹⁷ C. Jarvis, ¹¹⁷ C. Plager, ¹¹⁷ G. Rakness, ¹¹⁷ P. Schlein, ^{117,a} J. Tucker, ¹¹⁷ V. Valuev, ¹¹⁷ M. Weber, ¹¹⁷ J. Babb, ¹¹⁸ R. Clare, ¹¹⁸ M. E. Dinardo, ¹¹⁸ J. Ellison, ¹¹⁸ J. W. Gary, ¹¹⁸ F. Giordano, ¹¹⁸ G. Hanson, ¹¹⁸ G. Y. Jeng, ^{118,22} H. Liu, ¹¹⁸ O. R. Long, ¹¹⁸ A. Luthra, ¹¹⁸ J. G. Branson, ¹¹⁹ G. B. Cerati, ¹¹⁹ S. Sumowidagdo, ¹¹⁸ R. Wilken, ¹¹⁸ S. Wimpenny, ¹¹⁸ W. Andrews, ¹¹⁹ J. G. Branson, ¹¹⁹ G. B. Cerati, ¹¹⁹ S. Cittolin, ¹¹⁹ D. Evans, ¹¹⁹ F. Golf, ¹¹⁹ G. Petrucciani, ¹¹⁹ M. Lebourgeois, ¹¹⁹ J. Letts, ¹¹⁹ J. Macneill, ¹¹⁹ B. Mangano, ¹¹⁹ S. Padhi, ¹¹⁹ C. Palmer, ¹¹⁹ G. Petrucciani, ¹¹⁹ M. Pieri, ¹¹⁹ M. Sani, ¹¹⁹ V. Sharma, ¹¹⁹ S. Simon, ¹¹⁹ E. Sudano, ¹¹⁹ M. Tadel, ¹¹⁹ Y. Tu, ¹¹⁹ A. Vattak, ¹¹⁹ S. Wasserbaech, ^{119,aaa} F. Würthwein, ¹¹⁹ A. Yagil, ¹¹⁹ J. Yoo, ¹¹⁹ D. Barge, ¹²⁰ R. Bellan, ¹²⁰ C. Campagnari, ¹²⁰ M. D'Alfonso, ¹²⁰ T. Danielson, ¹²⁰ K. Flowers, ¹²⁰ P. Geffert, ¹²⁰ J. Incandela, ¹²⁰ C. Justus, ¹²⁰ P. Kalavase, ¹²⁰ S. Lowalte, ¹²⁰ N. Mccoll, ¹²⁰ V. Pavlunin, ¹²⁰ F. Rebassoo, ¹²⁰ J. Richman, ¹²⁰ R. Rossin, ¹²⁰ D. Stuart, ¹²⁰ N. Mccoll, ¹²⁰ V. Pavlunin, ¹²⁰ F. Rebassoo, ¹²¹ J. Richman, ¹²⁰ R. Rossin, ¹²⁰ D. Stuart, ¹²⁰ N. Mccoll, ¹²⁰ V. Pavlunin, ¹²⁰ F. Rebassoo, ¹²¹ J. B. Kurtha, ¹²¹ J. Duarte, ¹²¹ M. Gataullin, ¹²¹ Y. Ma, ¹²¹ A. Mott, ¹²¹ H. B. Newman, ¹²¹ C. Rogan, ¹²¹ Y. Chen, ¹²¹ P. Traczyk, ¹²¹ J. Luverka, ¹²¹ R. Wilkinson, ¹²¹ Y. Yang, ¹²¹ R. Y. Zhu V. Chetluru, ¹²⁶ H. W. K. Cheung, ¹²⁶ F. Chlebana, ¹²⁶ V. D. Elvira, ¹²⁶ I. Fisk, ¹²⁶ J. Freeman, ¹²⁶ Y. Gao, ¹²⁶ D. Green, ¹²⁶ O. Gutsche, ¹²⁶ J. Hanlon, ¹²⁶ R. M. Harris, ¹²⁶ J. Hirschauer, ¹²⁶ B. Hooberman, ¹²⁶ S. Jindariani, ¹²⁶ M. Johnson, ¹²⁶ U. Joshi, ¹²⁶ B. Kilminster, ¹²⁶ B. Klima, ¹²⁶ S. Kunori, ¹²⁶ S. Kwan, ¹²⁶ C. Leonidopoulos, ¹²⁶ D. Lincoln, ¹²⁶ R. Lipton, ¹²⁶ J. Lykken, ¹²⁶ K. Maeshima, ¹²⁶ J. M. Marraffino, ¹²⁶ S. Maruyama, ¹²⁶ D. Mason, ¹²⁶ P. McBride, ¹²⁶ K. Mishra, ¹²⁶ S. Mrenna, ¹²⁶ Y. Musienko, ^{126,bbb} C. Newman-Holmes, ¹²⁶ V. O'Dell, ¹²⁶ O. Prokofyev, ¹²⁶ E. Sexton-Kennedy, ¹²⁶ S. Sharma, ¹²⁶ W. J. Spalding, ¹²⁶ L. Spiegel, ¹²⁶ P. Tan, ¹²⁶ L. Taylor, ¹²⁶ S. Tkaczyk, ¹²⁶ N. V. Tran, ¹²⁶ L. Uplegger, ¹²⁶ E. W. Vaandering, ¹²⁶ R. Vidal, ¹²⁶ J. Whitmore, ¹²⁶ W. Wu, ¹²⁶ F. Yang, ¹²⁶ F. Yumiceva, ¹²⁶ J. C. Yun, ¹²⁶ D. Acosta, ¹²⁷ P. Avery, ¹²⁷ D. Bourilkov, ¹²⁷ M. Chen, ¹²⁷ S. Das, ¹²⁷ M. De Gruttola, ¹²⁷ J. Gartner, ¹²⁷ J. Hugon, ¹²⁷ B. Kim, ¹²⁷ J. Konigsberg, ¹²⁷ A. Korytov, ¹²⁷ A. Kropivnitskaya, ¹²⁷ T. Kypreos, ¹²⁷ J. F. Low, ¹²⁷ K. Matchev, ¹²⁷ P. Milenovic, ^{127,cee} G. Mitselmakher, ¹²⁷ L. Muniz, ¹²⁷ R. Remington, ¹²⁷ J. Gainlei, J. Hugon, D. Knin, J. Kolngsberg, A. Kolytov, A. Klopkinkskay, T. Kypteos, J. F. Low, ¹²⁷ K. Matchev, ¹²⁷ P. Milenovic, ^{127,cec} G. Mitselmakher, ¹²⁷ L. Muniz, ¹²⁷ R. Remington, ¹²⁷ A. Rinkevicius, ¹²⁷ P. Sellers, ¹²⁷ N. Skhirtladze, ¹²⁸ M. Snowball, ¹²⁷ J. Yelton, ¹²⁷ M. Zakaria, ¹²⁷ V. Gaultney, ¹²⁸ L. M. Lebolo, ¹²⁸ S. Linn, ¹²⁸ P. Markowitz, ¹²⁸ G. Martinez, ¹²⁸ J. L. Rodriguez, ¹²⁸ J. R. Adams, ¹²⁹ T. Adams, ¹²⁹ A. Askew, ¹²⁹ J. Bochenek, ¹²⁹ J. Chen, ¹²⁹ B. Diamond, ¹²⁹ S. V. Gleyzer, ¹²⁹ J. Haas, ¹²⁹ S. Hagopian, ¹²⁹ M. Jenkins, ¹²⁹ K. F. Johnson, ¹²⁹ H. Prosper, ¹²⁹ V. Veeraraghavan, ¹²⁹ M. Weinberg, ¹²⁹ W. Hagopian, ¹³⁰ B. Dorney, ¹³⁰ M. Hohlmann, ¹³⁰ H. Kalakhety, ¹³⁰ I. Vodopiyanov, ¹³⁰ M. R. Adams, ¹³¹ I. M. Saamand, ¹³¹ B. Dorney, ¹³⁰ M. Hohlmann, ¹³¹ H. Kalakhety, ¹³⁰ I. Vodopiyanov, ¹³⁰ M. R. Adams, ¹³¹ R. Cavanaugh, ¹³¹ C. Dragoiu, ¹³¹ O. Evdokimov, ¹³¹ L. Gauthier, ¹³¹ C. E. Gerber, ¹³¹ D. J. Hofman, ¹³¹ S. Khalatyan, ¹³¹ F. Lacroix, ¹³¹ M. Malek, ¹³¹ C. O'Brien, ¹³¹ C. Silkworth, ¹³¹ D. Strom, ¹³¹ N. Varelas, ¹³¹ U. Akgun, ¹³² E. A. Albayrak, ¹³² B. Bilki, ^{132,ddd} W. Clarida, ¹³² F. Duru, ¹³² S. Griffiths, ¹³² J. J. P. Merlo, ¹³² H. Mermerkaya, ¹³² E. Sen, ¹³² E. Tiras, ¹³² J. Wetzel, ¹³² T. Yetkin, ¹³² C. R. Newsom, ¹³² E. Norbeck, ¹³² Y. Onel, ¹³² F. Ozok, ¹³³ D. Fehling, ¹³³ G. Giurgiu, ¹³³ A. V. Gritsan, ¹³³ Z. J. Guo, ¹³³ G. Hu, ¹³³ P. Maksimovic, ¹³³ S. Rappoccio, ¹³³ M. Swartz, ¹³³ A. Whitbeck, ¹³³ P. Baringer, ¹³⁴ A. Bean, ¹³⁴ G. Benelli, ¹³⁴ O. Grachov, ¹³⁴ R. P. Kenny Iii, ¹³⁴ M. Murray, ¹³⁴ D. Noonan, ¹³⁴ S. Sanders, ¹³⁴ R. Stringer, ¹³⁴ G. Tinti, ¹³⁴ J. S. Wood, ¹³⁴ V. Zhukova, ¹³⁴ A. F. Barfuss, ¹³⁵ T. Bolton, ¹³⁵ J. Gronberg, ¹³⁶ D. Lange, ¹³⁶ D. Wright, ¹³⁶ A. Baden, ¹³⁷ M. Boutemeur, ¹³⁷ B. Calvert, ¹³⁷ S. C. Eno, ¹³⁷ J. A. Gomez, ¹³⁷ N. J. Hadley, ¹³⁷

J. Temple,¹³⁷ M. B. Tonjes,¹³⁷ S. C. Tonwar,¹³⁷ E. Twedt,¹³⁷ G. Bauer,¹³⁸ J. Bendavid,¹³⁸ W. Busza,¹³⁸ E. Butz,¹³⁸ I. A. Cali,¹³⁸ M. Chan,¹³⁸ V. Dutta,¹³⁸ G. Gomez Ceballos,¹³⁸ M. Goncharov,¹³⁸ K. A. Hahn,¹³⁸ Y. Kim,¹³⁸ M. Klute,¹³⁸ M. Chan,¹³⁸ W. Li,¹³⁸ P. D. Luckey,¹³⁸ T. Ma,¹³⁸ S. Nahn,¹³⁸ C. Paus,¹³⁸ D. Ralph,¹³⁸ C. Roland,¹³⁸ G. Roland,¹³⁸ M. Rudolph,¹³⁸ G. S. F. Stephans,¹³⁸ F. Stöckli,¹³⁸ K. Sumorok,¹³⁸ K. Sung,¹³⁸ D. Velicanu,¹³⁸ E. A. Wenger,¹³⁸ R. Wolf,¹³⁸ B. Wyslouch,¹³⁸ S. Xie,¹³⁸ M. Yang,¹³⁸ Y. Yilmaz,¹³⁸ A. S. Yoon,¹³⁸ M. Zanetti,¹³⁸ S. I. Cooper,¹³⁹ B. Dahmes,¹³⁹ A. De Benedetti,¹³⁹ G. Franzoni,¹³⁹ A. Gude,¹³⁹ S. C. Kao,¹³⁹ K. Klapoetke,¹³⁹ Y. Kubota,¹³⁹ J. Mans,¹³⁹ N. Pastika,¹³⁹ R. Rusack,¹³⁹ M. Sasseville,¹³⁹ A. Singovsky,¹³⁹ N. Tambe,¹³⁹ J. Turkewitz,¹³⁹ L. M. Cremaldi,¹⁴⁰ R. Kroeger,¹⁴⁰ L. Perera,¹⁴⁰ R. Rahmat,¹⁴⁰ D. A. Sanders,¹⁴⁰ E. Avdeeva,¹⁴¹ K. Bloom,¹⁴¹ S. Bose,¹⁴¹ J. Butt,¹⁴¹ D. R. Claes,¹⁴¹ A. Dominguez,¹⁴¹ M. Eads,¹⁴¹ J. Keller,¹⁴¹ I. Kravchenko,¹⁴¹ J. Lazo-Flores,¹⁴¹ H. Malbouisson,¹⁴¹ S. Malik,¹⁴¹ G. R. Snow,¹⁴¹ U. Baur,¹⁴² A. Godshalk,¹⁴² I. Iashvili,¹⁴² S. Jain,¹⁴² A. Kharchilava,¹⁴³ J. Halev,¹⁴³ D. Nash.¹⁴³ D. Trocino,¹⁴³ D. Wood,¹⁴³ J. Zhang,¹⁴³ A. Anastassov,¹⁴⁴ S. Jain,¹⁴² A. Kharchilava,¹⁴² A. Kumar,¹⁴² S. P. Shipkowski,¹⁴² K. Smith,¹⁴² G. Alverson,¹⁴³ E. Barberis,¹⁴³
D. Baumgartel,¹⁴³ M. Chasco,¹⁴³ J. Haley,¹⁴³ D. Nash,¹⁴³ D. Trocino,¹⁴³ D. Wood,¹⁴³ J. Zhang,¹⁴³ A. Anastassov,¹⁴⁴
A. Kubik,¹⁴⁴ N. Mucia,¹⁴⁴ N. Odell,¹⁴⁴ R. A. Ofierzynski,¹⁴⁴ B. Pollack,¹⁴⁴ A. Pozdnyakov,¹⁴⁴ M. Schmitt,¹⁴⁴
S. Stoynev,¹⁴⁴ M. Velasco,¹⁴⁴ S. Won,¹⁴⁴ L. Antonelli,¹⁴⁵ D. Berry,¹⁴⁵ A. Brinkerhoff,¹⁴⁵ M. Hildreth,¹⁴⁵
C. Jessop,¹⁴⁵ D. J. Karmgard,¹⁴⁵ J. Kolb,¹⁴⁵ K. Lannon,¹⁴⁵ W. Luo,¹⁴⁵ S. Lynch,¹⁴⁵ N. Marinelli,¹⁴⁵ D. M. Morse,¹⁴⁵
T. Pearson,¹⁴⁵ R. Ruchti,¹⁴⁵ J. Slaunwhite,¹⁴⁵ N. Valls,¹⁴⁵ M. Wayne,¹⁴⁵ M. Wolf,¹⁴⁵ B. Bylsma,¹⁴⁶ L. S. Durkin,¹⁴⁶
A. Hart,¹⁴⁶ C. Hill,¹⁴⁶ R. Hughes,¹⁴⁶ K. Kotov,¹⁴⁶ T. Y. Ling,¹⁴⁶ D. Puigh,¹⁴⁶ M. Rodenburg,¹⁴⁶ C. Vuosalo,¹⁴⁷
G. Williams,¹⁴⁶ B. L. Winer,¹⁴⁶ N. Adam,¹⁴⁷ E. Berry,¹⁴⁷ P. Elmer,¹⁴⁷ D. Marlow,¹⁴⁷ T. Medvedeva,¹⁴⁷
M. Mooney,¹⁴⁷ J. Olsen,¹⁴⁷ P. Pinoué,¹⁴⁷ X. Quan,¹⁴⁷ A. Raval,¹⁴⁷ B. Safdi,¹⁴⁷ H. Saka,¹⁴⁷ D. Stickland,¹⁴⁷
C. Tully,¹⁴⁷ J. S. Werner,¹⁴⁷ A. Zuranski,¹⁴⁷ J. G. Acosta,¹⁴⁸ E. Brownson,¹⁴⁸ X. T. Huang,¹⁴⁸ A. Lopez,¹⁴⁸
H. Mendez,¹⁴⁸ S. Oliveros,¹⁴⁸ J. E. Ramirez Vargas,¹⁴⁸ A. Zatserklyaniy,¹⁴⁸ E. Alagoz,¹⁴⁹ V. E. Barnes,¹⁴⁹
D. Benedetti,¹⁴⁹ G. Bolla,¹⁴⁹ N. Leonardo,¹⁴⁹ M. De Mattia,¹⁴⁹ A. Everett,¹⁴⁹ Z. Hu,¹⁴⁹ M. Jones,¹⁴⁹ O. Koybasi,¹⁴⁹
M. Kress,¹⁴⁹ A. T. Laasanen,¹⁵⁰ A. Adair,¹⁵¹ C. Boulahouache,¹⁵¹ K. M. Ecklund,¹⁵¹ F. J. M. Geurts,¹⁵¹
B. P. Padley,¹⁵¹ R. Redjimi,¹⁵¹ J. Roberts,¹⁵¹ J. Zabel,¹⁵¹ B. Betchart,¹⁵² A. Bodek,¹⁵² Y. S. Chung,¹⁵² R. Covarelli,¹⁵² M. Zielinski,¹⁵² A. Batti,¹⁵³ B. Ciesielski,¹⁵³ L. Demortier,¹⁵³ K. Goulianos,¹⁵³ P. de Barbaro, K. Dennina, T. Esnaq, A. Garcia-Bentido, P. Goldenzweig, J. Hail, A. Hafel,
D. C. Miner,¹⁵² D. Vishnevskiy,¹⁵² M. Zielinski,¹⁵² A. Bhatti,¹⁵³ R. Ciesielski,¹⁵³ L. Demortier,¹⁵³ K. Goulianos,¹⁵³ G. Lungu,¹⁵³ S. Malik,¹⁵³ C. Mesropian,¹⁵³ S. Arora,¹⁵⁴ A. Barker,¹⁵⁴ J. P. Chou,¹⁵⁴ C. Contreras-Campana,¹⁵⁴ E. Contreras-Campana,¹⁵⁴ D. Duggan,¹⁵⁴ D. Ferencek,¹⁵⁴ Y. Gershtein,¹⁵⁴ R. Gray,¹⁵⁴ E. Halkiadakis,¹⁵⁴ D. Hidas,¹⁵⁴ A. Lath,¹⁵⁴ S. Panwalkar,¹⁵⁴ M. Park,¹⁵⁴ R. Patel,¹⁵⁴ V. Rekovic,¹⁵⁴ J. Robles,¹⁵⁴ K. Rose,¹⁵⁴ S. Salur,¹⁵⁴ D. Hidas,¹⁵⁴ A. Lath,¹⁵⁴ S. Panwalkar,¹⁵⁴ M. Park,¹⁵⁴ R. Patel,¹⁵⁴ V. Rekovic,¹⁵⁴ J. Robles,¹⁵⁴ K. Rose,¹⁵⁴ S. Salur,¹⁵⁴ S. Schnetzer,¹⁵⁴ C. Seitz,¹⁵⁴ S. Somalwar,¹⁵⁴ R. Stone,¹⁵⁴ S. Thomas,¹⁵⁴ G. Cerizza,¹⁵⁵ M. Hollingsworth,¹⁵⁵ S. Spanier,¹⁵⁵ Z. C. Yang,¹⁵⁵ A. York,¹⁵⁵ R. Eusebi,¹⁵⁶ W. Flanagan,¹⁵⁶ J. Gilmore,¹⁵⁶ T. Kamon,¹⁵⁶,ggg V. Khotilovich,¹⁵⁶ R. Montalvo,¹⁵⁶ I. Osipenkov,¹⁵⁶ Y. Pakhotin,¹⁵⁶ A. Perloff,¹⁵⁶ J. Roe,¹⁵⁶ A. Safonov,¹⁵⁶ T. Sakuma,¹⁵⁶ S. Sengupta,¹⁵⁶ I. Suarez,¹⁵⁶ A. Tatarinov,¹⁵⁶ D. Toback,¹⁵⁶ N. Akchurin,¹⁵⁷ J. Damgov,¹⁵⁷ P. R. Dudero,¹⁵⁷ C. Jeong,¹⁵⁷ K. Kovitanggoon,¹⁵⁷ S. W. Lee,¹⁵⁷ T. Libeiro,¹⁵⁷ Y. Roh,¹⁵⁷ I. Volobouev,¹⁵⁷ E. Appelt,¹⁵⁸ C. Florez,¹⁵⁸ S. Greene,¹⁵⁸ A. Gurrola,¹⁵⁸ W. Johns,¹⁵⁸ C. Johnston,¹⁵⁸ P. Kurt,¹⁵⁸ C. Maguire,¹⁵⁸ A. Melo,¹⁵⁸ P. Sheldon,¹⁵⁸ B. Snook,¹⁵⁸ S. Tuo,¹⁵⁸ J. Velkovska,¹⁵⁸ M. W. Arenton,¹⁵⁹ M. Balazs,¹⁵⁹ S. Boutle,¹⁵⁹ B. Cox,¹⁵⁹ B. Francis,¹⁵⁹ J. Goodell,¹⁵⁹ R. Hirosky,¹⁵⁹ A. Ledovskoy,¹⁵⁹ C. Lin,¹⁵⁹ C. Neu,¹⁵⁹ J. Wood,¹⁵⁹ R. Yohay,¹⁵⁹ S. Gollapinni,¹⁶⁰ R. Harr,¹⁶⁰ P. E. Karchin,¹⁶⁰ C. Kottachchi Kankanamge Don,¹⁶⁰ P. Lamichhane,¹⁶⁰ K. Yonay, M.S. Gollapinni, M.R. Harr, M.P.E. Karchin, M.C. Kottachchi Kankanamge Don, M.P. Lamichhane, M.A. Sakharov,¹⁶⁰ M. Anderson,¹⁶¹ M. Bachtis,¹⁶¹ D. Belknap,¹⁶¹ L. Borrello,¹⁶¹ D. Carlsmith,¹⁶¹ M. Cepeda,¹⁶¹
S. Dasu,¹⁶¹ L. Gray,¹⁶¹ K. S. Grogg,¹⁶¹ M. Grothe,¹⁶¹ R. Hall-Wilton,¹⁶¹ M. Herndon,¹⁶¹ A. Hervé,¹⁶¹ P. Klabbers,¹⁶¹
J. Klukas,¹⁶¹ A. Lanaro,¹⁶¹ C. Lazaridis,¹⁶¹ J. Leonard,¹⁶¹ R. Loveless,¹⁶¹ A. Mohapatra,¹⁶¹ I. Ojalvo,¹⁶¹
F. Palmonari,¹⁶¹ G. A. Pierro,¹⁶¹ I. Ross,¹⁶¹ A. Savin,¹⁶¹ W. H. Smith,¹⁶¹ and J. Swanson¹⁶¹

(CMS Collaboration)

¹Yerevan Physics Institute, Yerevan, Armenia ²Institut für Hochenergiephysik der OeAW, Wien, Austria ³National Centre for Particle and High Energy Physics, Minsk, Belarus ⁴Universiteit Antwerpen, Antwerpen, Belgium

⁵Vrije Universiteit Brussel, Brussel, Belgium ⁶Université Libre de Bruxelles, Bruxelles, Belgium ⁷Ghent University, Ghent, Belgium ⁸Université Catholique de Louvain, Louvain-la-Neuve, Belgium ⁹Université de Mons, Mons, Belgium ¹⁰Centro Brasileiro de Pesquisas Fisicas, Rio de Janeiro, Brazil ¹¹Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brazil ¹²Instituto de Fisica Teorica, Universidade Estadual Paulista, Sao Paulo, Brazil ¹³Institute for Nuclear Research and Nuclear Energy, Sofia, Bulgaria ¹⁴University of Sofia, Sofia, Bulgaria ¹⁵Institute of High Energy Physics, Beijing, China ¹⁶State Key Lab. of Nucl. Phys. and Tech., Peking University, Beijing, China ⁷Universidad de Los Andes, Bogota, Colombia ¹⁸Technical University of Split, Split, Croatia ¹⁹University of Split, Split, Croatia ²⁰Institute Rudjer Boskovic, Zagreb, Croatia ²¹University of Cyprus, Nicosia, Cyprus ²²Charles University, Prague, Czech Republic ²³Academy of Scientific Research and Technology of the Arab Republic of Egypt, Egyptian Network of High Energy Physics, Cairo, Egypt ²⁴National Institute of Chemical Physics and Biophysics, Tallinn, Estonia ²⁵Department of Physics, University of Helsinki, Helsinki, Finland ²⁶Helsinki Institute of Physics, Helsinki, Finland ²⁷Lappeenranta University of Technology, Lappeenranta, Finland ²⁸DSM/IRFU, CEA/Saclay, Gif-sur-Yvette, France ²⁹Laboratoire Leprince-Ringuet, Ecole Polytechnique, IN2P3-CNRS, Palaiseau, France ³⁰Institut Pluridisciplinaire Hubert Curien, Université de Strasbourg, Université de Haute Alsace Mulhouse, CNRS/IN2P3, Strasbourg, France ³¹Centre de Calcul de l'Institut National de Physique Nucleaire et de Physique des Particules (IN2P3), Villeurbanne, France ³²Université de Lyon, Université Claude Bernard Lyon 1, CNRS-IN2P3, Institut de Physique Nucléaire de Lyon, Villeurbanne, France ³³Institute of High Energy Physics and Informatization, Tbilisi State University, Tbilisi, Georgia ⁴*RWTH* Aachen University, I. Physikalisches Institut, Aachen, Germany ³⁵RWTH Aachen University, III. Physikalisches Institut A, Aachen, Germany ³⁶RWTH Aachen University, III. Physikalisches Institut B, Aachen, Germany ³⁷Deutsches Elektronen-Synchrotron, Hamburg, Germany ³⁸University of Hamburg, Hamburg, Germany ³⁹Institut für Experimentelle Kernphysik, Karlsruhe, Germany ⁴⁰Institute of Nuclear Physics "Demokritos", Aghia Paraskevi, Greece ⁴¹University of Athens, Athens, Greece ⁴²University of Ioánnina, Ioánnina, Greece ⁴³KFKI Research Institute for Particle and Nuclear Physics, Budapest, Hungary ⁴⁴Institute of Nuclear Research ATOMKI, Debrecen, Hungary ⁴⁵University of Debrecen, Debrecen, Hungary ⁶Panjab University, Chandigarh, India ⁴⁷University of Delhi, Delhi, India ⁴⁸Saha Institute of Nuclear Physics, Kolkata, India ⁴⁹Bhabha Atomic Research Centre, Mumbai, India ⁵⁰Tata Institute of Fundamental Research-EHEP, Mumbai, India ⁵¹Tata Institute of Fundamental Research-HECR, Mumbai, India ⁵²Institute for Research in Fundamental Sciences (IPM), Tehran, Iran ^{53a}INFN Sezione di Bari, Bari, Italy ^{53b}Università di Bari, Bari, Italy ⁵³ Politecnico di Bari, Bari, Italy ^{54a}INFN Sezione di Bologna, Bologna, Italy ^{54b}Università di Bologna, Bologna, Italy ^{55a}INFN Sezione di Catania, Catania, Italy, USA ^{55b}Università di Catania, Catania, Italy ^{56a}INFN Sezione di Firenze, Firenze, Italy ^{56b}Università di Firenze, Firenze, Italy ⁵⁷INFN Laboratori Nazionali di Frascati, Frascati, Italy ⁵⁸INFN Sezione di Genova, Genova, Italy

^{59a}INFN Sezione di Milano-Bicocca, Milano, Italy ^{59b}Università di Milano-Bicocca, Milano, Italy ^{60a}INFN Sezione di Napoli, Napoli, Italy ^{60b}Università di Napoli "Federico II", Napoli, Italy ^{61a}INFN Sezione di Padova, Padova, Italy ^{61b}Università di Padova, Padova, Italy ⁶¹*c*Università di Trento (Trento), Padova, Italy ^{62a}INFN Sezione di Pavia ^{62b}Università di Pavia ^{63a}INFN Sezione di Perugia, Perugia, Italy ^{63b}Università di Perugia, Perugia, Italy ^{64a}INFN Sezione di Pisa, Pisa, Italy ^{64b}Università di Pisa, Pisa, Italy ⁶⁴cScuola Normale Superiore di Pisa, Pisa, Italy ^{65a}INFN Sezione di Roma, Roma, Italy ^{65b}Università di Roma "La Sapienza", Roma, Italy ^{66a}INFN Sezione di Torino, Torino, Italy ^{66b}Università di Torino, Torino, Italy ^{66c}Università del Piemonte Orientale (Novara), Torino, Italy ^{67a}INFN Sezione di Trieste, Trieste, Italy ^{67b}Università di Trieste, Trieste, Italy ⁶⁸Kangwon National University, Chunchon, Korea ⁶⁹Kyungpook National University, Daegu, Korea ⁷⁰Chonnam National University, Institute for Universe and Elementary Particles, Kwangju, Korea ⁷¹Korea University, Seoul, Korea ⁷²University of Seoul, Seoul, Korea ⁷³Sungkyunkwan University, Suwon, Korea ⁷⁴Vilnius University, Vilnius, Lithuania ⁷⁵Centro de Investigacion y de Estudios Avanzados del IPN, Mexico City, Mexico ⁷⁶Universidad Iberoamericana, Mexico City, Mexico ⁷⁷Benemerita Universidad Autonoma de Puebla, Puebla, Mexico ⁷⁸Universidad Autónoma de San Luis Potosí, San Luis Potosí, Mexico ⁷⁹University of Auckland, Auckland, New Zealand ⁸⁰University of Canterbury, Christchurch, New Zealand ⁸¹National Centre for Physics, Quaid-I-Azam University, Islamabad, Pakistan ⁸²Institute of Experimental Physics, Faculty of Physics, University of Warsaw, Warsaw, Poland ⁸³Soltan Institute for Nuclear Studies, Warsaw, Poland ⁸⁴Laboratório de Instrumentação e Física Experimental de Partículas, Lisboa, Portugal ⁸⁵Joint Institute for Nuclear Research, Dubna, Russia ⁸⁶Petersburg Nuclear Physics Institute, Gatchina (St Petersburg), Russia ⁸⁷Institute for Nuclear Research, Moscow, Russia ⁸⁸Institute for Theoretical and Experimental Physics, Moscow, Russia ⁸⁹Moscow State University, Moscow, Russia ⁹⁰P.N. Lebedev Physical Institute, Moscow, Russia ⁹¹State Research Center of Russian Federation, Institute for High Energy Physics, Protvino, Russia ⁹²University of Belgrade, Faculty of Physics and Vinca Institute of Nuclear Sciences, Belgrade, Serbia ⁹³Centro de Investigaciones Energéticas Medioambientales y Tecnológicas (CIEMAT), Madrid, Spain ⁹⁴Universidad Autónoma de Madrid, Madrid, Spain ⁹⁵Universidad de Oviedo, Oviedo, Spain ⁹⁶Instituto de Física de Cantabria (IFCA), CSIC-Universidad de Cantabria, Santander, Spain 7 CERN, European Organization for Nuclear Research, Geneva, Switzerland ⁹⁸Paul Scherrer Institut, Villigen, Switzerland ⁹⁹Institute for Particle Physics, ETH Zurich, Zurich, Switzerland ¹⁰⁰Universität Zürich, Zurich, Switzerland ¹⁰¹National Central University, Chung-Li, Taiwan ¹⁰²National Taiwan University (NTU), Taipei, Taiwan ¹⁰³Cukurova University, Adana, Turkey ¹⁰⁴Middle East Technical University, Physics Department, Ankara, Turkey ¹⁰⁵Bogazici University, Istanbul, Turkey ¹⁰⁶Istanbul Technical University, Istanbul, Turkey ¹⁰⁷National Scientific Center, Kharkov Institute of Physics and Technology, Kharkov, Ukraine

¹⁰⁸University of Bristol, Bristol, United Kingdom ¹⁰⁹Rutherford Appleton Laboratory, Didcot, United Kingdom ¹¹⁰Imperial College, London, United Kingdom ¹¹¹Brunel University, Uxbridge, United Kingdom ¹¹²Baylor University, Waco, Texas, USA ¹¹³The University of Alabama, Tuscaloosa, Alabama, USA ¹¹⁴Boston University, Boston, Masschusetts, USA ¹¹⁵Brown University, Providence, Rhode Island, USA ¹¹⁶University of California, Davis, Davis, California, USA ¹¹⁷University of California, Los Angeles, Los Angeles, California, USA ¹¹⁸University of California, Riverside, Riverside, California, USA ¹¹⁹University of California, San Diego, La Jolla, California, USA ¹²⁰University of California, Santa Barbara, Santa Barbara, California, USA ¹²¹California Institute of Technology, Pasadena, California, USA ¹²²Carnegie Mellon University, Pittsburgh, Pennsylvania, USA ¹²³University of Colorado at Boulder, Boulder, Colorado, USA ¹²⁴Cornell University, Ithaca, New York, USA ¹²⁵Fairfield University, Fairfield, Connecticut, USA ¹²⁶Fermi National Accelerator Laboratory, Batavia, Illinois, USA ¹²⁷University of Florida, Gainesville, Florida, USA ¹²⁸Florida International University, Miami, Florida, USA ¹²⁹Florida State University, Tallahassee, Florida, USA ¹³⁰Florida Institute of Technology, Melbourne, Florida, USA ¹³¹University of Illinois at Chicago (UIC), Chicago, Illinois, USA ¹³²The University of Iowa, Iowa City, Iowa, USA ¹³³Johns Hopkins University, Baltimore, Maryland, USA ¹³⁴The University of Kansas, Lawrence, Kansas, USA ¹³⁵Kansas State University, Manhattan, Kansas, USA ¹³⁶Lawrence Livermore National Laboratory, Livermore, California, USA ¹³⁷University of Maryland, College Park, Maryland, USA ¹³⁸Massachusetts Institute of Technology, Cambridge, Massachusetts, USA ¹³⁹University of Minnesota, Minneapolis, Minnesota, USA ¹⁴⁰University of Mississippi, Oxford, Mississippi, USA ¹⁴¹University of Nebraska-Lincoln, Lincoln, Nebraska, USA ¹⁴²State University of New York at Buffalo, Buffalo, New York, USA ¹⁴³Northeastern University, Boston, Massachusetts, USA ¹⁴⁴Northwestern University, Evanston, Illinois, USA ¹⁴⁵University of Notre Dame, Notre Dame, Indiana, USA ¹⁴⁶The Ohio State University, Columbus, Ohio, USA ¹⁴⁷Princeton University, Princeton, New Jersey, USA ¹⁴⁸University of Puerto Rico, Mayaguez, Puerto Rico, USA ¹⁴⁹Purdue University, West Lafayette, Indiana, USA ¹⁵⁰Purdue University Calumet, Hammond, Indiana, USA ¹⁵¹Rice University, Houston, Texas, USA ¹⁵²University of Rochester, Rochester, New York, USA ¹⁵³The Rockefeller University, New York, New York, USA ¹⁵⁴Rutgers, the State University of New Jersey, Piscataway, New Jersey, USA ¹⁵⁵University of Tennessee, Knoxville, Tennessee, USA ¹⁵⁶Texas A&M University, College Station, Texas, USA ¹⁵⁷Texas Tech University, Lubbock, Texas, USA ¹⁵⁸Vanderbilt University, Nashville, Tennessee, USA ¹⁵⁹University of Virginia, Charlottesville, Virginia, USA ¹⁶⁰Wayne State University, Detroit, Michigan, USA

¹⁶¹University of Wisconsin, Madison, Wisconsin, USA

^aDeceased.

^bAlso at Vienna University of Technology, Vienna, Austria.

^cAlso at National Institute of Chemical Physics and Biophysics, Tallinn, Estonia.

^dAlso at Universidade Federal do ABC, Santo Andre, Brazil.

^eAlso at California Institute of Technology, Pasadena, California, USA.

^fAlso at CERN, European Organization for Nuclear Research, Geneva, Switzerland.

- ^gAlso at Laboratoire Leprince-Ringuet, Ecole Polytechnique, IN2P3-CNRS, Palaiseau, France.
- ^hAlso at Suez Canal University, Suez, Egypt.
- ⁱAlso at Zewail City of Science and Technology, Zewail, Egypt.
- ^jAlso at Cairo University, Cairo, Egypt.
- ^kAlso at Fayoum University, El-Fayoum, Egypt.
- ¹Also at Ain Shams University, Cairo, Egypt.
- ^mNow at British University, Cairo, Egypt.
- ⁿAlso at Soltan Institute for Nuclear Studies, Warsaw, Poland.
- ^oAlso at Université de Haute-Alsace, Mulhouse, France.
- ^pNow at Joint Institute for Nuclear Research, Dubna, Russia.
- ^qAlso at Moscow State University, Moscow, Russia.
- ^rAlso at Brandenburg University of Technology, Cottbus, Germany.
- ^sAlso at Institute of Nuclear Research ATOMKI, Debrecen, Hungary.
- ^tAlso at Eötvös Loránd University, Budapest, Hungary.
- ^uAlso at Tata Institute of Fundamental Research-HECR, Mumbai, India.
- ^vAlso at University of Visva-Bharati, Santiniketan, India.
- ^wAlso at Sharif University of Technology, Tehran, Iran.
- ^xAlso at Isfahan University of Technology, Isfahan, Iran.
- ^yAlso at Shiraz University, Shiraz, Iran.
- ^zAlso at Plasma Physics Research Center, Science and Research Branch, Islamic Azad University, Teheran, Iran.
- ^{aa}Also at Facoltà Ingegneria Università di Roma, Roma, Italy.
- ^{bb}Also at Università della Basilicata, Potenza, Italy.
- ^{cc}Also at Università degli Studi Guglielmo Marconi, Roma, Italy.
- ^{dd}Also at Università degli studi di Siena, Siena, Italy.
- ^{ee}Also at University of Bucharest, Faculty of Physics, Bucuresti-Magurele, Romania.
- ^{ff}Also at Faculty of Physics of University of Belgrade, Belgrade, Serbia.
- ^{gg}Also at University of Florida, Gainesville, Florida, USA.
- ^{hh}Also at University of California, Los Angeles, Los Angeles, California, USA.
- ⁱⁱAlso at Scuola Normale e Sezione dell' INFN, Pisa, Italy.
- ^{jj}Also at INFN Sezione di Roma, Università di Roma "La Sapienza," Roma, Italy.
- ^{kk}Also at University of Athens, Athens, Greece.
- ¹¹Also at Rutherford Appleton Laboratory, Didcot, United Kingdom.
- ^{mm}Also at The University of Kansas, Lawrence, Kansas, USA.
- ⁿⁿAlso at Paul Scherrer Institut, Villigen, Switzerland.
- ^{oo}Also at Institute for Theoretical and Experimental Physics, Moscow, Russia.
- ^{pp}Also at Gaziosmanpasa University, Tokat, Turkey.
- ^{qq}Also at Adiyaman University, Adiyaman, Turkey.
- ^{rr}Also at The University of Iowa, Iowa City, Iowa, USA.
- ^{ss}Also at Mersin University, Mersin, Turkey.
- ^{tt}Also at Ozyegin University, Istanbul, Turkey.
- ^{uu}Also at Kafkas University, Kars, Turkey.
- ^{vv}Also at Suleyman Demirel University, Isparta, Turkey.
- ^{ww}Also at Ege University, Izmir, Turkey.
- ^{xx}Also at School of Physics and Astronomy, University of Southampton, Southampton, United Kingdom.
- ^{yy}Also at INFN Sezione di Perugia, Università di Perugia, Perugia, Italy.
- ^{zz}Also at University of Sydney, Sydney, Australia.
- ^{aaa}Also at Utah Valley University, Orem, Utah, USA.
- bbb Also at Institute for Nuclear Research, Moscow, Russia.
- ^{ccc}Also at University of Belgrade, Faculty of Physics and Vinca Institute of Nuclear Sciences, Belgrade, Serbia.
- ^{ddd}Also at Argonne National Laboratory, Argonne, Illinois, USA.
- eee Also at Erzincan University, Erzincan, Turkey.
- fffAlso at KFKI Research Institute for Particle and Nuclear Physics, Budapest, Hungary.
- ^{ggg}Also at Kyungpook National University, Daegu, Korea.