

MIT Open Access Articles

Irreversible Does Not Mean Unavoidable

The MIT Faculty has made this article openly available. *Please share* how this access benefits you. Your story matters.

Citation: Matthews, H. D., and S. Solomon. "Irreversible Does Not Mean Unavoidable." Science 340, no. 6131 (April 26, 2013): 438–439.

As Published: http://dx.doi.org/10.1126/science.1236372

Publisher: American Association for the Advancement of Science (AAAS)

Persistent URL: http://hdl.handle.net/1721.1/87694

Version: Original manuscript: author's manuscript prior to formal peer review

Terms of use: Creative Commons Attribution-Noncommercial-Share Alike



Irreversible does not mean unavoidable

H. Damon Matthews¹ and Susan Solomon²

¹Department of Geography, Planning and Environment, Concordia University <u>damon.matthews@concordia.ca</u>

² Department of Earth, Atmospheric and Planetary Sciences, MIT *solos@mit.edu*

CO₂ emissions cuts implemented today would affect the rate of future global warming immediately, without any lag from carbon-climate system inertia.

There is a commonly held belief among both scientists and the general public that there is a delay between the CO_2 emissions we put into the atmosphere, and the resulting climate change. As a consequence, there is a perception that current and near-future climate warming is predetermined by past CO_2 emissions, and by extension, that CO_2 emissions reductions implemented now will not have any effect on the future rate of global warming for at least several decades. In this perspective, we argue that this conclusion is based on an incomplete interpretation of the inertia of the climate system. Considering the opposing effects of both physical climate and carbon cycle inertia, there is a compelling argument that the climate response to CO_2 emissions cuts would not be delayed by lags in the climate system. Consequently, climate mitigation efforts implemented today would be of immediate importance for future global temperatures. This has important implications for climate policy: the potential for a rapid climate response to prompt CO_2 emissions cuts opens the possibility that the climate

benefits of emissions reductions would occur on the same timescale as the political decisions themselves.

This question of how decreases in CO₂ emissions would affect global temperatures has unfortunately been clouded in recent years in part by confusion regarding physical climate issues of 'unrealized warming' and irreversibility(1). The notion that there is unrealized warming or 'warming in the pipeline'(2) if the concentrations of carbon dioxide (and other radiative forcing agents) were to remain fixed at current levels has been misinterpreted to mean that increases in the Earth's global temperature are inevitable, regardless of how much or how quickly we decrease our emissions(1). Such statements have been widely reported in both popular coverage of climate change^{*} and in scientific publications[†]. Further misunderstanding likely stems from recent studies that have shown that the warming that has already occurred due to past anthropogenic carbon dioxide increases is irreversible on a time scale of at least a thousand years(4, 5) – but irreversibility of past changes does not mean that further warming is unavoidable.

^{* &}quot;... the changes in the current climate that have been observed across the planet are the products of only about 50 percent of the warming to which we have already committed ourselves with our past emissions." Quoted from: "Hurricane Sandy's Link To Climate Change: Does It Matter?" *The Huffington Post*, November 1, 2012. http://www.huffingtonpost.com/tom-zeller-jr/hurricane-sandy-link-to-climate-change_b_2059179.html (Accessed November 10, 2012)

^{* &}quot;The planet has already warmed about 0.8°C on the surface over the past century. But we haven't yet seen the *full* warming effects from all the carbon dioxide we've put in the air — there's typically a delay of a few decades thanks to the thermal inertia of the oceans." Quoted from: "Sandy shows the U.S. is unprepared for climate disasters" *The Washington Post*, October 31, 2012. <u>http://www.washingtonpost.com/blogs/ezra-klein/wp/2012/10/31/why-the-united-states-is-so-unprepared-for-climate-disasters/</u> (Accessed November 10, 2012)

[†] For example, the IPCC's 2007 Summary for Policymakers from Working Group II includes the following statements: "Past emissions are estimated to involve some unavoidable warming ..." with the consequence that "Adaptation will be necessary to address impacts resulting from the warming which is already unavoidable due to past emissions (p. 19)(3)"

The distinction between how much irreversible warming is expected based on past emissions versus how much can be avoided through our coming choices is linked not only to inertia in how the climate responds to CO₂ concentration changes, but also to inertia in the uptake of CO₂ emissions by the global carbon cycle. The climate responds to increases in atmospheric CO₂ levels by warming, but the warming is slowed by the long timescale of heat storage in the ocean, which represents the physical climate inertia. There would indeed be unrealized warming associated with current CO_2 concentrations, but only if they were held fixed at current levels(2). If emissions decrease enough, the CO₂ levels in the atmosphere can also decrease. This potential for atmospheric CO₂ to decrease over time results from inertia in the carbon cycle associated with the slow uptake of anthropogenic CO₂ by the ocean. This carbon cycle inertia affects temperature in the opposite direction as the physical climate inertia, and is of approximately the same magnitude(1, 5). Because of the equal and opposing effects of physical climate and carbon cycle inertia, there is almost no additional unrealized warming from past CO₂ emissions. If emissions were to abruptly cease, global average temperatures would remain approximately constant for many centuries, but they would not increase very much, if at all. Similarly, if emissions were to decrease, temperatures would increase less than they otherwise would have (Figure 1A).

This means that while the CO_2 -induced warming already present on our planet – the cumulative result of our past emissions – is irreversible, any further increase in CO_2 -induced warming is entirely the result of current CO_2 emissions. Warming at the end of this century (and beyond) will depend on the cumulative emissions we emit between now and then. But future warming is

not unavoidable: CO₂ emissions reductions would lead to an immediate decrease in the rate of global warming.

Why then are many different near-term projections of global temperature change very similar? Modeled estimates of increases in CO₂-induced warming over the next two decades are similar because even socioeconomic scenarios that produce very different cumulative emissions by the end of the century are not very different over the next two decades (see Supplementary Figures 1 and 2). While the climate system physics implies that further increases in warming could in principle be stopped immediately, it is our human systems that have longer time scales. Existing carbon-emitting infrastructure such as vehicles, power plants, and buildings is designed to benefit humankind for years to many decades, and each year's additional infrastructure of the same type implies added stock intended to last and emit CO₂ for many decades. Our dependence on CO₂-emitting technology therefore generates a commitment to current and near-future emissions(7). While cleaner alternatives are being developed, and carbon capture and storage is being tested, technological development and diffusion is subject to substantial inertia(β). Thus societal inertia, rather than the inertia of the climate system, is the critical driver for urgency if we wish to begin to decrease the rate of CO₂-induced global warming in the near future.

The strong dependence of future warming on future cumulative carbon emissions also implies that there is a quantifiable cumulative amount of CO_2 emissions that we must not exceed if we wish to keep global temperature below 2 °C above pre-industrial temperatures. Given uncertainties in both the climate and carbon cycle responses to CO_2 emissions, as well as the climate response to emissions of other greenhouse gases and aerosols, there is large uncertainty in any estimate of this allowable cumulative emissions budget. Several recent analyses, however, have suggested that total CO_2 emissions of about 1000 PgC (3700 Pg CO_2) would give us about even odds of meeting the 2 °C target(*9-12*). To meet such a target given historical emissions would mean that the world has approximately half of our allowable emissions budget remaining, about 500 PgC.

There are, however, substantial issues of global equity surrounding differences in emissions amongst countries, and particularly between countries in the developed and developing world(13). Cumulative carbon emissions from the developed world currently exceed those from developing countries, and this has greatly improved human health and welfare in locations such as Europe, North America, Oceania, and Japan. But rapid economic growth in emerging economies is expected to reverse this pattern within a few decades (See Figure 1B and Supplementary Figure 2). Nonetheless, it is remarkable that per capita cumulative emissions from developed countries are expected to remain far higher than those from developing nations throughout the 21st century (see Figure 1C). This conclusion holds for both high and low emission scenarios, and is insensitive to future population growth. Thus, the question facing society is the ethical nature of a world in which economies that develop in the 21st century do so on much less cumulative carbon per capita compared to those who already developed in past centuries. In the absence of technological advances, this presents a stark scenario for emerging economies of the 21st century – how can they be expected to develop using much less carbon per capita than those who already developed? As society grapples with fairness in view of this difference, a critical factor will be technological investments and innovation, to increase the availability of reduced-carbon sources of energy that are more competitive in price, so that

development can continue to improve the lives of people in emerging economies without driving global climate change to increasingly dangerous levels. It is clear that these humanitarian and ethical issues related to development are a critical driver of urgency in dealing with climate change and energy issues in the near future. If reduced-carbon energy sources are not advanced rapidly, then a great deal of carbon-intensive infrastructure is likely to be put in place in the developing world, implying a large and ongoing societal commitment to further global CO_2 emissions and consequent climate warming(7).

Given the irreversibility of CO_2 -induced warming(4, 5), every increment of avoided temperature increase represents less warming that would otherwise persist for many centuries. Emissions reductions cannot return global temperatures to pre-industrial levels, but do have the power to avert additional warming on the same timescale as the emissions reductions themselves. Climate warming tomorrow, this year, this decade, or this century is not predetermined by past CO_2 emissions; it is yet to be determined by future emissions.

This differentiation between the idea of unavoidable warming due to inertia inherent in the climate system, and difficult-to-avoid warming that results from the inertia of human systems is not merely a question of semantics. The source and perceived inevitability of future warming is directly relevant to mitigation strategies and decisions. There is more hope for averting difficult-to-avoid negative impacts by accelerating advances in technology development and diffusion, than for averting climate system changes that are already inevitable. For an issue as international and serious in scope as climate change, clarifying such points of hope can provide motivation for change.

Acknowledgements

We thank Sarah Turner, Andrew Weaver, Simon Lewis and members of the Concordia Climate

Lab for helpful discussions surrounding earlier versions of this work. Funding from Concordia

University, the Natural Science and Engineering Research Council of Canada and the Canadian

Foundation for Climate and Atmospheric Sciences is gratefully acknowledged.

References

1. H. D. Matthews, A. J. Weaver, Nature Geoscience 3, 142-143 (2010).

2. J. Hansen et al., Science 308, 1431 (2005).

3. IPCC, in *Climate Change 2007: Impacts, Adaptation and Vulnerability. Contribution of Working Group II to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*, M. Parry, C. Hanson, P. van der Linden, J. Palutikof, O. Canziani, Eds. (Cambridge University Press, 2007), pp. 7–22.

4. S. Solomon, G. Plattner, R. Knutti, P. Friedlingstein, *Proceedings of the National Academy of Sciences* **106**, 1704 (2009).

5. H. Matthews, K. Caldeira, Geophys Res Lett 35, L04705 (2008).

6. R. H. Moss et al., Nature 463, 747-756 (2010).

7. S. J. Davis, K. Caldeira, H. D. Matthews, Science 329, 1330-1333 (2010).

8. D. G. Victor, Global Warming Gridlock (Cambridge University Press, 2011).

9. M. R. Allen et al., Nature 458, 1163-1166 (2009).

10. H. D. Matthews, N. P. Gillett, P. A. Stott, K. Zickfeld, Nature 459, 829-832 (2009).

11. S. Solomon *et al.*, *Climate stabilization targets* (National Academies Press, Washington, DC, 2011).

12. H. D. Matthews, S. Solomon, R. Pierrehumbert, *Philosophical Transactions of the Royal Society A* **370**, 4365–4379 (2012).

13. B. Bolin, H. S. Kheshgi, Proceedings of the National Academy of Sciences 98, 4850 (2001).

Supplementary Material for: Irreversible does not mean unavoidable

H. Damon Matthews¹ and Susan Solomon²

¹Department of Geography, Planning and Environment, Concordia University <u>damon.matthews@concordia.ca</u>

² Department of Earth, Atmospheric and Planetary Sciences, MIT *solos@mit.edu*

The relationship between cumulative emissions and temperature change, and its independence of the timescale in question, can be seen in Figure S1, which shows the temperature change produced by every ton of carbon emitted (or every 3.7 tons of CO_2), for four different RCP (Representative Concentration Pathways) scenarios, between 2015 and 2030, 2065 and 2100. On all three timescales represented here, the warming per unit CO_2 emitted is approximately the same across all emissions scenarios. Hence, this decade's CO_2 emissions will define the increase of CO_2 -induced global warming that occurs in this decade. This near-constancy of the temperature response to cumulative emissions means that the increased CO_2 -induced warming in both the near-term (2030) and long-term (2100) will be determined primarily by the cumulative CO_2 emitted in each decade of this century.




Figure S1. Global annual CO₂ emissions (A) and temperature change per unit CO₂ emission (B) for four Representative Concentration Pathway (RCP) scenarios. Each tonne of CO₂ emitted results in approximately the same increase in global temperature, regardless of either scenario or time interval. Therefore, simulated warming over the near-term (2015-2030) medium term (2015-2065) and the long-term (2015-2100) depends on the cumulative CO₂ emitted during the time interval in question (with some decrease in the per-unit-emission climate response to larger cumulative emissions(*1*)). Temperature changes plotted here were simulated using the University of Victoria Earth System Climate Model(*2*,*3*); the gray shaded region shows the range of temperature responses to cumulative CO₂ emissions from current CMIP5 global climate models(*4*). The version of the UVic model used here does not include representation of permafrost carbon pools, which could contribute to some amount of additional long-term warming commitment, though this feedback is not a significant contributor to near-term warming(*5*).

Cumulative emissions for the four RCP scenarios shown in Figure S1A, as well as three SRES scenarios (Special Report on Emission Scenarios), which are broadly comparable to the RCP scenarios RCP4.5, RCP6 and RCP8.5, are shown in Figure S2. Also shown are SRES cumulative emissions by region (Annex 1 vs. non-Annex countries: Figure S1B) as well as per capita cumulative emissions by region (Figure S1B). While total future cumulative emissions from developing (non-Annex) countries (dotted lines in B and C) are expected to exceed soon those from developed (Annex 1) countries (dashed lines in B and C), this is not the case for per capita cumulative emissions. In all scenarios, per capita cumulative CO₂ emissions and consequent contributions to global temperature change remain far higher for individuals living in developed countries than for those in developing regions. In addition, for most of the next century, these scenarios suggest that non-Annex countries are expected to develop on approximately five times less cumulative carbon per person compared to per capita cumulative CO₂ emissions in the developed world.




Figure S2. Global cumulative CO_2 emissions (A), cumulative emissions by region (B) and cumulative per capita emissions (C) for three SRES and four RCP scenarios. For each scenario, CO_2 -induced global warming is plotted on the right axis, using a multi-model average of 1.6 °C(1) (axis values), and an inter-model range for CMIP5 models of 0.8-2.4 °C(4) (vertical bars) per trillion tonnes of carbon emitted.

References

- 1. H. D. Matthews, N. P. Gillett, P. A. Stott, K. Zickfeld, Nature 459, 829-832 (2009).
- 2. A. J. Weaver et al., Atmos Ocean 39, 1-67 (2001).
- 3. M. Eby et al., Journal of Climate 22, 2501–2511 (2009).

4. N. P. Gillett, V. K. Arora, H. D. Matthews, M. R. Allen, *Journal of Climate*, in press (2013).

5. A. H. MacDougall, C. A. Avis, A. J. Weaver, Nature Geoscience 5, 719-721 (2012).