

MIT Open Access Articles

Errata: Observation of dynamic subdomains in red blood cells

The MIT Faculty has made this article openly available. **Please share** how this access benefits you. Your story matters.

Citation: Popescu, Gabriel, Kamran Badizadegan, Ramachandra R. Dasari, and Michael S. Feld. "Errata: Observation of Dynamic Subdomains in Red Blood Cells." *Journal of Biomedical Optics* 11, no. 5 (2006): 059802. © 2006 Society of Photo-Optical Instrumentation Engineers

As Published: <http://dx.doi.org/10.1117/1.2362857>

Publisher: SPIE

Persistent URL: <http://hdl.handle.net/1721.1/87740>

Version: Final published version: final published article, as it appeared in a journal, conference proceedings, or other formally published context

Terms of Use: Article is made available in accordance with the publisher's policy and may be subject to US copyright law. Please refer to the publisher's site for terms of use.



Errata: Observation of dynamic subdomains in red blood cells

Gabriel Popescu,^a Kamran Badizadegan,^b
Ramachandra R. Dasari,^a and Michael S. Feld^a

^aMassachusetts Institute of Technology
George R. Harrison Spectroscopy Laboratory
Cambridge, Massachusetts 02139

^bHarvard Medical School and Massachusetts
General Hospital
Department of Pathology
Boston, Massachusetts 02114
[DOI: 10.1117/1.2362857]

This article was originally published online on 18 July 2006 without Michael S. Feld in the author list. In addition, there were errors in Eq. (3). The corrected equation appears below. All online versions of the article were corrected on October 3, 2006.

$$\bar{f}(x,y) = \frac{1}{2\pi} \frac{\int_0^{\omega_{\max}} \omega P(x,y;\omega) d\omega}{\int_0^{\omega_{\max}} P(x,y;\omega) d\omega}. \quad (3)$$